

MICROCOMPUTING®

WAYNE GREEN PUBLICATION

May 1983
USA \$2.95 (UK £2.00)
Number 77

Fed Up with Floppies? Take a Hard Look into the Future

What to Look For When
Buying Hard Disks



from England:
Battles CoCo

ne Again Challenges the Industry:
nounces New Portable

Tandy Also Goes Portable:
Unveils Model 100

QX-10 Review: Part 2

ASTEWZ163***15 05 KB DEC84

C0 80306





THE NEW AMDISK-III MODEL III ADD-ON DRIVE

The AMDISK-III Micro-floppy disk system is an engineering breakthrough in disk size, storage capacity, media protection and user convenience. It's fully compatible with your TRS-80 Model-III*[®]. Enjoy a full 736 KByte† (formatted) storage capability and the extra convenience of the new 3" hard-plastic encased diskettes. They fit into a shirt pocket and are easy to mail, too.

The AMDISK-III drive system is ruggedly constructed for years of trouble-free operation and is backed with our 90 day warranty on parts and labor.

Just circle the reader service number to receive full technical details.

* TRS-80 and TRS-DOS are registered trademarks of Tandy Corporation.

† Requires recording on both sides.

2201 Lively Blvd. • Elk Grove Village, IL 60007
(312) 364-1180 TLX: 25-4786

AMDEK CORP.

Amdek . . . your guide to innovative computing!

Circle 96 on Reader Service card.

PERCOM DATA **PC** **POWER** **PACK**



Now your IBM® PC can have more power, more versatility and more storage than ever before. **Percom Data Corporation** and **Digital Research** have joined forces to bring your IBM-PC up to "FULL POWER" with PC-POWER PACK, a special hardware/software value.

The **PC-POWER PACK** is —

- A Percom Data 5¼" Hard Disk Drive. (5,10,15 or 20 megabyte models)
- A 192 K RAM board to increase your IBM-PC's memory
- Digital Research's Concurrent CP/M-86™, the single user, multi-tasking operating system.

PC-POWER PACK will permit your IBM-PC to carry out many functions at one time . . . instead of waiting between tasks. File, sort, print . . . at the same time, simply switch from screen to screen . . . and operate and store your data on a reliable Percom Data Hard Disk Drive.

PC-POWER PACK has it all . . . Winchester technology . . . a superior operating system, and increased machine memory. Suggested retail prices start at under \$3000.

PC-POWER PACK will soon be available for other personal computers.

To find out more or to get the name of an authorized dealer near you call Percom Data's toll-free

PC-POWER PACK HOTLINE: 1-800-527-1222

PERCOM DATA
CORPORATION

Expanding Your Peripheral Vision

DRIVES • NETWORKS • SOFTWARE

(214) 340-7081 • 1-800-527-1222 • TELEX: 73-0401 (PERCOM).

PC-POWER PACK is a tradename of Percom Data Corporation • IBM is a trademark of International Business Machines
Concurrent CP/M-86 is a trademark of Digital Research.
COPYRIGHT 1983 PERCOM DATA CORPORATION

Dealer
inquiries
are invited.

MICROCOMPUTING



Winchesters wipe out memory limits.

Page 26



The color and graphics capabilities of the Dragon will slay you.

Page 82



Osborne tries again.

Page 81

26 Cover: Winchester Blasts The Memory Barrier

Instead of fiddling with files and files of floppies, you might want to invest in a Winchester. The memory you save may be your own.

By Stephen L. Childress

34 Mating a Winchester With a Controller

Where did Action Computer Enterprise turn when it needed a controller for integrating its Discovery 500 system? The solution was the DTC-520A. By Ken Barbier

40 Virtual Memory

On most eight-bit micros, you can make 16K of memory appear to be 64K; this tutorial on virtual memory shows how. By Russell King

42 Buyer's Guide to Hard Disk Drives

The market's available hard disk drives with less than 40 megabytes of storage are surveyed in this chart.

48 The Intelligent Toaster

The programming of the 8748 chip is explained in this installment of the author's single-chip intelligence series. By Mark Robillard

56 A Sinclair Quick Fix

With a pair of short programs, your Timex-Sinclair 1000 (ZX-81) can read or write data to tape—without affecting your Basic program.

By Alan Sehmer

60 You Can Count on 1-2-3

Few software packages are truly integrated; Lotus' versatile 1-2-3 is an exception. By Thomas V. Bonoma

62 1-2-3 vs Multiplan vs MBA

How does 1-2-3 match up with two of its rival software programs?

By Thomas V. Bonoma

70 Blue-Collar Portable

The M6000P is a powerful, expandable and flexible computer disguised as a portable. By Tim Daniel

76 How Much Memory Is Enough?

Two of the micro industry's hottest trends—portable computers and hard disks—come together in Micro Source's M6000P.

By Tim Daniel

81 Osborne Draws Another Line

In an attempt to catch up to an industry he helped to build, Adam Osborne has released the Executive. By Larry Canale

82 The Computer That Roared

The Welsh Dragon uses a 6809 CPU—like the TRS-80 Color Computer does; the Dragon, though, boasts twice as much RAM.

By Fernleigh Edmondson

86 Vive la Difference! Valdoks

The Valdoks operating system is attracting a lot of attention for Epson's QX-10, although the machine runs with CP/M as well. By Jim Hansen

6 Publisher's Remarks

Future of Portables

8 What's New, Big Blue?

Touching All Software Bases

16 Overview

Word is out on Tandy's Model 100

20 PET-pourri

The 8032P Hits the Market—Quietly

24 Letters to the Editor

94 Micro Software Digest

Software Reviews at a Glance

121 Classifieds

121 Dealer Directory

121 Club Notes

122 Book Reviews

128 Calendar

132 New Products

138 New Software

146 Software Reviews

Do-it-all Editor for CP/M
Multitasking Memory/Shift
An Apple Word Processor
Pascal-teaching Robot

Cover photo courtesy of Shugart Associates.

Microcomputing (ISSN 0744-4567) is published monthly by Wayne Green, Inc., 80 Pine St., Peterborough NH 03458. U.S. subscription rates \$25, one year; \$53, three years. Canada and Mexico \$27.97, one year, U.S. funds. Foreign \$44.97, one year; U.S. funds drawn on U.S. bank. Foreign air mail subscriptions—please inquire. Canadian Distributor: Micron Distributing, 409 Queen St. West, Toronto, Ontario, Canada M5V 2A5. South African Distributor: Microcomputing, PO Box 782815, Sandton, South Africa 2146. Second-class postage paid at Peterborough, NH 03458 and at additional mailing offices. Phone: 603-924-9471. Entire contents copyright 1983 by Wayne Green, Inc. No part of this publication may be reprinted or otherwise reproduced without written permission from the publisher. Postmaster: Send form #3579 to *Microcomputing*, Subscription Services, PO Box 997, Farmingdale, NY 11737.

BASIC **VS.** JRT PASCAL:

A NO-HOLDS-BARRED COMPARISON.

EASE-OF-USE By dividing programs into modules, JRT Pascal makes even very complex programs—of nearly any size—a breeze to manage. Pascal code is *self-documenting*; program sections are identified by meaningful names, not line numbers. Error messages are verbal, not number codes. JRT offers 12 data types (to Basic's 2 or 3), and it has both regular and hex numbers.

POWER For power—the ability to write better, clearer programs, faster—Pascal is the run-away winner. Example: JRT simplifies programming by accomplishing complicated operations (for Basic) with one command:

Basic	JRT Pascal
IF A\$ = "V" OR	IF A IN ['V..'Z'] THEN...
A\$ = "W" OR	
A\$ = "X" OR	
A\$ = "Y" OR	
A\$ = "Z" THEN...	

FLEXIBILITY JRT's wide variety of data types reduces programming restrictions. And the data types are not all fixed in size. There are 3 *looping statements* (Basic has 1). With JRT, very large programs can be created and run, because program modules can be spread over many diskettes. Common modules can be used for several programs. Basic generally limits strings to 255 bytes; JRT strings go up to 64K.

EFFICIENCY Whereas Basic relies on a static, inefficient memory map to allocate storage, JRT's *dynamic storage* fills every available main storage area; there's no waste. With Basic, sub-routine modules must be linked together; with JRT, they can be linked—but don't have to be. JRT's more powerful commands *run faster*; typically, you'll write Pascal programs 3 to 10 times faster than in Basic. *Exclusive:* JRT lets you directly access the CP/M* operating system for better total system control.

NOW... Consider our copy policy. (If you want to make copies, it's OK with us—so long as they're not for re-sale.) Check our astounding price: **\$29.95!**—and *satisfaction is guaranteed—or your money back.* Basic versus JRT Pascal: which comes out on top? Right! The coupon below is for your convenience. Or call. Today.

Here's the real shocker!		
Features	Basic	JRT Pascal
Structured programs	No	Yes
Separate compiled modules	"Chaining"	Structured procedures with auto-loading & purging
Arithmetic precision	Usually 6 or 7 digits	14 digits
Indexed files	No	Yes
Maximum string size	255 characters	64,000 characters
Loop statements	1	3
Data types	Usually 2 or 3	12
CASE statement	No	Yes
Introduced	1965	1980
Price	???	\$29.95!

Full support for indexed files

CRT screen formatting & full cursor control

Facilities for formatting printed reports

File variables & GET/PUT

Dynamic arrays

SEARCH procedures for fast table look-up

Extended CASE statements

Random files to 8 megabytes with variable length records

64K dynamic strings

Activity analyzer prints program use histogram

14 digit BCD FLOATING POINT arithmetic

True dynamic storage

Advanced assembly Interface

Fast one-step compiler; no link needed

Efficient compiler needs only 85K diskette space

Maximum program size: more than 200,000 lines

More than 200 verbal error messages

Separate compilation of auto-loading external procedures

No limits on procedure size, nesting or recursion

175-page user manual with 3-ring protective plastic binder & 5¼" or 8" diskettes

Handy JRT Pascal reference card

Graphing procedures
Statistic procedures



THE COMPLETE PASCAL FOR CP/M.

\$29.95!

JRT/PASCAL 3.0

Send **JRT SYSTEMS** or
to **45 Camino Alto/G2** phone **415/388-0530**
Mill Valley, CA 94941

Here's my \$29.95; please send me JRT Pascal. I understand that if I'm not completely satisfied, I can return it within 30 days—with the sealed diskettes unopened—for a full refund. (Allow 4-6 weeks for shipping.)

I need the 5-1/4" diskettes for ☐ Apple CP/M; ☐ Heath, Hard Sector; ☐ Heath, Soft Sector; ☐ Northstar; ☐ Osborne; ☐ Superbrain; ☐ Televideo; ☐ Xerox 820. I need ☐ 8" SSD diskettes.

Name _____

Address _____

City _____ State _____ Zip _____

☐ Check ☐ C.O.D. ☐ MasterCard ☐ VISA
(CA residents add sales tax. Add \$6 for shipping outside North America.)

Card # _____ Exp. _____

Signature _____

*CP/M is a Digital Research TM.

A 56K CP/M system is required.

PUBLISHER/EDITOR

Wayne Green

EDITORIAL MANAGER

Jeff DeTray

MANAGING EDITOR

Dennis Brisson

EDITORIAL ASSISTANTS

Larry Canale, Dan Muse, Swain Pratt

TECHNICAL EDITOR

Jake Commander

PROOFREADER

Harold Bjornsen

PRODUCTION EDITOR

Susan Gross

ADMINISTRATIVE ASSISTANT

Michele Christian

ASSOCIATE EDITORS

Robert Baker, Thomas Bonoma,

Frank Derfler, Jr.

PRODUCTION MANAGER

Nancy Salmon

ASSISTANT PRODUCTION MANAGER

Michael Murphy

ADVERTISING PRODUCTION

Bruce Hedin

PRODUCTION DEPARTMENT

Joan Ahern, Frances Benton, Fiona Davies, Linda Drew,

Bob Dukette, Michael Ford, Phil Geraci,

Donna Hartwell, Susan Hays, Laura Landy,

Kimberly Nadeau, Lynn Parsons, Scott Philbrick,

Paula Ramsey, Mary Seaver, Deborah Stone,

Anne Vadeboncoeur, Theresa Verville,

Robert Villeneuve, Laura Woerner, David Wozmak,

Karen Wozmak

PHOTOGRAPHY

Thomas Villeneuve, Katherine Coker, Sandra Dukette,

Laurie Jennison, Irene Vail

TYPESETTING

Sara Bedell, Marie Barker, Melody Bedell, Michele

DesRochers, Jennifer Fay, Prem Krishna Gongaju,

Lynn Haines, Linda Locke, Nancy Wilson-Newman,

Debra Nutting, Lindy Palmisano, Susan Weller

DESIGN

Jonathan Graves, creative director;

Christine Destremes, design director; Joyce Pillarella,

supervisor; Sue Donohoe; Denzel Dyer; Howard Happ;

Laurie MacMillan; Dion Owens; Dianne Ritson;

Patrice Scribner; Susan Stevens; Donna Wohlfarth

EXECUTIVE VICE PRESIDENT

Sherry Smythe-Green

GENERAL MANAGER

Debra Wetherbee

CONTROLLER

Roger Murphy

ASSISTANT TO THE CONTROLLER

Dominique Smith

ASSISTANT TO THE PUBLISHER

Matthew Smith

ACCOUNTING MANAGER

Knud Keller

CIRCULATION MANAGER

603-924-9471

Pat Ferrante

BULK SALES MANAGER

Ginnie Boudrieau

DIRECTOR OF ADVERTISING

David Schissler

ADVERTISING

603-924-7138

Giorgio Saluti, Bob Sharkey, Judi Wimberly

NEW ENGLAND

ADVERTISING REPRESENTATIVE

John A. Garland,

Frank Surace

Garland Associates, Inc.

Box 314 SHS

Duxbury, MA 02332

617-934-6464 or 6546

Manuscripts

Contributions in the form of manuscripts with drawings and/or photographs are welcomed and will be considered for possible publication. We can assume no responsibility for loss or damage to any material. Please enclose a self-addressed, stamped envelope with each submission. Payment for the use of any unsolicited material will be made upon acceptance. All contributions should be directed to the Microcomputing editorial office (Pine St., Peterborough, NH 03458). "How to Write for Microcomputing" guidelines are available upon request.

PUBLISHER'S REMARKS

By
Wayne Green

Portables—What Will The Future Bring?

The Osborne Generation

Is the Osborne's success due to the fact that it is portable, or because it is a bargain as far as a complete system is concerned? Most of the commonly needed software is provided, and the entire cost of the computer is not much more than the ordinary software cost.

Frankly, other than that chap who dragged an Osborne to Afghanistan as a word processor (see July 1982 *Microcomputing*), I'm not sure where portable computers really fit in. As a word processor, the Osborne has its plusses and minuses. But the tiny screen is not one of its big advantages.

With the new Brother portable, battery-operated typewriter ringing in at \$200, I know I wouldn't consider lugging an Osborne to Afghanistan. I haven't even taken the Brother anywhere yet, but I will give it a try. So far I've found my portable word-processor needs have been more than adequately satisfied by the Sony Typecorder. It's so small (8½ × 11 × 1½ and only 3 pounds) it fits in my shoulder bag and can be whipped out in two shakes for typing—on a plane, in a waiting room, in the car. The window holds 40 characters at one time, with each line being 80 characters. The typed material is saved in RAM memory until a full page has been typed,

at which time the Typecorder indicates that it is time to save the page on the built-in microcassette, which will hold more than 100 pages.

When the day comes when most of our businesses are computerized, it will be helpful for both executives and salesmen to have small, portable computers that can be used via the telephone to access the home office computer for data access and communications. A salesman who can call the office on a motel phone in the morning and get the latest information on a customer he is going to visit that day—open bills, sales records, lists of the names he should talk with, and so on—will be better armed than one who has only partial information.

A salesman could call from the customer's business and get immediate information on inventory, delivery dates and credit, and then place orders on the spot.

Executives making business calls would be able to get complete information on the people they are going to be visiting that day, product data, names and even copies of correspondence.

Portable computers will, obviously, have an important place. But I'm not sure they will take the form of the Osborne, or any of the other portable computers that have come along since. The KayPro, featuring a larger screen

NCC Piracy Panel

One of the high-powered panels at the National Computer Conference in Anaheim, CA (May 16–19), will feature industry heavyweights Adam Osborne of Osborne Computers, George Morrow of Morrow Designs, Bill Godbout of CompuPro, Gervais Davis of Digital Research and Peter Hipson of Copywriter, a Bangkok firm. The discussion will be entitled "Microcomputer Software Protection."

With the software industry being devastated by piracy, there is a desperate need for a workable protection system for software. There is a general agreement that legal recourse is almost use-

less and that software protection schemes are too easy to defeat. The only remaining hope is for some sort of hardware protection system.

The NCC panel, which I will be chairing, will address this situation. I am hoping that as a result of this panel there will be a clear direction for the industry to move and that we will be able to develop an industry standard of hardware protection of software.

The session will be Monday, May 16, from 1:30 to 3 p.m. in Salon 3 at the Anaheim Marriott. This could easily be the single most important panel of the conference... certainly it will have the brightest stars of the industry.

W.G.

than the OI's and more storage with the drives, gives a lot of computer for its price. The Jonos even has a hard disk available in the same relatively small package. Otrona seems to have packed the most into an even smaller package. Then there is the Teleram and the Grid, both higher in price.

There is going to be a good market for portable computers, but I suspect it is still not ready and that the success of the Osborne has been mostly in the bundling of hardware and software. If this is true we may see some response to the Morrow Micro Decision, which follows the same path. It's a lot of computer to start with, plus it has the popular business programs and an amazingly low price for the bundle. It is not a portable; it is a desktop unit.

The technology is heading in the direction of ever-smaller equipment, so I suspect that we will be seeing some developments that will make bulky portables obsolete. The work on LCD displays is progressing, so we should be seeing larger and larger screens. Several years ago, when I saw the first LCD watches, I predicted that with that technology we would see some portable computers shaped like a hardcover book someday. The LCD display would be in the lid, which would lift up for typing.

The Typecorder is a healthy step along this path, but it is still far too limited in display area. So is the Epson HX-20, though it certainly is going in the right direction, with a four-line display, small printer and built-in microcassette.

The 8½ x 11 size allows for a full-sized typewriter keyboard—a big plus. We should be able to see a full page in display, so the LCD cover would do the job fairly well. We want to have word processing functions and spreadsheets, plus the ability to harbor other needed programs. With channelized radio communications, our portable computer will be able to access nearby computers or even—via automatic relaying—the telephone lines or cable systems for remote data exchange.

Remember that hams have been able to communicate from almost anywhere in the country via small, handheld transceivers. Hams are so used to this that it doesn't surprise them. They take it for granted that they can keep in touch from just about anywhere. I've often surprised businessmen by whipping a small handtransceiver out of my pocket and talking a hundred miles with it via these relay systems which are almost everywhere in the country, and throughout much of the world. Well, with a little radio in a computer, it, too, can put you in contact with home base from just about anywhere in the world.

Thus, though I don't see a huge market for portable systems right now, there is no question in my mind that the day is coming when we will have briefcase por-

tables about the size of the Typecorder and pocket portables with smaller keyboards and LCD screens, with radio communications tying 'em together with our larger systems.

Apple Discounting Discouraging Dealers

The Apple practice of giving quantity discounts to dealers has caused their marketing system increasing grief. It's like dominos falling.

Apple dealers, pushed to get additional discounts by increasing their orders over the limit of what they can sell through their stores, ordered extra Apples and then sold off the extras at around their cost to discount houses, which mark them up minimally and move 'em on out. The hooker, of course, is that the discount prices pulled down the prices for all dealers, thus giving them less profit and, in turn, discouraging them from selling Apples when they can make so much more profit on other computers.

Reports are coming in from all around the country that a growing number of Apple dealers are doing their best to convert every potential Apple sale into something more profitable. This, of course, makes even more Apples available to the discount houses, further eroding the price structure.

There is no way for a dealer to get off this circle other than to stop carrying the Apple. If he is going to stay in competition with the discount houses, he has to buy at the largest quantity he can, even though this means turning a growing percentage of the product over to discounters. The situation feeds on itself, becoming worse and worse.

Several months ago I brought this to the attention of the Apple people and suggested it was getting time to revamp quantity discounts. How serious does this have to become before a change is made? We are already seeing signs that the Apple IIe will quickly follow the same route. In fact, we know that it has to—and immediately—if quantity discounts are maintained.

Other approaches are possible, of course. Morrow does a lot to discourage the dumping of his computers by holding back a substantial percentage of the discount until after the sale. A dealer must show a customer name and address within so many miles of the store to get the added discount. Of course, in the case of a New York outfit this is no problem, with 47th Street Photo right around the corner and eager to buy almost unlimited computers... which they sell at outrageously low prices. I buy a lot of my stuff there.

With the pressure of a feature article in *The Wall Street Journal* on the subject, plus one a couple of days later in *Electronic News*, perhaps the decision-makers at Apple will be startled awake—before it is too late. □

Circle 78 on Reader Service card.

EXPOTEK

2723 W. Windrose • Suite 3
Phoenix, Arizona 85029

1-800-528-8960

GUARANTEED LOW PRICES

APPLE CARDS

16K RAM — \$78 Z80 CARD — \$235
Videx Card — \$227 Smart Term — \$279
Micro Soft Prem. PK — \$475

ALTOS

5-15D — \$2120 5-5D — \$4100

ANADEX

9500A — \$1290 9501A — \$1290

ATARI

1200 — \$645 800-48K — \$499
410 — \$75 810 — \$429
1010 — \$75 850 — \$159

CITOH

F-10P — \$1299 F-10S — \$1299
1550P — \$659 Prowriter 1550CD — \$709
8510AP — \$409 8510BCD — \$545

DATASOUTH

DS120 — \$595 DS180 — \$1175

DIABLO

630RO — \$1799 620 — \$900

APPLE-LOOK-A-LIKE Call

HAZELTINE

1500 — \$995 ESPRIT — \$498

MICRO SCI A2

\$265 — Apple Drive/Card — \$375

MODEMS

HAYS — MICROMODEM — \$269
HAYS — SMARTMODEM — \$210
HAYS — 1200 Baud — \$530

MONITORS

Amdek — Color II RGB — \$645
Amdek 300 — \$140 Color I — \$295
BMC Green — \$85 USI Amber — \$159

NORTHSTAR

Advantage — \$2600 Horizon 64QD — \$2600

NEC

8023 — \$450 7710 — \$2045

OKIDATA

M92 — \$515 M93A — \$910
M82A — \$399 w/Tractor & Grap. \$479
M84P — \$988 M84S — \$CALL

TELEVIDEO

802 — \$2599 802H — \$4450
806 — \$4950 800A — \$1250

TELEVIDEO

910 — \$569 925 — \$718
920 — \$735 950 — \$899

TI

810 — \$1240 820 — \$1795

ZENITH

Z19 — \$689 Z89 — \$2129

SOFTWARE

All Major Brands — \$CALL

DISKETTES/BOXES

Elephant — \$20 Scotch — \$25 Dysan — \$35

All Prices Subject To Change

Customer Service
602-863-0759

The Taste Of Crow

Straightening Out The "Basic Bug" Controversy

Getting Personal

A veritable Pandora's Box of new software, updates, revisions and advance previews will be presented this month. Your humble correspondent even eats a little crow—concerning the "undocumented Basic benefit" I pointed out in a previous column.

In addition, I'll dish out my first Software Awards.

I had a program adaption for Wordfreq.Bas ready for this month, but we had to postpone it because of space limitations. Check these pages in the next couple of months for that program.

Updates, News and Previews

In my January column, I talked about and adapted a program (Fracdec.Bas) to demonstrate a potential Basic buggie. The animal in question was an extra space included when using the LEN and STR\$ functions in Basic or BasicA.

Well, the volume of mail generated was boundless, and it fell into three categories. The first, and largest, was exemplified by reader/consultant/programmer Joe Long, who patiently explained, "You overlooked the fact that all numeric values in Basic include a sign (positive vs negative). If the value is negative, the minus sign is printed, but if the value is positive, the sign is left blank. . . Nevertheless, the sign is there—a blank implies positive and is counted as a character by the LEN(XS) function."

"Similarly, when you convert a numeric value to a string value with STR\$(XS), the minus sign will be the first character in the string value if the value is negative. If the value is positive, a space will be the first character."

"What apparently misled you was that the value started out as a string value, which does not include an automatic sign position; it was converted to a numeric value, which does. It was finally

converted back to a string value, seemingly picking up an 'extra space' in the process.

"The error was included in the original program, either because the author did not understand that the 'sign' character would be counted by LEN(XS), or because of a misprint. You corrected the program properly."

The second and third categories of mail were much smaller.

The second-category letters argued that the bug I mentioned was really a "documented benefit" in Basic, and that I was an idiot for not knowing it. The third class agreed that this was a bug, but claimed to have discovered it several years ago.

For the final word, we turned to a *Microcomputing* technical editor, who agreed with Joe Long. On the buggie, I stand corrected and chastised, but still displeased that the descriptions of LEN\$ and STR\$ in the Basic manual are not written more completely and clearly.

The cryptic remark in the IBM Basic manual that "unprintable characters and blanks are counted" isn't very useful without an example to remind the reader of the sign blank (which is documented at the front of the manual, but not where it would do some good).

To all of the good readers who wrote in, thank you.

Proof of Purchase

IBM has announced that update kits will be made available at your Personal Computer dealer for the COBOL Compiler and for the UCSD p-System. The updates provide "corrections and enhanced performance."

What you have to do is rip out the front inside cover page of your manual as proof of purchase and take it to your dealer on or before December 31, 1983. By the time you read this, the update kits should be in stock, so obtaining one should be a simple matter.

WordStar and MicroPro

WordStar 3.21 has been updated to a new version, 3.24. Interestingly, neither the new WS nor the new MailMerge are compatible with earlier releases of the products on the PC. What does that mean, exactly? I don't know yet—I'll get the new version and report on that later.

The only information contained in the press release about Version 3.24 is that it is incompatible with earlier versions, that it allows any printer (not just Epson's) to be used as a parallel device and that an error message is now displayed if a file is created using characters illegal to PC-DOS.

Additionally, MicroPro has rewritten its install programs to support the NEC 3550 printer.

Finally, from the same company, InfoStar (a DBMS program) is available for the IBM PC. I'll review that in the future.

The Rumor Mill

On the gossip front are a couple of tasty tidbits. Version 2.0 of the MBA will be out by the time you read this; it's rumored to be nothing short of excellent. This spreadsheet, graphics, DBMS and word processing program features added forms capabilities and telecommunications package.

For the first time since the advent of micros, it's possible to turn your computer on in the morning, boot a single software package and use MBA Version 1.91 for most management applications without change until night.

The software package PowerText, from Beaman Porter, has been updated to Version 1.91. The new version is rumored to contain a new and easier-to-use text editor, automatic bottom-of-the-page footnoting and a host of other features. A

Address correspondence to Thomas V. Bonoma, 45 Drum Hill Road, Concord, MA 01742.



LAST NIGHT, COMPUSEVE TURNED THIS COMPUTER INTO A TRAVEL AGENT FOR JENNIE, A STOCK ANALYST FOR RALPH, AND NOW, IT'S SENDING HERBIE TO ANOTHER GALAXY.

NO MATTER WHICH COMPUTER YOU OWN, WE'LL HELP YOU GET THE MOST OUT OF IT.

If you've got places to go, CompuServe can save you time and money getting there. Just access the Official Airline Guide Electronic Edition—for current flight schedules and fares. Make reservations through our on-line travel service. Even charter a yacht through "Worldwide Exchange."

If your money's in the market, CompuServe offers a wealth of

prestigious financial data bases. Access Value Line, or Standard and Poor's. Get the latest information on 40,000 stocks, bonds or commodities. Then, consult experts like IDS or Heinold Commodities. All on line with CompuServe.

Or if, like Herbie, intergalactic gamesmanship is your thing, enjoy the best in fantasy, adventure, and space games. Like MegaWars, the ultimate computer conflict.

To get all this and more, you'll

need a computer, a modem and CompuServe. CompuServe connects with almost any personal computer, terminal, or communicating word processor. To receive an illustrated guide to CompuServe and learn how you can subscribe, contact or call:

CompuServe

Consumer Information Service
2180 Wilson Road, Columbus, Ohio 43228

800-848-8199

In Ohio, call 614-457-8650

An H&R Block Company

spelling checker will be made available as well. Version 1.91 will make a creative concept—the replacement of the secretary instead of the typewriter for word processing—even more useful.

Software

The torrent of clever ways for you to part with your loose change continues...

Games

I'm not much of a game player (at least not on the computer) so I may not be the easiest critic on a lot of these new entries. Still, I'll try to keep you up to date and to provide honest opinions.

Podlaserium (DP Computer Services, 5019 N. Washington Blvd., Arlington, VA 22205, \$34.95 from "selected dealers") is a character graphics game written in compiled Basic for either color or monochrome monitors.

Alien characters, depicted by the number sign (#) and other PC characters, are placed randomly on the screen. The player's missile, a happy face at the bottom of the screen, has limited fuel and ammunition with which to blast the little devils.

At intervals, impenetrable (almost) shields are created by the aliens to protect themselves, and once in a while a bomb is seen somewhere on the screen. If hit, a bomb will destroy all of the pods (pods + laser + Latin ending = Podlaserium, I suppose).

PC magazine gave this game high marks, so I was excited about trying it. Well, it is acceptable, but the character graphics are clumsy, it has the slowness of Basic (even though it's compiled) and it's quirky (lowercase entries for disk

drives, for example, are rejected). The documentation is good, and the game is challenging, but I'd recommend a demo before you buy.

On the other hand, Crossfire (Sierra On-Line, Inc., 36575 Mudge Ranch Road, Coarsegold, CA 93614, \$34.95) is a game that looks un-fun at first boot. But it quickly grows on you.

The hi-res (color monitor required) screen is divided into squares (representing buildings) and spaces (representing roads). Your player can move anywhere on the roads and can fire in four directions.

The aliens hide behind buildings at the edge of the city; periodically, they pop up, shoot at you, make forays into the city and, in general, act to create mayhem. They strive mightily to get you into a crossfire; if they do, kiss one of your three plays goodbye.

The animation in Crossfire is smooth and the game is flawless (it's a translation of an Apple II game). It's good value for the money.

So is Ulysses (also Sierra On-Line, \$59.95), part of Ken Williams' graphic adventures series. The normal-adventure two-word commands are in effect; your job is to retrieve the golden fleece.

You have to sail to your destination by first obtaining the king's blessing, a crew and a number of supplies. The hi-res graphics are novel, but not of the quality the IBM's resolution can display. Ulysses is supplied on two disks and requires 48K of memory and a color card/monitor.

Championship Blackjack (PCSoftware, 4155 Cleveland Ave., San Diego, CA 92103, \$34) is a tutor/game program that allows you to change casino rules and that will accommodate multiplayer

tournaments.

The program accommodates splits, doubles, insurance (are the gamblers listening? I don't know what I'm saying!) and lets you set up to play with Vegas Strip or Downtown, Atlantic City, or even Tahoe or Reno rules. You can also choose the number of decks the dealer will use.

Perhaps the most interesting part of Championship Blackjack is the statistics kept while you play; they're displayed at the end of play by use of the PC function keys. It's an exercise in humility.

In the simulation mode, you enter the number of deals you wish to play (up to 999,999). You also enter players and bankrolls.

You can view the hands as they are played; when the simulation ends, the statistics are available for viewing.

Oh, by the way, the program kibitzes while you play, telling you that your choice of "hit" or "stay" isn't consistent with the strategy you should be using.

Also from PCSoftware is PCrayon, a color drawing program requiring 64K, BasicA, one disk and a color graphics system. The program retails for \$44.95, and it's worth it.

You can draw, write, create, store or display "vector symbols" (special designs supplied with PCrayon or created by you) and graphics symbols anywhere on the screen. You also can create "scenarios" or record the steps used in creating your displays.

All kinds of functions are implemented with two or three keystroke commands, including color/background choice, arcs and circles, painting, lines and text entry, in addition to the special vector and graphics symbols described above.


Drawing can be done in one of nine widths or sizes, and the program allows choice of the medium or the hi-res screens for your art. Full save to disk and restore of screens, symbols and the like is supported.

PCrayon is fully integrated with the PC's function keys; it's perfect for experimenting with your machine's graphics (if you've got the hardware to support it).

From International Software Marketing (Suite 421, University Building, 120 E. Washington St., Syracuse, NY 13202) comes Prism (\$24.95), a "story disk" that promises to make one PC user wealthy.

Like the book that generated so much attention a year or so ago, ISM has hidden three golden keys somewhere in the world, and has written a story in which the hints that could help you find those keys are embedded. The story deals with a boy whose town loses its color because the magic Prism is lost.

The golden keys, according to the manual, are hidden "somewhere in the continental U.S. They will lie hidden until the cleverest and most enterprising among the treasure hunters unravel the many mysteries through the layers upon layers of meaning in this intriguing tale."



Example 1. Sample printout from Fast Graphs graphics and plotting program.

Powerful CP/M Software.

For Apple, Osborne, Xerox, Kaypro, North Star, SuperBrain, Heath/Zenith, and others.

Now only **\$29.95** each!

NEVADA COBOL

was \$199.95 now only **\$29.95.**

When we introduced Nevada COBOL in 1979, it was loaded with innovations. Today's Edition 2 is even better!

- ☐ Extremely Compact. You can compile and execute up to 2500 statements in 32K RAM, 4000 statements in 48K, etc.
- ☐ It's based upon the ANSI-74 standards with level 2 features such as compound conditionals and full CALL CANCEL.
- ☐ You can distribute your object programs royalty FREE!
- ☐ You get a diskette, 153-page manual with lots of examples and 16 complete COBOL source code programs.

Also available: COBOL Application Packages, Book 1 \$9.95

NEVADA PILOT

was \$149.95 now only **\$29.95.**

- ☐ Perfect for industrial training, office training, drill and testing, virtually all programmed instruction, word puzzle games, and data entry facilitated by prompts.
- ☐ John Starkweather, Ph.D., the inventor of the PILOT language, has added many new features to Nevada PILOT. There are commands to drive optional equipment such as Video Tape Recorders. There's a built-in full-screen text editor, and much more.
- ☐ Meets all PILOT-73 standards for full compatibility with older versions.
- ☐ You get a diskette, 114-page manual and ten useful sample programs.
- ☐ See Review in *Microcomputing*, January 1983, page 158.

NEVADA FORTRAN

was \$199.95 now only **\$29.95.**

- ☐ Based on ANSI-66 standards with some 1977 level features.
- ☐ IF . . THEN . . ELSE constructs.
- ☐ A very nice TRACE style debugging.
- ☐ 150 English language error messages.
- ☐ You get a diskette, 174 pages of Documentation and five sample programs. Requires 48K RAM.

NEVADA EDIT

was \$119.95 now only **\$29.95.**

- ☐ High quality text editing for micros!
- ☐ A character-oriented full-screen video display text editor designed specifically to create COBOL, BASIC and FORTRAN programs.
- ☐ Completely customizable tab stops, default file type, keyboard control key layout and CRT by menu selection.
- ☐ The diskette comes with an easy to read manual.

To make our software available to even more micro users, we've slashed our prices. What's more, we're offering a money back guarantee. If for any reason you're not completely satisfied, just return the package—in good condition with the sealed diskette unopened—within 30 days and we'll refund your money completely.

This is a limited time offer, so order yours today!

Shipping/handling fees. Add \$4.00 for first package and \$2.00 each additional package. OVERSEAS Add \$15.00 for first package and \$5.00 each additional package. Checks must be in U.S. funds and drawn on a U.S. bank!

Trademarks: CP/M, Digital Research; TRS-80, Tandy Corp.; TeleVideo, TeleVideo Systems, Inc.; Apple II, Apple Computer Inc.; Osborne 1, Osborne Computer Corp.; Xerox 820, Xerox Corp.; Kaypro, Non-Linear Sys.; Heath/Zenith, Heath Co.; IBM, International Business Machine, Corp. © 1983 Ellis Computing.

MAIL TODAY! To: Ellis Computing
3917 Noriega St.
San Francisco, CA 94122
(415) 753-0186



ELLIS COMPUTING

The CP/M-80 Operating Systems and 32K RAM are required.

Indicate diskette format:

- | | |
|---|--|
| 8" <input type="checkbox"/> SSSD (Standard IBM 3740 format) | <input type="checkbox"/> Osborne |
| 5¼" <input type="checkbox"/> Apple CP/M | <input type="checkbox"/> North Star SD |
| <input type="checkbox"/> North Star DD | <input type="checkbox"/> TRS-80 Mod I/Mapper |
| <input type="checkbox"/> TRS-80 Mod I (4200 hex) | <input type="checkbox"/> Heath, Soft Sector |
| <input type="checkbox"/> Heath, Hard Sector | <input type="checkbox"/> Superbrain DD DOS 3.X
(512 byte sectors) |
| <input type="checkbox"/> Micropolis Mod II | <input type="checkbox"/> TeleVideo |
| <input type="checkbox"/> Xerox 820 (Kaypro) | |

Indicate software packages:

- | | |
|----------------------------------|--------------------------------|
| <input type="checkbox"/> COBOL | <input type="checkbox"/> PILOT |
| <input type="checkbox"/> FORTRAN | <input type="checkbox"/> EDIT |

Send my order for _____ packages @ \$29.95 each Total
COBOL Applications Package @ \$9.95 each Total

☐ Check enclosed

In CA add sales tax
Shipping/handling
TOTAL

☐ MasterCard ☐ VISA

Exp. Date _____

Signature _____

Ship to:

Name _____

Street _____

City/St/Zip _____

Country _____

Word Processors, Data Processors, and Combination Programs

More word processors... unbelievable!

A real beauty comes from Satellite International (288 W. Center St., Orem, UT 84057). WordPerfect, they say, and it nearly is!

This \$495 word processor, written in Forth, is "modeless." There's no edit mode that's separate from a print mode or from a command mode—it's all in one. There are no menus on the word input screen, and text is formatted to show exactly how it will be printed. Formatting codes are placed where you want them in the text file, but they're not shown on the screen.

Text can be entered anywhere on the page, a la Edix, without hitting any special keys. Reformatting is automatic.

Most of WordPerfect's functions are available as single-function keys. The program makes excellent use of the PC's special keys, all of them, and gives you two key overlays. The package has automatic footnoting and a sophisticated math package, and will deal with five columns on a page.

The processor, if all of this isn't enough, has a full set of macros that are

definable by the user. A macro is a multikey sequence you type in once; the program remembers it and then executes it at the touch of a single key.

From the same company, by the way, is P-Edit (P is for program). P-Edit essentially is a subset of WordPerfect. Unless you never write, or unless the price difference (P-Edit sells for \$145) is important, buy WordPerfect. The only shortcomings of either package: neither supports my NEC 5520 Spinwriter, or the IDS Prism.

Synergistic Software's The Data Reporter (Quantum Software, 549 23rd St. N.E., Salem, OR 97031) is a solid DBMS program that accepts date, numeric, monetary and calculated fields in addition to alphanumeric ones.

The Data Reporter requires 64K and a single disk and is written in Basic and machine code. It comes unlocked and unprotected—a good approach.

Clearly, Data Reporter is not as sophisticated as TIM III, to stay within the Basic genre on DBMS programs, but it does have its advantages. For instance, it incorporates a "Soundex" routine, which allows you to find names when you know what they sound like but not necessarily how they're spelled.

The documentation is especially well-done, and includes a glossary as well as an index. It makes use of the PC function

keys, and turns to machine language for sorts and other time-dependent tasks.

Combo Programs

On new combination programs, Ticom Systems (13470 Washington Blvd., Marina del Rey, CA 90291) makes available Final Copy, Final Form and Remcom as an integrated package (\$885) written in Pascal for the PC.

Final Copy, needless to say, is a word processor that includes two segments. Letters or manuscripts (including mail-merge-type documents) are created under the Editor and printed under the Writer.

The Editor essentially is the standard Pascal text editor modified with a tab line and other enhancements.


The Writer is a text formatter/printer that accepts embedded commands (BT for Begin Titles) and reformats and prints the text accordingly. The Writer also is a sophisticated text reformatter, although this system means, of course, that you won't see your copy on the screen as it appears on the printer.

The Filer is the Pascal filer—period. Final Copy also includes a Calculator program for on-line or in-file calculations, and a report generator, which is a mail-merge-type facility.

If you stop there, you've spent \$495. If you want Final Form (a forms processor

Circle 69 on Reader Service card.

Okidata **Microline 92** **\$524.88 UPS DELIVERED**



Microline 93..... **\$884.88**

C. Itoh **F-10 Starwriter** **\$1379.88 UPS DELIVERED**



Specify Parallel or RS-232C, 40 cps

PRINTERS

C. Itoh
C. Itoh Prowriter..... **\$399.88**



w/RS-232C..... **\$609.88**
C. Itoh Prowriter 2..... **\$734.88**
w/RS-232C..... **\$789.88**
C. Itoh F-10 Starwriter, 40 cps
Parallel or RS-232C..... **\$1379.88**
C. Itoh F-10 Printmaster, 55 cps
Parallel or RS-232C..... **\$1679.88**
F-10 Tractor..... **\$269.88**

Daisywriter



Daisywriter 2000 w/cable
(48K buffer)..... **\$1139.88**
Forms Tractor..... **\$149.88**
Sheetfeeder..... **\$739.88**

Diablo
Diablo 620..... **\$1024.88**

Star Micronics



Gemini 10..... **\$399.88**
w/RS-232C..... **\$479.88**
Gemini 15..... **\$499.88**
w/RS-232C..... **\$579.88**

PRINTERS

IDS
IDS Microprism..... **\$579.88**
IDS Prism 80 (4 color)
fully configured..... **\$1539.88**
IDS Prism 132 (4 color)
fully configured..... **\$1699.88**

Okidata
Microline 80..... **\$339.88**
Microline 82A..... **\$419.88**
82A Okigraph ROM..... **\$49.88**
82A Tractor..... **\$59.88**
82A Roll Paper Holder..... **\$49.88**
Microline 83A..... **\$679.88**
83A Okigraph ROM..... **\$49.88**
Microline 84 w/graphics & tractor



Parallel, 200 cps..... **\$1024.88**
RS-232C, 200 cps..... **\$1139.88**

NEC
NEC 3530..... **\$1759.88**
NEC 7730..... **\$2399.88**
NEC PC 8023A-C..... **\$499.88**

PRINTERS

Qume
Print 11+ w/cable..... **\$1449.88**
(Parallel or RS-232C)

Smith-Corona



Smith Corona TP-1..... **\$579.88**
Specify either 10 or 12 cpi,
& parallel or RS-232C in erface

Transtar
Transtar 130..... **\$759.88**

CALL FOR PRICES on Cannon,
Centronics, Datasouth, Epson,
Mannesmann Tally, Panasonic,
Ricoh, Silver Reed, Transtar
& other printers.

Information & Orders (603)-881-9855

Orders Only: (800)-343-0726

No Hidden Charges

FREE UPS shipping on all orders—No extra charge to use credit cards—All equipment shipped factory fresh with manufacturer's warranty—COD orders accepted (\$10 fee added)—No purchase orders accepted—No foreign or APO orders accepted—Minimum \$50 per order—This ad prepared in February prices are subject to change.

Our Computer Showroom is now open in Amherst, NH

HIGH TECHNOLOGY AT AFFORDABLE PRICES THE BOTTOM LINE

MILFORD, NH 03055 □ TELEPHONE (603) 881-9855

and DBMS that is fully interactive with the other programs and with the Report Generator), you're going to spend another \$295. And if you want Remcom, a remote communications program again integrated from a central menu with the other programs, figure on another \$95.

How does it work? Well, the Editor is easy to use; the Pascal text editor is a good one, and Ticom had the good sense not to mess it up. The Writer text formatter has an extensive set of embedded commands, and will require a study of the manual before you master it.

The report generator works as advertised. I didn't spend a lot of time with Final Form because it's so complex.

Remcom is a worthwhile program that could use more explicit documentation. For example, my inability to get Remcom to log on the Source prompted a call to Ticom. An employee there explained that XON/XOFF protocol-checking must be manually disabled during log-on procedures. That's unnecessary, undocumented in Ticom's manuals and silly to boot. And because it does not custom-configure to the user's particular printer but tries to drive them all, the more advanced functions of some special printers are not supported.

Final Copy, Final Form and Remcom make up a solid beginning at an integrated word processing/DBMS/telecommunications package.

Finance

From binding to operation, one of the most impressive Basic packages to hit the streets has been the two-volume Money Decisions (Vol. I, \$199; Vol. II, \$299; both for \$399 from Eagle Software Publishing, Inc., 110 W. Lancaster Ave., Wayne, PA 19087).

The manual is outstanding; it includes an executive summary of the programs available in graphics form. Each program (and there are several in the investments, loans and business-management areas) is consistent with all of the others in terms of input format, output format, screen display and prompts. If you can use one, none of the others will fool you. The manual is a work of art, clearly prepared by a manager for managers. Screen displays are sprinkled liberally throughout.

The programs themselves are useful to any businessperson. Under the investment category, for example, Vol. I allows computation of the future value of an investment (even or uneven cash flows), how much you'd have to invest in order to withdraw a given amount periodically and still not erode your principal, and the nominal interest rates on investments.

A thorough discussion of each concept is presented with the program documentation, and sample problems and output are provided.

Vol. I contains 11 investment programs, nine loan functions (programs in

Money Decisions are called "functions"—see below), and ten business management programs, such as Lease/Purchase Analysis and Breakeven.

Vol. II, split into investments, statistics and forecasting, and business management, contains 16 more investment programs, including financial statement analysis and acquisitions/merger computations, nine forecasting/statistics programs, including some sophisticated Bayesian analysis, and 13 business management programs, such as production cost scheduling, job cost bidding analysis and profit-sharing contributions.

Each program in Vol. II is supported by graphics capability and works on the monochrome screen.

Money Decisions incorporates two more novel features. First, any function can pass and receive values from other selected functions so that cash flows input to a loans analysis, say, could be "carried forward" to another analysis at the push of a key.

The same principle is implemented between Money Decisions volumes. If you have Vol. I in the left disk drive and Vol. II in the right, passing between volumes is possible—and legal.

The Financier (\$195, Financier, Inc., 11 Flanders Road, Westboro, MA 01581) is a financial record-keeping program. It is menu-driven, and exceptionally well-documented. You'll get a lot more from this system, which is written in Basic, than from other so-called home accounting programs.

If you want to be sloppy, the Financier will accommodate you in sloppy record-keeping and only mildly nudge you toward organization. If you're meticulous and picky, you can be as meticulous and picky as you want with this system.

The system can budget for you, write your checks and configure to your needs

rather than forcing you into its rigid structure.

If you want a little more risk, Options-80 (Options-80, Box 471, Concord, MA 01742, \$125) is a program for maximizing returns from option investing.

Options-80 is for the serious or beginning investor—it analyzes the buy and sell points of listed calls, puts, spreads and shares. It includes commissions, risk and dividends.

The program provides for hardcopy output and graphics. If you like, you can even use it for sophisticated modeling of possible alternatives. The manual is especially well-done, and includes a tutorial on options-investing.

Not for you, eh? You're the CPA type, and you want a financial modeling system complete with hi-res graphics? Then how about Micro-DSS/Finance (Ferox Microsystems, 1701 N. Fort Myer Drive, Arlington, VA 22209)?

DSS/F (Decision Support System/Finance) is a complete financial modeling system for the PC, and it's useful for budget planning, financial reporting, marketing forecasts and corporate modeling. At \$1500, the program is by no means cheap, but it will do everything in the financial modeling arena (and usually with one command) except pay you.

The user creates and compiles Logic files, which essentially are cell titles and formulas like those with VisiCalc, but which are entered in a line editor and have a good deal more flexibility. The graphics package supplied with DSS/F, written in Pascal, allows bar, line and pie charting.

The system is supplied with three manuals: a tutorial, a reference guide and a manual of late changes in the reference guide.

For the untrained or casual user,

Circle 36 on Reader Service card.

SLICK PAGES? NO! GREAT DEALS? YES!



Computer Shopper pages aren't slick because they were designed for one purpose: to put buyers in touch with sellers at the lowest possible cost. This resulted in bargains on new and used equipment and software.

Individuals nationwide are able to list their pre-owned items for only a few dollars. This created hundreds of classified ads in over 100 big 11x14 pages.

And to make sure there were enough buyers for advertisers, the subscription price was set low, too!

So strike your first deal by taking advantage of this special trial subscription offer, today! **6 months, \$6 or 12 months, \$10.** Money back guarantee. MasterCard and VISA accepted.

COMPUTER SHOPPER

P.O. Box F564 • Titusville, FL 32780
305-268-3211

Circle 132 on Reader Service card.

'68' MICRO JOURNAL™

6800-6809-68000

★ The only ALL 68XX Computer Magazine

USA

1 Yr. — \$24.50 2 Yr. — \$42.50 3 Yr. — \$64.50

* Foreign Surface Add \$12 Yr. to USA Price

Foreign Air Mail Add \$35 Yr. to USA Price

* Canada & Mexico Add \$5.50 Yr. to USA Price

OK, PLEASE ENTER MY
SUBSCRIPTION

Bill my: M/C ☐ — VISA ☐

Card # _____

Expiration Date _____

For ☐ 1-Yr. ☐ 2 Yrs ☐ 3 Yrs

Enclosed \$ _____

Name _____

Street _____

City _____

State _____ Zip _____

68 Micro Journal
5900 Cassandra Smith Rd.
Hixson, TN 37343

DSS/F isn't easy to use, but for the serious amateur, small-businessperson or financial analyst, it is outstanding once mastered.

The Consultant's Edge (\$250), an add-on module for those who would develop applications for others using DSS/F, allows the modeler to create menu-driven turn-key models that even I can run and use.

Graphics

Enough, already! Let's have pictures. PC graphics has started to boom, and the initial explosion is satisfying.

Continuing with our Ferox friends for a moment, \$295 buys GraphPower, a stand-alone graphics system written in Pascal for the IBM PC and the HP7470A plotter. You don't even need to read the documentation on this software to use all the beautiful but relatively inaccessible features of your plotter. You can almost set up your own graphics business with this software and the HP.

What if you don't have an HP, but still want outstanding graphs? Innovative Software, Inc. (9300 W. 110th St., Suite 380, Overland Park, KS 66210), makers of TIM III, has outdone itself with Fast Graphs (\$295).

Fast Graphs is a complete graphics and plotting program designed especially for the IBM and a color monitor.

The program can compare up to six sets of data on a single graph. It allows you to use color or hi-res black and white and all of the function keys, and it has on-line help.

The data can be input from TIM, VisiCalc or any other .DIF data file, or from the keyboard. You can plot line, point, bar or pie graphs quickly, easily and accurately. You also can edit the graphics screen either before or after graphing, and add shadow text, your company logo, or whatever you want with your graph.

So where does it fall down? It doesn't. The problem with graphics packages is getting the lousy graphs off the machine and into your hands. If you've got the peripheral, this software supports it.

The Prism (see Example 1 for a Prism-generated Fast Graphs sample), an HP or Hi-Plot plotter, the old Epson and a variety of other printers are supported directly from Fast Graphs. Awesome.

My only complaint is that the designers should have taken more advantage of what the plotters can do, instead of settling for point-for-point transferral of the screen to the plotter. And, using the Prism is slow...it took about 20 minutes to print Example 1.

Other Stuff

A piece of hardware that buffers your printer? Gives you a dot matrix graphics screen dump? Acts as an RS-232 dumb terminal emulator so you don't need software? Yup. It's called the I-C-Magic (\$85,

Micro Business Industries Corp., 1019 8th St., Golden, CO 80401).

This little chip goes into the empty ROM slot on your motherboard and delivers all it promises. The documentation is terrible—small type, unreadable and unclear—but, the product works as advertised.

Be careful, though...I-C-Magic may not be compatible with all your add-ons. Check with MBI if you have a hard disk, for instance.

ICR FutureSoft (PO Box 1446, Orange Park, FL 32073) has released a new program generator—QuikPro Plus—and it's quick, fast, accurate and colorful. That's right, colorful; it lets you choose colors for your data entry fields.

You can even write a database program that looks like Jacob's coat. I know...I did it!

The benefits of QuikPro Plus are its speed, simplicity and ease of use. Unlike other program generators you may have heard about, this one is not harder to use than it is to learn Basic. In fact, if you know nothing, you'll still get a reliable and useful customized DBMS program in less than ten minutes.

The only negative I could find was that the application programs written by QuikPro clear the entire record when you choose the "update" option. That's not right...usually, when you want to change a record, you only want to change one field. With this program, you have to reenter the entire record.

QuikPro comes with a machine-language ISAM (indexed sequential access method) file, which you transfer to your applications disks and load before running your application. This makes sorts lightning-fast.

Doggone it, I forgot to tell you about the Basic Development System (\$99, SofTool Systems, Suite 179, 8972 E. Hampden Ave., Denver, CO 80231).

BDS is a set of software tools that greatly increases your efficiency as a Basic programmer. You can single-step through a program and trace the execution, cross-reference all variables, dump their values at any point to check why you're getting errors in your results, and renumber in such a way that you can put lines 100-200 before 10-90 if you want.

All this can be called with single keystrokes from Basic—if you'll modify your Basic.Com by running an automatic modifier supplied. Oh, BDS will also allow you to compress your programs, really squash them, and then uncompress them again.

I really like this system; I was using it more and more until the Davong blew up again.

First Software Awards

Well, the hardware's going to wait yet

another month. But not the software awards, even if *Microcomputing* doesn't renew my contract. Can I help it if there's more stuff out there to review than rice in China?

The awards will be given in five categories—Word Processing, Database Management, Spreadsheet, Combination Programs and Other. I'd like to reserve judgment until next year on graphics and finance.

As for games, if there were an award to be given it would go to Infocom for Dead-line and to Med Systems for Asylum. But let's concentrate on work. Drumroll...

Word Processing—Three-way tie between WordStar, PowerText and WordPerfect. Any one of these gets the job done with elegance, utility and value for the money. Each implements a different word processing concept. The choice you'd make would depend on your philosophy.

Honorable mentions go to EasyWriter II and Select.

Database Management—Three important packages, in this order: dBase II if you need a complete full-function DBMS (although it's embryonic in its degree of adaptation to the PC); VersaForm if you need business processing and don't have to worry about portability of the Pascal files to DOS; and TIM III for all-around quality of coding and portability of data.

Condor, EasyFiler (from I.U.S.) and LogiQuest get honorable mentions. Condor might have won if its documentation was better.

Spreadsheet—Multiplan, SuperCalc and VisiCalc. The major differences are in the philosophies of these superb packages.

Combination—The MBA. The best there is, so far.

Other—PC-Talk, by Andy Fluegelman/Freeware; Volkswriter, from Lifetree; The Basic Compiler, from IBM; and Edix, from Emerging Technology.

Rating Reasons

Now, what were the criteria?

First, my subjective estimates of excellence, completeness, ease of use and value for the money counted heavily. Next, going that extra inch for the user with utilities and customization to the PC was important. The third criterion was the potential for what the program's concept could become if it continues to evolve along its current path. This was important for the MBA, Volkswriter and PowerText.

The final criterion for the best software, obviously, was that I saw it, used it and knew it. This means that software that hit the market after this was written was not included for this year's awards but will be for next.


Now, you've heard my choices—what are yours? □



Dear Computer Lovers,

You wouldn't **believe** the excitement around here when we got our first **VIM!** Now everyone's **talking** to their Apples! You can, too — see below. We're leaving no stone unturned to find the greatest, most **innovative** products to offer you. Our prices are **very** attractive, but the best deal I can offer is the **personal** attention we give your order. Call me today!

Al Kemp



NEW

When You Talk . . . Your Apple Listens!

VOICE INPUT MODULE
\$825.00
COMPLETE
 YH0010 VIM-2 for Apple II
 Also for IIE or Franklin Computers

High Performance
 Low Cost!

**COEX
 80 FT**

YH0150 80-Column Printer . . . only \$399.95
 YH0151 Interface card to Apple with cable . . . only \$69.95

For IBM Personal Computer.

YH0110 Vista Maxicard 64K RAM card for IBM P.C. . . . \$379.95
 YH0111 Additional 64K blocks for above (576K maximum) . . . \$114.95 ea.
 YH0120 P.C. Master-high level multi-function I/O card for IBM P.C. Features hard disk host adaptor. Advanced package. . . \$669.95
 YH0130 P.C. Extender Plus—I/O extender card WITH JOY STICK—expanded capabilities for IBM P.C. . . . \$599.95

- Allows voice input with any Apple software — needs no application programming.
- Recognizes anybody's voice — unlimited vocabulary!
- Multi-lingual.
- Frees your hands.
- The friendliest machine yet!

Apple Add-Ons

YH0060 Vista Vision 80—80 column card—for Apple II—rated #1 by Soft-talk magazine. (Can be used with Visions 40 & 20.) . . . \$289.95
 YH0070 Vision 40—Upper/lower Case generator—allows on-screen creation and presentation of characters & symbols—many styles—the same as will be printed. . . \$169.95
 YH0080 Vision 20 Character generator—Upper/lower case, 96 characters included. . . \$24.95
 YH0140 COEX 16K Ram Expansion Card—boosts Apple II to 64K \$79.95
 YH0090 Vista Type Ahead Buffer—allows you to enter commands while loading previous info. . . \$39.95
 YH0100 Clock Calendar Card for Apple III, with countdown timer. \$156.95

For Apple II:

YH0020 Solo Disk Drive . . . \$299.95
 YH0021 Solo Disk Drive Controller Card 3.3 DOS . . . \$99.95
 YH0023 Solo Disk Drive and Controller Card Package . . . \$379.95
MASS STORAGE CAPABILITIES FOR APPLE II —
 YH0030 5 1/4" 6MB Disk Pack system. 6 diskettes and card. . . \$1549.95
 YH0040 Dual 8" Disk Drive Subsystem—for Apple, TRS-80 and most other S100 based microcomputers. . . \$1399.95
 YH0050 Double density 8" Floppy disk Controller—includes Apple disk 3.3, Apple UCSD Pascal 1.1TM DOS 3.3, Apple UCSD Pascal 2.2. Sweet deal! . . . \$379.95

Apple Software Make Learning Fun!

DLM Educational Programs

Math:	
YS0010 Alien Addition	\$39.95
YS0011 Minus Mission	\$39.95
YS0012 Meteor Multiplication	\$39.95
YS0013 Demolition Division	\$39.95
YS0014 Alligator Mix	\$39.95
YS0015 Dragon Mix	\$39.95
Language Arts:	
YS0020 Verb Viper	\$44.95
YS0021 Word Man	\$44.95
YS0022 Word Invasion	\$44.95
YS0023 Spelling Wiz	\$44.95
YS0024 Word Radar	\$44.95
YS0025 Word Master	\$44.95
Make Learning Functional:	
YS0032 Following Written Directions	\$44.95
YS0033 Strategies for Test Taking	\$44.95
YS0034 Solving Subtraction & Division Word Problems	\$44.95
YS0035 Solving Addition & Multiplication Word Problems	\$44.95
YS0036 Solving Multiple-Step Word Problems	\$44.95
YS0037 First Day on the Job (generates daily schedule)	\$44.95
YS0038 Managing Your Time (generates daily schedule)	\$44.95
YS0039 Cash vs. Credit Buying	\$44.95

You'll Have Thumb Fun With These!

Full-color LCD display.
 2 game variations in each.
 Digital alarm clock, too!

Thumb Games —
 Gripping entertainment!

YZ0013 Pipeline	\$29.98
YZ0010 Fish Catching	\$29.98
YZ0012 Under Construction	\$29.98
YZ0015 Kitchen	\$29.98
YZ0014 Grassland	\$39.98
YZ0011 Space Station	\$39.98
YZ0020 Jungle Adventure/Woodman	\$39.98
YZ0021 Samurai vs. Ninja	\$39.98
YZ0022 Air Force	\$39.98

**COOL
 STACK**



More Products

YZ0052 Cool Stack, Sentry II—Stacks drives, provides monitor support, features attached library rack, internal fan for computer. . . \$174.95
 YZ0050 Power Sentry lock and power surge device. Prevents power surge and unauthorized use of Apple II. and unauthorised use of Apple II. . . \$69.95
 YZ0051 Disklok—Locks disk in drive. . . \$18.95
 YH0160 Coex Apple Extender Card—Repair tool that extends boards for easy access and repair. . . \$19.95
 YH0170 Coex Apple Prototype Card—Universal bread board—design your own Apple add-on cards. . . \$19.95
 YZ0030 Printer Stand—13" x 17" x 6", sturdy construction for low noise operation—cream colored. . . \$34.95
 YH0180 Printer Interface for Commodore 64 and VIC-20 or any other IEEE-488 port to any parallel printer. . . \$89.95
 YZ0040 Command 5 1/4" Diskettes. SS, 2D, Softsector. \$26.95/ten pack

ORDERING INFORMATION: Mail—Certified check, money order or, with personal check, allow 2 wks. to clear. Include phone no. **Phone**—Visa and Mastercard, 3% service charge added. No C.O.D. or foreign orders. Michigan residents add 4% sales tax. **SHIPPING:** Free for certified checks and money orders. All others add \$2.50 or 1% of order, whichever is greater. **WARRANTY:** All products warranted by manufacturer.

For Immediate Response — 1-800-421-4157

Call during business hours, 8 - 5 Eastern Time. In Michigan, call collect 616-345-8681.

Personal Computer Supply, a division of MCE, Inc.

157 S. Kalamazoo Mall, Kalamazoo, Michigan 49007

1711 Corinthian Way, #185, Newport Beach, California 92660



Tandy Model 100 Ready to Roll

Radio Shack's New Portable— Out of the Bag

Welcome to the Overview. This new column has grown out of Dial-up Directory, which appeared in this space from January 1980 until last month.

Microcomputer and data communications systems have changed a great deal in the past three years, and the coverage here has changed with the systems. This column's new name indicates that we are broadening our focus to allow more coverage of industry trends, new technologies, the impact of various products on the market, and developments such as robotics and computer-assisted instruction.

Along with the new focus, you will continue to find the coverage you're used to seeing—on modems, information utilities and data communications systems. We're not giving up our bread and butter, we're just adding a little jelly.

In this issue, we'll see if we can get any stimulation out of simulation. But first, we'll take a look at the Model 100, Radio Shack's new portable.

Radio Shack's New Portable

The biggest little secret in Texas is now out of the bag. Tandy Radio Shack has entered the portable computer market with a system whose accent is on portability and ease of use.

The Model 100 portable computer is another in a line of so-called "briefcase" computers, like the Epson HX-20. It features a full-sized keyboard, but the real eye-grabber is the size of the screen display. The scrollable LCD screen display features eight lines by 40 characters and promises to be a welcome relief from the much smaller screens usually found in portables: No squinting necessary.

The Model 100's forte is its word processing ability. It's so easy to use for word processing that you can type away on it while stretched out in bed (try that with a 35-pound portable!). And, if you feel an attack of narcolepsy coming on, you can shut off the lights for the night and rest assured that your text will be there in the morning, stored in the computer's non-volatile memory.

The Model 100 features Microsoft Basic, high-resolution graphics and a built-in modem, with the capability to automatically dial the phone when you enter the person's name into the computer.

The system comes with 8K for \$795; the 24K version costs \$995.

Games and Simulations

Games usually are simulations of life, but the degree of agreement between game and reality can vary widely.

The Adventure series presents games that we would all agree are pretty far separated from real life (I haven't had any trolls shoot arrows at me lately). If you factor in the effects of inflation, Monopoly is a simplistic simulation of real estate transactions and banking. The Three Mile Island microcomputer game that was popular a few years ago was a reasonably accurate simulation of the technical steps needed to control a particular type of nuclear power plant.

Playing games on microcomputers is a popular activity; it could become more practical if we add realism to our game formulas to create more useful simulations.

The cost of learning how to control complex processes can be high. You can read the information you need to base a skill on, but the closer you come to actually performing the activity, the more you'll learn (although it might be difficult to get the opportunity to experience complex tasks, such as flying a plane, running a business, performing medical procedures or managing a disaster response team).

Microcomputers can help to provide useful experience and training through realistic and interactive simulations. One of the best examples of useful simulation is found in flight training. So if you're ready, let's go flying!

Microsoft Flight Simulator

Modern flying, like so many other activities, is a technical process. Technical procedures and knowledge are more important than physical coordination or re-



This "view" is from nearly 4000 feet over the Lake Michigan shoreline. We're in a right bank and moving northward at 110 knots.

action speed.

A great deal of the work in flying today consists of turning knobs, pushing buttons and reading various displays. It's quite possible for the pilot of even a single-engine private aircraft to fly for 1000 miles without touching the control wheel. Modern avionics devices move the control surfaces of the aircraft and make it bank, turn, climb and descend in response to digital inputs from the pilot.

The technical work involved in much of modern flying can be simulated nicely on a microcomputer.

A micro can teach you what the flight indicators look like and how various indicators relate to each other; it also can allow you to learn how different inputs to electronic devices affect the flight of the aircraft.

The Microsoft Flight Simulator (\$49.95 from Microsoft Corp., 10700 Northup Way, Bellevue, WA 98004) is a software package with amazing capabilities; it can turn an IBM PC equipped with a color graphics video card into the cockpit of a single-engine, light aircraft.

Under the control of the Flight Simulator, the PC's screen can show a 360-degree view from the cockpit windows as well as an extremely accurate display of the aircraft's instrument panel. While the graphics are impressive, it's the interaction of the graphics and the flight conditions that really make the program valuable.

Address correspondence to Frank J. Derfler, PO Box 691, Herndon, VA 22070

FRANKLIN'S BAKER'S DOZEN!



13 Good Reasons to Buy the **ACE1200**

1. Apple® II-compatible
2. CP/M®-compatible
3. 128K of RAM
4. Built-in floppy disk drive
5. Disk controller
6. 80 column card
7. Serial interface
8. Parallel interface
9. Upper and lower case
10. VisiCalc® keys
11. Cursor control pad
12. Numeric pad
13. Auto repeat keys

Extras can more than double the price of your personal computer. Not so with the Franklin ACE 1200. It's the professional computer system that includes the extras—and a long list of exclusive Franklin features that make it the most extraordinary value on the market today.

The ACE 1200 has everything you'll need to add a color or black and white monitor, modem, printer, back-up disk drive and other accessories. You can choose from the enormous selection of Apple programs and peripherals because the ACE 1200 is hardware- and software-compatible with

the Apple II. And, with the built-in CP/M card, you can run both Apple II and CP/M programs. Franklin's CP/M operates three times as fast as many competing systems, drastically reducing processing time for most business applications.

The Franklin ACE 1200—the most extraordinary value on the market today. Call or write today for the name of your local authorized Franklin dealer.



FRANKLIN
COMPUTER CORPORATION

Franklin ACE is a trademark of Franklin Computer Corporation.
Apple is a registered trademark of Apple Computer Inc.
CP/M is a registered trademark of Digital Research Inc.
VisiCalc is a registered trademark of Visi Corp.

2138 Route 38, Cherry Hill, NJ 08002 609-482-5900 Telex: 837-385

Circle 59 on Reader Service card.

MODEM \$129⁹⁵


No other acoustic modem gives you all these features at this low price.



The MFJ-1232 Acoustic Modem gives you a combination of features, quality and performance that others can't match at this price.

0-300 Baud, Bell 103 compatible. Originate/Answer. Half/full duplex. RS-232, TTL, CMOS level compatible. **Use any computer.** Cassette tape recorder ports save data for reloading or retransmission. 6 pole active filter handles weak signals. Carrier detect LED indicates adequate signal strength for data recognition. Quality "muffs" gives good acoustic coupling, isolates external noise for reliable data transfer. Crystal controlled. "ON" LED. Aluminum cabinet. 110 VAC or 9 volt batteries. 9x1 1/2x4 in.

Apple II, II Plus: software and cable for modem, MFJ-1231, \$39.95. Plugs into game port. No serial board needed.



It's like having an extra port

\$79⁹⁵

MFJ-1240 RS-232 TRANSFER SWITCH. Switches computer between 2 peripherals (printer, terminal, modem, etc.). Like having extra port. **Push button switches** 10 lines (pins 2,3,4,5,6,8, 11,15,17,20). Change plug or cable to substitute other lines. Push button reverses transmit-receive lines. LEDs monitor pins 2,3,4,5,6,8,20. PC board eliminates wiring, crosstalk, line interference. 3 RS-232 25 pin connectors. 7x2x6 in.

\$99⁹⁵ MFJ-1108 AC POWER CENTER.

Adds convenience, prevents data loss, head bounce, equipment damage. **Relay** latches power off during power transients. **Multi-filters** isolate equipment, eliminate interaction, noise, hash. **Varistors** suppress spikes. 3 isolated, switched socket pairs. One unswitched for clock, etc. Lighted power, reset switch. Pop-out fuse. 3 wire, 6 ft. cord. 15A, 125V, 1875 watts. Aluminum case. Black. 18x2 3/4x2 in. **MFJ-1107, \$79.95.** Like 1108 less relay. 8 sockets, 2 unswitched. **Other models available,** write for free specification sheet.

Order from MFJ and try it. If not delighted, return within 30 days for refund (less shipping). **One year unconditional guarantee.** Order yours today. Call toll free 800-647-1800. Charge VISA, MC. Or mail check, money order. Add \$4.00 each for shipping and handling.

CALL TOLL FREE ... 800-647-1800

Call 601-323-5869 in MS, outside continental USA

MFJ ENTERPRISES, INCORPORATED

921 Louisville Road, Starkville, MS 39759

When you're "flying" Microsoft's simulator, the gauges of the instruments react identically with those of a real aircraft. The engine RPM reading builds slowly after you advance the throttle, and the airspeed indicator starts to move as you taxi down the runway.

As you taxi, the runway, surrounding buildings and other features pass by the windows. The flight controls are not responsive until you've built sufficient airflow over the wings. If you overcontrol, you'll crash—convincingly.

The Microsoft Flight Simulator teaches not only the basic actions of flying (such as applying power, controlling the flight and using flaps) but also the advanced techniques (such as cross-country navigation and flight in bad weather conditions).

Leaving on a Computer Plane

The program has several modes of operation. In the demonstration mode, you can just sit back and let the computer be the pilot. The aircraft will take off, assume level flight and demonstrate its capabilities. All of the controls and indicators will perform normally, so you'll have the opportunity to see the way things *should* be before you try it.

The actual flight mode puts you in the left seat (the command pilot's). You are free to take off and fly with the birds, within the realistic limits of the aircraft.

After you master the take-off (don't get the nose too high!) and cruise around for a while, you can try and figure out where you are. The Microsoft Simulator contains navigation information to allow you to fly in and between five major areas of the United States—Seattle, Los Angeles, Chicago, Boston and New York.

The navigation equipment in your airplane provides the modern basics needed for radio communication, but not much more. It consists of a VOR receiver able to give you the bearing from a known point. This kind of receiver, however, gives only the bearing from the selected station; you have to tune in another station, get another bearing and find your position by triangulation.

The simplest way to travel is by going directly from station to station, even if it means you have to follow a zig-zag path over the earth.

Ground Control

Bruce Artwick, the author of the Flight Simulator, built many features into the program to make it more interesting and useful. An instructor, using the program for formal training, can set various parameters, such as winds, aircraft performance, and mechanical problems into the program.

You also can indulge in a little nostalgia by selecting a mode that makes you the pilot of an aircraft over the front lines in World War I. In this mode, you can dogfight, bomb and strafe, but you'll be surprised at the limited power and ma-

neuverability of a small aircraft. It isn't an F-15, and it's easy to push it beyond its limits and crash.

The Microsoft Flight Simulator has many other features, but I've told you enough to support my contention that, at \$50, it's a worthwhile value. It requires the color graphics board and is most effective when viewed on a composite video (not RGB) color monitor.

Feedback and Futures

The Flight Simulator shouldn't be called a game—it's a true simulator. The reward in using this simulator is not as superficial as scoring points or saving the galaxy. The reward is the more mature and longer-lasting psychic income that comes from mastering a complex technical skill.

What does the future hold for simulation? First, we need a change in thinking to match our capabilities. We need to get away from the text format we still see in simulation models and to use the graphics our modern microcomputers are capable of providing. We need to use voice synthesis and voice recognition to add another dimension to computer/human interaction.

Second, we need to create simulations with market value. Skills that can be learned and must be practiced are found in many areas. Medicine, accounting, electronic troubleshooting and emergency response management are just a few of the varied skill areas that could benefit from simulations.

Attempts have been made to use computers for medical diagnostics, but they also can be useful for training and practicing diagnostic and emergency treatment skills. Accountants are often faced with a variety of options and business practices; simulations with internal coaching and references could save them costly mistakes.

Electronic systems are found in every kind of device from automobiles to home appliances. Repairing these devices usually involves finding the right module and replacing it. Wrong decisions would be costly in terms of time and manpower.

Time spent practicing electronic troubleshooting decisions can build techniques for effective and profitable work. Persons who coordinate and direct emergency and disaster operations seldom get an opportunity to practice the decision-making skills that they'll need in a crisis.

Realistic simulations involving the coordination of people and resources in emergency situations would be welcome at every level of government, from town and village to federal.

If you're thinking of using your programming skills to write another shoot-'em-up space game, you might consider doing something more meaningful and working with a person in some profession to build a simulation. The rewards, both economic and personal, could be high. □



Micro The Computer Book Club®

"The ONLY Book Club for micro users"

Play games . . . develop new programming skills . . .
organize your finances . . . earn extra income . . .
even build your own microcomputer . . .

HAVE IT ALL FOR ONLY \$2.95

Select any 5 books, (values to \$103.75)
for only \$2.95 when you join
The Computer Book Club®!



7 very good reasons to try Micro The Computer Book Club®

Blue Ridge Summit, PA 17214

- **Reduced Member Prices.** Save 20% to 75% on books sure to increase your computer know-how
- **Satisfaction Guaranteed.** All books returnable within 10 days without obligation
- **Club News Bulletins.** All about current selections—mains, alternates, extras—plus bonus offers. Comes 13 times a year with dozens of up-to-the-minute titles you can pick from
- **"Automatic Order."** Do nothing, and the Main selection will be shipped automatically! But . . . if you want an Alternate Selection—or no books at all—we'll follow the instructions you give on the reply form provided with every News Bulletin
- **Continuing Benefits.** Get a Dividend Certificate with every book purchased after fulfilling membership obligation, and qualify for discounts on many other volumes
- **Extra Bonuses.** Take advantage of added-value promotions, plus special discounts; on software, games, and more
- **Exceptional Quality.** All books are first-rate publisher's editions, filled with useful, up-to-the-minute information



Micro The Computer Book Club®

Blue Ridge Summit, PA 17214

Please accept my membership in The Computer Book Club® and send the 5 volumes circled below, billing me \$2.95 plus shipping and handling charges. If not satisfied, I may return the books within ten days without obligation and have my membership cancelled. I agree to purchase 4 or more books at reduced Club prices (plus shipping/handling) during the next 12 months, and may resign any time thereafter.

334 335 337 338 1062 1108 1160 1183
1195 1205 1228 1276 1277 1295 1330
1332 1350 1369 1391 1396 1406 1407 1422
1455 1479 1485 1496 1513 1521 1526

Name _____ Phone _____

Address _____

City _____

State _____ Zip _____

Valid for new members only. (Orders outside U.S. or Canada must be prepaid in International Money Orders in U.S. dollars. Canada must remit in U.S. dollars.) This order subject to acceptance by The Computer Book Club®. KL-583

A Well-Kept Secret: 8023P

Sizing up Software From Taylormade, Nufekop, Briley



8023P Printer

Recently, I acquired a Commodore 8023P printer, and so far, I've been pleased with the unit. Unfortunately, little has been said about this printer, so not too many people know about the additional features it offers.

Looking first at the normal specifications, the 8023P is a 150-character-per-second, bidirectional, logic-seeking printer. Characters are 5 x 8 dot matrix with 136 per line in normal mode or 250 per line in condensed mode. It prints the full Commodore character set, including graphics.

Print throughput rates range from 110 lines per minute (lpm) with 34 characters per line (cpl) to 40 lpm with full 136-character lines. Paper feed is switch-selectable between tractor and friction feed and will accept 5- to 15-inch-wide paper.

Format Control Features

Besides its faster print speed and wider print carriage, the 8023P has 19 format

control options. Each is selected via unique secondary addresses in the Basic Open command.

The first 11 options are the same as those provided with the 4022 and other Commodore printers. They allow you to control data formatting within a line, set the number of lines per page or the spacing between lines, select upper- and lower-case or ASCII/graphics character sets, define a programmable character, control diagnostic messages or reset the printer under program control.

The eight additional options on the 8023P allow you to select uni- or bidirectional printing and condensed or pseudo letter-quality printing. In addition, you can control bit data for full-point plot graphics.


The 8023P normally operates in the bidirectional mode—unless there are

Commodore graphics on the line. For any line with graphics characters, the printer will switch to unidirection mode, always printing from left to right.

The condensed printing mode allows for up to 250 cpl while the normal mode prints only 136 cpl. To use the pseudo letter-quality mode, you must also set the condensed mode.

In the pseudo letter-quality mode, the characters are small and text is hard to read. One solution is to add a CHR\$(1) to the start of each line to enhance each character. The characters will then be printed in double width. You'll be limited to 125 cpl, but printed text will be of high quality.

Besides all the normal print modes, the 8023P can also do full-point plot graphics in both normal and condensed print modes. A secondary address of 17 allows



Commodore's 8023P printer, which sells for less than \$600, knocks off 150 characters per second and offers 19 format control options.

Address correspondence to Robert W. Baker, 15 Windsor Drive, Atco, NJ 08004.

COM-STAR F/T

Tractor
Friction
Printer

only **\$299**

FREE

Box of printer paper and
demo tape with purchase.

- Lowest price quality tractor friction printer in the U.S.A. • Fast 80 characters per second
- 40, 46, 66, 80, 96, or 132 characters per line spacing • Prints labels, letters, graphs, and tables
- List your programs • Print out data from modem services

Deluxe COMSTAR F/T PRINTER — \$299.00

The Comstar is an excellent addition to any micro-computer system. (Interfaces are available for Apple, VIC-20, Commodore-64, Pet, Atari 400 and 800, and Hewlett Packard) At only \$299, the Comstar gives you print quality and features found only on printers costing twice as much. Compare these features.

- **BI-DIRECTIONAL PRINTING** with a LOGIC SEEKING CARRIAGE CONTROL for higher through-put in actual text printing. 80 characters per second.
- **PRINTING VERSATILITY:** standard 96 ASCII character set plus block graphics and international scripts. An EPROM character generator includes up to 224 characters.
- **INTERFACE FLEXIBILITY:** Centronics is standard. Options include EIA RS232C, 20mA Current Loop. (Add \$20.00 for RS232)
- **LONG LIFE PRINT HEAD:** 100 million character life expectancy.
- **THREE SELECTABLE CHARACTER PITCHES:** • 10, 12 or 16.5 characters per inch. 132 columns maximum. Double-width font also is standard for each character pitch.
- **THREE SELECTABLE LINE SPACINGS:** 6, 8 or 12 lines per inch.
- **PROGRAMMABLE LINE FEED:** programmable length from 1/144 to 255/144 inches.

COMSTAR F/T

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz
1234567890
ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz1234567890

SUPER-10"

ABCDEFGHIJKLMNOPQRSTUVWXYZ
ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890

• **VERTICAL FORMAT CONTROL:** programmable form length up to 127 lines, useful for short or over-sized preprinted forms.

• **FRICTION AND TRACTOR FEED:** will accept single sheet paper.

• **224 TOTAL CHARACTERS**

• **USES STANDARD SIZE PAPER**

If you want more try —

Premium Quality COMSTAR F/T SUPER-10" PRINTER — \$389.00 More Features Than MX-80

For \$250 Less

For \$389.00 you get all of the features of the Comstar plus 10" carriage, 100 cps, 9 x 9 dot matrix with double strike capability for 18 x 18 dotmatrix. High resolution bit image (120 x 144 dot matrix), underlining, backspacing, 2.3K buffer, left and right margin settings, true lower descenders, with super and subscripts, and prints standard, Italic, Block Graphics, special characters, plus 2K of user definable characters. For the ultimate in price performance the Comstar F/T Super 10" leads the pack!

80 COLUMN PRINTER \$199

Super silent operation, 60 CPS, prints Hi-resolution graphics and block graphics, expanded character set, exceptionally clear characters, fantastic print quality, uses inexpensive thermal roll paper!

Double Immediate Replacement Warranty

We have doubled the normal 90 day warranty to 180 days. Therefore if your printer fails within "180 days" from the date of purchase you simply send your printer to us via United Parcel Service, prepaid. We will IMMEDIATELY send you a replacement printer at no charge via United Parcel Service, prepaid. This warranty, once again, proves that WE LOVE OUR CUSTOMERS!

15 DAY FREE TRIAL

OTHER OPTIONS

Extra Ribbons \$ 5.95
Roll Paper Holder 32.95
Roll Paper 4.95
5000 Labels 19.95
1100 Sheets Fan Fold Paper 13.95

Add \$20.00 shipping, handling and insurance. Illinois residents please add 6% tax. Add \$40.00 for CANADA, PUERTO RICO, HAWAII, ALASKA orders. WE DO NOT EXPORT TO OTHER COUNTRIES. Enclose cashiers check, money order or personal check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail available!! Canada orders must be in U.S. dollars.

PROTECTO ENTERPRIZES (FACTORY-DIRECT)

BOX 550, BARRINGTON, ILLINOIS 60010
Phone 312/382-5244 to order

you to store bit-image data into the print buffer.

You can control 816 dots per line (dpl) in normal print mode or 1020 dpl in condensed mode. Actually, you specify eight rows of bits or one character line at a time when writing data into the print buffer. The line is automatically printed when the buffer overflows or can be controlled via secondary address 18.

Considering its typical mail order price of less than \$600, the 8023P is a great buy if you need a full-width printer.

Taylor-made Software

Taylor-made Software is offering a number of VIC programs that are well-documented and moderately priced. The programs are being sold through dealers or directly through mail order. Here's a look at three Taylor-made offerings:

VIC Lemonade

In this program, two graphics people compete in lemonade-selling. Profits are based on the weather reports and temperatures (chosen at random), the selected selling price for your lemonade, the number of advertising signs and the number of glasses of lemonade you make. A winner is declared after 15 "days," unless someone goes broke first.

The color graphics and sound effects are superb on this \$14.95 VIC program.

Morse Code Trainer

This \$19.95 program is great for practicing or learning Morse Code. You can set the desired words-per-minute rate anywhere from four to 35. You also can type your own message and hear it sent, or select from four levels of random text (simple one- and two-element characters; one-, two- and three-element characters; all letters; and all letters, numbers and punctuation).

In each mode, up to 50 characters are sent in five character groups; the letters then appear on the screen so you can check your copy.

Characters are clean and crisp at slow and moderate speeds, but a little harder to distinguish at the top of the range. Still, it's a useful program for all levels.

Aerobics Points Calculator

Now you can use your VIC-20 to monitor your fitness program. Learn your exact aerobics points and calories used for any time and distance, and your combined point totals for several activities.

For distance activities, your yards-per-minute, miles-per-hour and minutes-per-mile rates are provided. Using your tape datasette, you can save your weekly, monthly and year-to-date aerobics point totals.

The aerobics points earned will agree with those presented in Kenneth H. Cooper's *The Aerobics Way* if you enter the same time and distance given in the

tables (for all activities except Treadmill).

Two programs come on one tape. One is for the VIC-20 to calculate aerobics points for running, walking, cycling and swimming. The second program requires a 3K memory expansion (or more) and will calculate aerobics points for more than 25 different activities.

Aerobics Points Calculator includes an initializing program that allows you to initialize a new data tape for each year, or to save records for several people. The program (which retails for \$24.95) can be used without data-saving, but the screen plot of your average weekly aerobics points will not be available.

For more information on this and other programs for the VIC-20, write Taylor-made Software, PO Box 5574, Lincoln, NE 68505.

Nufekop Software

Nufekop offers a number of VIC-20 programs through local dealers and mail order.

Most of the games feature interesting graphics and sound effects. They're usually simple but challenging, and most are one-player games. Separate versions for joystick or keyboard control are available (but I don't know why anyone would not want to use joysticks).

Here's a rundown of some Nufekop games for the VIC-20:

Alien Panic

In Alien Panic, you must move a human figure from level to level, climbing ladders and digging traps for the alien that's chasing you.

When the alien falls into a trap, you have to fill it in before he gets out. When trapped, the alien falls one or more levels. The game ends when you've dropped three aliens to the bottom of the screen.

Alien Panic's graphics, play action and sound effects are superb.

Collide

This game is similar to the arcade game Dodge'em. The object is to run over as many dots as you can while circling the four-lane raceway and while avoiding the computer-controlled happy face.

You can change lanes at the four intersections but you cannot control your speed or direction. If you hit a divider while changing lanes, you bounce off and momentarily lose control.

Your score is based on how many dots you run over before losing your three cars.

Escape

You're lost in a maze and all you see are long corridors and endless doorways. Can you find the way out?

After loading Escape, you'll see an overhead view of the maze as it's being

created. You get a few seconds to see where you are, then you're dropped into the maze, and you see everything from ground level. By pressing N, S, E or W, you select your direction.

If you have trouble escaping, you can even cheat and sneak a quick overhead look at the maze.

Invasion

An enemy ship is trying to get past your rockets and bombs to take your energy pods. The invader moves horizontally past your rockets at the bottom of the screen and bombs at the top of the screen.

You get two chances to hit the enemy as he goes to and from the energy pods, but timing is everything. The game ends when you've lost all four energy pods.

Journey

You're descending into the depths of a cavern, trying to get as far down into the cave as you can. You descend at a fixed speed, which means you have to concentrate only on going left and right.

When your fuel supply dwindles, just bump into one of the objects marked Fuel for a fill-up. The game ends when you crash into an obstacle or run out of fuel.

Krazy Kong

Krazy Kong is just what you'd expect—a simplified version of the popular arcade game.

With this game, you have to run and climb up a graphics structure while jumping over barrels that come rolling at you. (The running and jumping take up energy, so you have to act quickly.) When you get to the top and save the fair maiden, you progress to the next screen, which has a much tougher staircase.

The game ends if you hit a barrel or the gorilla Kong or if you run out of energy—or when you've rescued all three maidens.

Guirk

The object of this game is to catch sad faces that fall from the top of the screen. By doing so, you score points and work your way up and down the multicolored levels.

Watch out, though; each level has moving holes in the floors that get larger when your score reaches 300.

The game ends when you fall onto spikes at the bottom of the screen or when five sad faces make it to the bottom.

Raceway

This car-race game is designed for one or two players. With one player, you simply race against the clock while the second car sits still (you don't race against the computer). In the two-player mode, you compete, obviously, with your opponent. You can select a 1- to 20-lap race on either of two race tracks.

While the graphics and sound effects are superb, the keyboard commands are

hard to manage—and there are no provisions for joystick controls.

Search

The object of Search is to find as many money bags (there are 18 of them) as you can while avoiding the deadly blob. The setting is a maze, but only one room in the maze is displayed at a time. If you hit the blob, you go back to the room where you started.

The game ends if you find all of the money or if you run out of fuel.

Rescue From Nufon

This is a slightly complicated game where you're on a mission to rescue 30 humans trapped in a five-story alien building. Four different races of hostile aliens must be avoided.

Each time you play the game, the building is different, which means that different game plans are required.

The game ends if you run out of time, if you use all of your energy or if you manage to rescue all of the humans.

For More Info . . .

Besides the games mentioned here, Nufekop also offers Vikman, Spelit, Tank, Six Gunner, Target and Bomber, all for the VIC-20. All programs are supplied on cassette tape with printed instructions.

For more information, write to Nufekop, PO Box 156, Shady Cove, OR 97539.

Briley Software

Briley Software offers a wide selection of programs for all Commodore systems. And several of its recent offerings have versions written specifically for the VIC-20.

A Fortnight of Food Plans

Dinner's On is a program that picks, at random, from a list of your favorite meals, planning your menu for up to 15 days. The program makes sure that at least two days go by before the same meal is scheduled again. If you don't like the menu selected, you can try again.

Once you've decided on the menu you like, Dinner's On will provide a sorted shopping list showing all the ingredients needed.

Because meal selections and ingredients are stored internally in data statements, you don't need data files on tape or disk.

One requirement: meals must be planned for the same number of people; the program doesn't make adjustments to ingredient quantities.

The VIC version of Dinner's On retails for \$12.95. The PET version, which has a dessert variety and a 25-day range, retails for \$14.95.

Grocery Mart is a worthwhile program for the VIC-20 or for other Commodore

systems, but it's useless without a printer. It provides a master shopping list for reference, and later lets you create quick and easy shopping lists. The lists can even be printed in the order you like to shop through the store.

First you need to spend time in the store jotting down items and prices. Then these items must be stored in data statements within the program. This becomes the database for your master shopping list; there's room for about 150 items in an 8K system.

If you include prices on your master list, you can predict grocery costs before going shopping. There's even a prompt for entering coupons before computing your total costs.

Grocery Mart is available for VIC and PET systems; the retail price is \$14.95.

For more information on these programs, contact Briley Software, PO Box 2913, Livermore, CA 94550-0291. You'll probably want to send for a copy of Briley's latest software catalog, the "Briley Software Gazette." (If you have a Commodore-64 system, be sure to let the Briley people know so they can indicate which programs will run on your system.)

Basic Quirk

Here's another quirk of the Commodore Basic interpreter that was documented by Mike Todd in the January 1983 IC-PUG (Independent Commodore Products User Group) newsletter. It occurs on older 32K PETs and unexpanded VIC-20s, where the screen RAM immediately follows the Basic program RAM space.

Enter and run this little one-line program:

```
10 A = VAL(TIS) : GOTO 10
```

You should see a flickering "@" in the top left-hand corner of the screen. The top left character is constantly being changed to "@" and then restored to what it was.

This problem stems from how the VAL function works. It first evaluates the expression in the brackets (in this case, the string associated with TIS). The resulting sequence of digits then needs to be converted to a floating-point number. Since the operation is exactly the same as the handling of a string of digits during Read or Input, the same ROM routine is used by the VAL function.

The conversion routine reads and converts the ASCII digits until a nonnumeric terminator character (it could be a comma, a colon or a zero byte, depending on the circumstances) is encountered.

The VAL function, unfortunately, puts a zero byte terminator at the end of the string to be converted. It does, thankfully, save the original value of this byte; it restores it after the conversion has been done.

Going back to the example using TIS, the six characters of TIS will be placed in the last six bytes of program RAM—then the terminator is tagged on. The termi-

nator actually goes into the first byte of the screen RAM, so a zero is effectively poked onto the screen, causing the "@" to appear in the upper left corner.

Since the VAL function restores the original byte, the "@" will then disappear when the VAL function terminates. The TIS string is needed only when it is accessed, so it doesn't become a "permanent fixture" in the string memory space. The next time it is set up, it appears in the same place along with the terminator, so you get a constantly flickering "@."

This can only occur when a VAL function is executed on a string at the top of program memory; consequently, it's rarely noticed and, in fact, is quite harmless.

I would assume the same thing would happen on a Commodore-64 when it is reconfigured to emulate a PET. This problem does not occur on systems that use the newer Basic 4.0 ROMs.

(By the way, ICPUG is located in England. The January issue of its newsletter was almost 90 pages, and it's packed with detailed information about Commodore equipment and products. It's a first-class newsletter; unfortunately, membership and subscription information isn't included in the January newsletter, but we'll pass on the details as they become available.)□

Circle 184 on Reader Service card.

Micro Sense

offers bargain prices on

**Software
and accessories**

— *Introductory Offer* —
Elephant Diskettes (Box 10)



\$19.25



— *Order Toll Free* —

800-982-6352

714-783-FAST

(California Residents)

or Write

Micro Sense

P.O. BOX 6273

San Bernardino, Ca. 92412-6273

— *Ask for our free Catalog* —

APPLE-IBM-TRS-80-COMMODORE 64
VIC-20-FRANKLIN ACE 1000

LETTERS TO THE EDITOR

An Offer You Can't Refuse

After a great deal of difficulty, I now have Ward Christensen's Modem-7 program working on the Heath/Zenith H-89. This is a public-domain-terminal program that allows communications and file transfers between two computers equipped with the program. One of them may be an unattended bulletin board system.

This is one of the best modem programs available, but it is extremely difficult for anyone, let alone beginners, to get configured and working on a new system. Therefore, I'm offering to provide a copy already patched for the Heath system to anyone who will send me a disk, a mailer and \$5 to cover return postage and handling. I can provide 5¼-inch hard or soft sector, or eight-inch standard copies. This program is for CP/M only, not HDOS.

This free program can send an entire disk, including .COM files, with one command in batch mode. Error-checking and retransmission is provided. I demonstrate this by whistling into the phone while a file is being sent. The program simply resends the trashed sector and goes on. I hope to save other Heath/Zenith owners the hassles I had getting this fine program to work.

Paul Pennington
2912 Palmetto Drive
Martinez, GA 30907

Thanks

I would like to thank you for publishing James Callaghan's article "How Video Displays Work" in January (p. 104) and February (p. 90) 1983. The article provided technical data on the 6845 CRT controller chip, along with the programming data for it.

This is of particular interest to me because Commodore used the 6545 chip, which is functionally identical in my CBM 8032. With the data given, I am able to adjust the screen parameters without going through the pain of hardware modifications.

The 6545 is addressed at \$E880 (hex) or 59520 (decimal). I think it is write-only, as I get only zeros out. If anyone can help me with that, I would appreciate it.

Now those people with 80-column screens can use programs that poke to the screen simply by executing POKE 59520,1:POKE59521,20. This makes the left half of the screen have the addresses of 32768-33768, like the 40-column models. The firmware still thinks of the screen as 80 columns, so you don't see anything on the bottom half of the memory page. However, if you execute a POKE59520,1:POKE59521,40 statement, you are back in 80-column mode. Now the only task is to convert the print statements to correspond with the new screen format.

Bill Nickless
Box 1
Dillingham, AL 99576-0001

Calling All VIC Owners

I would like to hear from VIC-20 owners or computer clubs for the purpose of publishing a newsletter for sharing ideas, tips and programs.

Such a newsletter could be instrumental in bringing together those with mutual interests, or in locating those in specific geographic areas interested in forming a VIC computer club.

Glenn D. Fuqua
D.I.Y. Publications
PO Box 161
Keller, TX 76248

Is Anybody Out There?

Is there anyone out there who owns or uses an Epson HX-20, for whatever purpose, and would like to share his ideas and help others realize the full potential of their machine?

If anyone is interested, please contact the HX-20 User's Group. When doing so, enclose your name, address, what you use the machine for, and your occupation.

If you have any ideas on what you would like the HX-20 User's Group to do for you, please include your suggestions.

HX-20 User's Group
C/O 14 Courtleigh Gardens
London, N.W.11 9JX, England

Sports Pay, Do Computers?

It made me both sad and angry to read your comments on education, sports and computers ("Publisher's Remarks," February 1983, p. 6).

Granted, there are some things wrong with the emphasis the American public puts on sports, but it seems extreme to blame the educational system for this shortcoming. Computers are important, but one only needs to consider the audience of professional sports to realize where most Americans are going to put their bucks.

Furthermore, if you will investigate, you will find that sports are not financed primarily by tax dollars. Such things as uniforms, buses and meals are paid for from revenues generated by sports events. In many school districts, even such large expenses as stadium repairs are raised by booster clubs and other parent organizations.

What is needed are ways to make computer education pay its own way.

Surely you must know that computers are becoming more common in schools. Courses for teachers that deal with computer literacy at the University of Akron (typical, I believe) are among those closed out early every semester.

Computer use in schools is a high priority both for teachers and administrators. They are investing a lot of time and money to learn how to handle the machines and how to use them effectively in schools. However, it seems foolish to think that every student who learns how to operate a computer is going to own an electronics business.

Finally, your article is self-serving and inaccurate in many respects. Your opinions are undoubtedly centered on your own poor educational background. It is a shame that your schooling did not teach you to investigate the facts before you write.

June Crabtree
Canton, OH

Reply:

Your intemperate letter arrived. I was rather disappointed that instead of devoting much time to arguing with what I said, you chose to attack me personally.

Since I have been consulting for several colleges, I am not unfamiliar with where money comes from and where

it goes.

Technicians and engineers are needed to invent, design, help produce, install, operate and service electronics, communications and computers. With about 70 percent of the available supply being taken away from private industry by armed service contracts, the situation is losing more and more business to Asia. . . and we are unlikely to be able to get it back once it is entrenched. Even our military is turning to Asia for research and development, as I'm sure you've read in the headlines recently.

Wayne Green

Do Your Homework

I am the happy owner of Volkswriter. I liked some of the comments that Thomas Bonoma made about the program ("What's New, Big Blue?", *Microcomputing*, February 1983, p. 8), but I think he should have done his homework.

In Table 1 (p. 10), he indicates that the Epson is the only printer useable. To the contrary, Volkswriter 1.2 lists more than ten printers that are supported.

Mr. Bonoma also states that Volkswriter has no headers or footers—wrong! Volkswriter 1.2 has both, and offers numerous options for their use.

Ross M. Roberts
N. Little Rock, AR

Reply:

Mr. Roberts, perhaps you do not know that my columns are prepared four to six months before publication. That is the nature of magazines and deadlines. So, when it is winter, I am usually writing early summer columns. At the time the column and the review of Volkswriter you object to was written,

version 1.2 of that good software had not yet been released.

When version 1.2 was released, I reviewed it for the next month's column (March 1983, p. 8).

I stand by the review of Volkswriter 1.1 and the review of version 1.2 contained in the March issue.

Tom Bonoma
Concord, MA

An Unsolicited Testimonial

What has happened to your magazine? The once large issues with long, quality articles have been replaced with stapled pamphlets advertising business-oriented minicomputers. What has happened?

Kilobaud was a unique magazine several years ago, because you aimed it toward smaller-scale hardware and software efforts. Now, apparently, you have decided that this philosophy is not profitable (or is there another reason?).

I hope more readers will respond with dissatisfaction. I wish to withdraw my subscription beginning this month. It is not worth the trip to my mailbox for a low-grade pamphlet.

Robert Anderson
Kalamazoo, MI

Reply:

Mr. Anderson, we suggest that you move your mailbox closer to your house.

Editors

What's Bugging You?

I read Tom Bonoma's "What's New, Big Blue?" column in the January 1983 issue of *Microcomputing* (p. 14). I would

like to inform him that the "bug" in Microsoft Basic is not a bug at all.

Mr. Bonoma overlooked the fact that all numeric values in Basic include a sign (positive vs. negative). If the value is negative, the minus sign is printed, but if the value is positive, the sign is left blank, according to common practice in mathematics.

Nevertheless, the sign is there—a blank implies positive—and is counted as a character by the LEN(x\$) function. Similarly—when you convert a numeric value to a string value with STR\$(x)—if the value is negative, the minus sign will be the first character in the string value. If it is positive, a space will be the first character.

This can be seen if you try entering negative values, such as -3/5, in your program. The function works just as expected, giving a length of two characters for the -3. The function counts the number three as two characters, because it is really +3.

What apparently misled Mr. Bonoma was that the value started out as a string value, which does not include an automatic sign position; it was converted to a numeric value, which does. It was finally converted back to a string value again—seeming to pick up an extra space in the process.


The error was in the original program, either because the author did not understand that the "sign" character would be counted by LEN(x\$), or because of a misprint. Mr. Bonoma's revision corrected the program properly.

Joe Long
Madison, AL

Editor's note: Tom Bonoma responds to the "Basic Bug" question in his "What's New, Big Blue?" column in this issue.

Circle 131 on Reader Service card.

Need More Serial Ports ?




Price
\$249.00

Bay Technical Associates

P. O. Box 387, Bay St. Louis, MS. 39520
601-467-8231

- ★ Add a BTA smart multiport controller to your C.P.U.
- ★ The MODEL 524 expands a single RS232 port to four individual ports with port selection and baud rate controlled by user software.
- ★ Buffered inputs permit simultaneous operation increasing data exchange rate.
- ★ 62K spooler model also available.

Winchester Blasts The Memory Barrier



They were coming in waves, their numbers overwhelming, no two alike. But to my view they were indistinguishable. I would have thinned their ranks, but I was afraid of destroying one of real value.

No, this isn't an arcade game description—it's a picture of my floppy disk chaos. Seems as though I had acquired millions of the little buggers over the years. I spent so much time juggling them in and out of the drives that I decided I might more correctly call them swappy disks. Moreover, I had on several occasions swapped (sic) the wrong disk, losing many hours' work.

So I began to look seriously at Winchester hard disks, which had been on the market for some two years. Cost was a driving factor, but I wrestled with priorities and settled on the following criteria.

I wanted a minimum of 10 megabytes, not on removable media, and a disk drive from a com-

pany with a solid track record. The disk controller was to have a simple, byte-parallel computer-interface, rather than a bus-oriented design. This would permit portability between my SS50, Apple and other computers, with only an inexpensive interface card for each. Finally, I wanted the whole works self-sustaining, with a case and power supply.

With these goals, I scrutinized ads and noticed that the technology was evolving rapidly, causing price wars between the four or five biggies in the business. Now the problem was to gauge the right time to buy.

The Classic Multivendor Box

I finally found the right package: 11+ megabytes on a Tandon drive, a Western Digital (WD) controller card with a simple interface, a nice box to house it all and an Apple II interface card by Xiten Systems. All this went by the name of

By Stephen L. Childress

Gallium 10. From reading about the Western Digital 1000 controller, I determined that the interface was quite simple, involving a couple of eight-bit parallel ports. For the clincher, the unit was on sale at less than \$2000. Sold!

The drive is the Tandon TM603SE Winchester. It has three platters, with six heads, one on each side of each platter. The six surfaces provide the advantage of six equivalents to a floppy disk track at each step of the head-positioning stepper motor. Since there are 32 256-byte sectors per track on each surface, there are six times 32, or 192, sectors available without a time-consuming head movement. The drive moves the head at three milliseconds per track when changing tracks, which is several times faster than inexpensive floppy disks.

On multisurfaced hard disks, the term "cylinder" refers to a specific track which is present on both sides of each of the platters. The Tandon drive has 230 cylinders, so the disk capacity is 32 sectors per track times 230 cylinders times 6 surfaces times 256 bytes per sector, a total of 11,304,960 bytes. As I suspected, the drive is being surpassed by newer designs with higher densities and faster head positioners—thus the low price.

The WD 1000 controller is a collection of logic ICs and analog circuitry on a single PC card. Based on the WD 1000 LSI chip for Winchester disks, this controller is at least an order of magnitude smarter than the FD1771 type of floppy disk controller. It takes care of handling everything associated with reading or writing a sector. It moves the head to the appropriate cylinder, locates the desired sector on the specified surface and reads the data into or out of a data buffer within the controller itself. Indeed, the controller even takes care of retries to correct soft errors.

The advantage of such a smart controller is that it simplifies the CPU software driver for the Winchester. As I will show later, the driver for the operating system I use is smaller and simpler than the floppy-disk drivers.

Testing With the Apple

My plan of attack was first to plug the Gallium into the Apple to prove the thing worked and to marvel at its speed, then to design an interface for

Winchester Hard Disk Drive Technology—A Capsule Profile

As originally conceived (reportedly by people at IBM), hard disk drives would store 30 megabytes of memory on 30 tracks. This suggested to someone the famous 30-30 Winchester rifle, and the name stuck.

As a generic term, Winchester usually refers to the technology of "fixed" hard disks (factory-sealed within a super-clean air-tight housing). It is sometimes also (loosely?) applied to removable hard disks. Whether fixed or not, hard disks provide mass memory storage far exceeding floppy disks in capacity and speed of data transfer—and, of course, in cost.

Hard disks come in several sizes: 5¼-, 8- and 14-inch diameters are the most common, with the 5¼-inch disk the one usually interfaced with microcomputers. The disks, or platters, are made of aluminum, either

thin-film plated or coated with ferric oxide or other magnetic media. Both surfaces of a platter are used to record data; hence there is a read/write head for each surface. Also, multiple platters may reside in one drive housing, thus allowing a choice of varying capacities.

To facilitate data transfer, the disk rotates at high speed (usually 3600 rpm, in contrast with a floppy disk drive's 300), so the head would gouge the disk if it touched. It therefore "flies," but (in a fixed drive) only about 18 millionths of an inch above the platter surface—a gap about one-tenth the size of a human hair!

Obviously, this is a high-precision machine. Dust, smoke particles or other impurities on a disk would quickly crash the head—hence the sealed housing. This is no guarantee against disaster, however, so a Winchester should always have back-up storage in the form of tape, floppies or even another Winchester.

Assembly listing of 6809 driver for the OS9 operating system.

```
*****
**      OS9 Level One Disk Driver For The      **
**      Western Digital WD1000 10 Meg Winchester **
**      Controller within the Gallium 10 System  **
*****

* Author: Steve Childress of Conejo Computer Products
* 31220 La Baya Dr. Suite 110
* Westlake Village, CA 91360
* Origin: Adapted from a Microware Systems Corp.
* floppy disk driver.
* Revision History:
* Rev  Initials/Changes made
* ---  -----
* 1    SLC 7/82 Initial design

***** Macro definitions *****

          OPT    LIS      enable macro lib'y listing
          USE    /h0/defs/maclib1 pickup selected macros

***** Macro library "MACLIB1" *****

* Compare and branch if equal
* CBEQ [A 1 B] [#n 1 addr],label
CBEQ
    macro
    cmp^1 ^2
    beq ^3
    endm

* Compare and branch if not equal
CBNE
    macro
    cmp^1 ^2
    bne ^3
    endm

* Compare and branch if higher
CBHI
    macro
    cmp^1 ^2
    bhi ^3
    endm

* Compare and branch if lower
CBLO
    macro
    cmp^1 ^2
    blo ^3
    endm

* LSRD n      Logical right shift D
LSRD
    macro
    dup ^1
    LSRA
    RORB
    endd
    endm

* LSLD n      Logical left shift D
LSLD
    macro
    dup ^1
    LSLB
    ROLA
    endd
    endm
    IFPL
    USE /H0/DEFS/OS9DEFS pickup system EQU's
    USE /H0/DEFS/RBFDEFS and Random Block Mgr's EQU's
    ENDC
```

Address correspondence to Stephen Childress, c/o Microcomputing, 80 Pine St., Peterborough, NH 03458.

Listing continued.

```

0001 DRVCNT SET 1 NOTE!! this version supports only dr
0001 REV SET 1 version number

***** RAM organization for each drive *****

0007 ORG DRVBEG set data counter per System EQU's
0007 RMB DRVMEM*DRVCNT
001F CURTBL RMB 2 Points to current drive table
0021 CURDRV RMB 1 current drive no.
0022 V.TRKR RMB 2 ADDR OF TRACK REG
0024 V.FREZ RMB 1 FREEZE DD.INFO

0025 DSKSTA EQU . Total RAM required

***** OS9 Memory Module Header *****

0000 MOD DSKEND,DSKNAM,DRIVR+OBJECT,REENT+REV,DSKENT,DSKST
0000 87CD01F7000EE1812D00150025
000D FF FCB $FF Public access permitted

000E 5744313030 DSKNAM FCS "WD1000" Name of driver
0014 B0
0014 01 FCB 1 programmer's edition number

*****
* BRANCH TABLE

0015 160030 DSKENT LBRA INIDSK INITIALIZE
0018 160095 LBRA READSK READ SECTOR
001B 16006B LBRA WRTDSK WRITE SECTOR
001E 16001A LBRA GETSTA GET STATUS
0021 160003 LBRA PUTSTA PUT STATUS
0024 160195 LBRA TERMNT TERMINATE DEVICE USE

***** PUT STATUS CALL
* Put status is used to command special actions

0027 AE26 PUTSTA LDX PD.RGS,Y POINT TO PARAMS
0029 E602 LDB R$B,X GET STAT CALL CODE
002B CBEO B $SS.RST,RESTOR RESTORE?
002D 2737 cmpB $SS.RST
002F beq RESTOR
002F C104 CBEO B $SS.WTK,WRTTRK WRITE TRACK?
0031 277B cmpB $SS.WTK
0033 beq WRTTRK
0033 CBEO B $SS.FRZ,SETFRZ FREEZE DD.INFO?
0035 2708 cmpB $SS.FRZ
0037 beq SETFRZ
0037 CBEO B $SS.SPT,SETSPT SET SECTORS/TRK?
0039 2708 cmpB $SS.SPT
0039 beq SETSPT

***** GET STATUS CALL
003B 53 GETSTA COMB error: not required for this drive
003C C6D0 LDB $E$USVC ERR CODE
003E 39 RTS

* freeze the volume info
003F C6FF SETFRZ LDB $FF n/a for this driver
0041 E7C824 STB V.FREZ,U SET FLAG
0044 5F CLR B
0045 39 RTS

0046 5F SETSPT CLR B n/a for this driver
0047 39 RTS

*****
* INITIALIZE
* INPUT: (U) POINTER TO GLOABAL STORAGE

0048 3410 INIDSK PSHS X
004A 3047 LEAX DRVBEG,U POINT TO 1ST DRIVE TABLE
004C 86FF LDA $FF
004E C601 LDB $DRVCNT
0050 E746 STB V.NDRV,U SET MAX DRIVES
0052 A702 STA DD.TOT+2,X INIT TO NON-ZERO
0054 A78815 STA V.TRAK,X INZ TO HI TRACK CNT
0057 6F8824 CLR V.FREZ,X
005A AE41 LDX V.PORT,U POINT TO I/O PORT
005C 8601 LDA $1 write precomp reg
005E C62F LDB $190/4 precomp at cylinder # >=190
0060 ED84 STD ,X
0062 8D02 BSR RESTOR home the head
0064 3590 PULS X,PC return
0066

*****
* Restore head to cylinder zero
0066 3416 RESTOR PSHS D,X
0068 AE41 LDX V.PORT,U I/O base address
006A 8606 LDA $6 select drive register
006C 5F CLR B
006D ED84 STD ,X select drive 0
006F CC0716 RES1 LDD $0716 restore
0072 ED84 STD ,X
0074 A601 REST1 LDA 1,X get status
0076 2BFC BMI REST1 loop on busy
0078 A601 LDA 1,X
007A 8450 ANDA $50 seek complete, ready
007C CBNE A $50,RES99
007E 8150 cmpA $50
007F 2603 bne RES99
0080 5F CLR B Success status
0081 3596 PULS D,X,PC restore regs & return
0083

* Process error with restore

```

More

the SS50 computer (a Southwest Technical Products 6809 system). The Apple card has many chips, 80 percent of which have nothing to do with the disk drive itself, but rather support EPROM for booting and RAM for supporting Apple's DOS. The software supplied consists of a utility to initially format the disk and a program which patches Apple DOS 3.3 to use the Winchester as well as the Apple floppies.

Unfortunately, the limitations of the fundamental design of Apple DOS preclude treating the Gallium as a single large disk. Instead, the software breaks the drive into 78 "volumes," each one equivalent to a floppy disk. Happily, most newer systems I've seen don't have the constraints of DOS 3.3. Pity the user who buys a Winchester to allow for a large database of business information, only to discover that while he can now have lots of files, none can be larger than the 130K or so bytes of the floppy! In my case, the DOS 3.3 constraints were unimportant, as I intended to use the drive with Microware Systems' OS9, which has no such problems.

The Apple DOS 3.3 tests were successful nonetheless, and the speed improvement was especially impressive. Because the disk revolves at 3600 RPM, the sectors can be read at a rate of 16 milliseconds per sector (60 sectors per second). With clever sector interleaving, this can improve to 120 or more sectors per second. Since we are using a parallel, program-controlled interface, the speed is limited by how fast the driver software can copy the 256 bytes to or from the controller. Very few files exceed 60 or so sectors, however, so usually it takes only a fraction of a second to load a program from disk into memory.

The SS30 Bus Interface Card


The Western Digital controller came with a manual that I used in designing the interface for the SWTP 6809 system. Here's a quick run-down of the design. (Fig. 1.)

The WD 1000 controller requires a tri-state eight-bit bidirectional data bus for exchanging data, three address lines to select one of eight registers, and a couple of control lines. The Winchester chip is basically the same as the FD177x chip, but has more registers and the sophistication described earlier.

The 'LS245 buffers the data bus, since the drive is on the far end of about three feet of ribbon cable. The 'LS174 accepts and holds the desired

GENERAL SYSTEMS CONSULTING2312 Rolling Rock Drive
Conley, Georgia 30027

VIC 20

**CASSETTE SOFTWARE**SINCLAIR ZX81
TIMEX SINCLAIR 1000
COMMODORE VIC20

TIMEX SINCLAIR

DESIGNED TO HELP MONITOR YOUR FINANCES
16K MINIMUM FOR T/S 1000 & ZX81

	T/S 1000 ZX81	VIC 20	ENTER PRICE
* At least 3K expansion			
** At least 8K expansion			
AMORTIZATIONS	12.95	13.95	
BAR CHARTS	13.95	14.95**	
ANNUITY EVALUATION	12.95	12.95	
FILE MANAGER	12.95	14.95*	
BANK STATEMENT BALANCER	12.95	13.95	
CHECKBOOK SIMULATOR	12.95	NA	
DEPRECIATION STRAIGHT LINE	12.95	13.95	
DEPRECIATION DECLINING BALANCE	13.95	14.95	
DEPRECIATION ACRS	14.95	15.95*	
DIET PLAN	11.95	NA	
HOME BUDGET	13.95	14.95**	
HOME INVENTORY	12.95	14.95	
HOME PAYABLES	12.95	NA	
HOME EQUITY EVALUATION	12.95	13.95	
REAL ESTATE INVESTING	13.95	14.95**	
SAVINGS INVESTMENT ANALYSIS	13.95	14.95**	
IRS 1040 LONG FORM	15.95	16.95**	
IRS 1040A SHORT FORM & 1040 EZ	14.95	15.95**	
INCOME TAX PROJECTIONS	14.95	15.95**	
IRA ANALYSIS	NA	12.95	
NAME _____	TOTAL YOUR PRICE		
ADDRESS _____	POSTAGE/HANDLING		1.50
CITY/STATE _____	TOTAL PRICE		

ELECTRONICS MADE EASY

WITH THE ELECTRONIC BREADBOARD

- Determine causes of circuit failure, reducing time spent troubleshooting.
- Test and analyze analog circuits.
- Evaluate voltages, currents, impedance and frequency response of any circuit.
- Save circuit designs on cassette tape.
- Learn and verify electronic theory by entering sample circuits.

And much more. This CAD program is one of the best you can buy. Ideal for any electronic doughboy. Order your Electronic Breadboard today.

CALL toll free: 1-800-258-5473


Apple* Disk Applesoft 32K 0428AD \$59.95.
Also available for TRS-80**.

Instant Software

Instant Software
Rt. 101 & Elm Street
Peterborough NH 03458

335R7B

*Apple is a registered trademark of Apple Computer, Inc.
**TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.



Apple: meet the real world

Automate your lab with ALIS

If you work with pH meters, timers, positioners, chromatographs, flow meters, BCD devices — in short, almost ANY device which accepts or generates an analog or digital signal — ALIS will turn your APPLE into a true REAL-TIME automation system.

If you can program in BASIC, then ALIS' Applesoft-callable interface software can have you talking to your world at once.

Display your results *immediately* or analyze off-line with a hi-resolution graphing package which you can modify. ALIS is thoroughly documented with over 100 pages of readable manuals.

You can add an ALIS automation system in minutes!

No machine language programming. No soldering. ALIS hardware is *complete and preassembled* — Apple interface, cabling, terminal box, test switches — as easy to add as a printer.

Just connect the "real world" and GO!...at software-controlled rates up to 10,000 data points per second!

ALIS high-speed real world interface systems are available NOW for the following configurations:

Precision Analog Input: ALIS/A12 \$ 1,517
(16 channels, .024% Acc., 100mV min. full scale)

Analog Input: ALIS/A08 \$ 1,149
(16 channels, .39% Acc., 5 Volts full scale, 5 kHz max.)

Analog Output: ALIS/AO \$ 841
(2 channels, .39% Acc., 10 Volts full scale)

Digital Input/Output: ALIS/DIO \$ 1,600
(32 bi-directional channels, quad timers, interrupts)

ALIS systems require a 48K Apple, Applesoft, DOS 3.2 or 3.3

For additional information, detailed specifications, and price schedule, contact:

eco-tech, inc.

2990 Lake Lansing Rd. • P. O. Box 776 • East Lansing, MI 48823
(517) 337-9226

ALIS is a trademark of Eco-Tech, Inc.
APPLE and APPLESOFT are trademarks of Apple Computer, Inc.

controller register number (0-7) as sent by the software. (Many systems would use the main memory address lines for the register select, but my technique was aimed at putting the disk interface in one of the SS30C I/O slots, rather than on the main motherboard.)

The 'LS138 chip decodes the RS0 and RS1 signals which provide a one-of-four select for memory-mapped I/O within the registers on the SS30 card itself. The R/W bus signal (read/write) is used as the least significant bit for the 'LS138 to allow for four read and four write registers.

The resulting map is:

Address	Function
PORT +0	read: input miscellaneous status bits
PORT +0	write: sets address bits sent to the controller and sets utility bits for on-board use
PORT +1	read: input data from controller
PORT +1	write: output data to controller

where PORT is \$E000 plus four times the slot number (0-7) per the SS30C standard. (The newer SS30 machines provide 16 addresses per slot rather than four.)

The bit layout of PORT +0 is:

Read: bit 0 is "data request" from the controller. This bit is available, but not needed for most applications.

bit 7 is "interrupt request" from the controller and is used as a "device done" indicator for interrupt-driven systems.

bits 1,2,3,4,5 and 6 are unused and undefined.

Write: bits 0,1,2 are the controller's address lines—A0, A1 and A2, respectively. The software must write to this register to select which of the controller's eight registers are to be accessed.

bit 3 is the "interrupt enable." If set to one, the controller's interrupt request will pass through to the SS50 bus IRQ. If zero, interrupts are blocked. This bit is zeroed by system reset for the default.

bits 4,5,6 and 7 are unused.

The layout of the PORT +1 Read/Write bits is governed by the controller registers as described in the data sheet for the chip/controller and the WD 1000 OEM manual.

With this organization, we access the chip with 6809 code such as:

Slot	EQU 3	
PORT	EQU Slot*4 + \$E000	
CMDST	EQU 7	WD command/status register #
Rdcmd	EQU \$20	WD read command




Fig.1. Schematic of SS30 Bus Winchester Interface Card.

Listing continued.

```

RES99      COMA      set carry
0083 43    PULS      D,X
0084 3516  LDB        #$NDRDY
0086 C6F6  RTS        not ready error code
0088 39    RETRN1

**** WRITE SECTOR ****
*INPUT: B = MSB OF LOGICAL SECTOR
*       X = LSB OF "
*       Y = PTR TO PATH DESCR.
*       U = PTR TO GLOBAL STORAGE

0089 17006D WRTDSK    LBSR    SELECT    select drive
008C 25FA    BCS        RETRN1    if error
008E 1700BF  LBSR    PHYSIC    send disk addr
0091 25F5    BCS        RETRN1    if error
0093 3430    PSHS      X,Y        save regs
0095 AE41    LDX        V.PORT,U  get I/O reg addr
0097 CC0730  LDD        #$0730    WRITE CMD
009A ED84    STD        ,X        issue cmd
009C 10AE28  LDY        PD.BUF,Y  BUFFER ADDR
009F 5F      CLRB
00A0 E784    STB        ,X        select reg 0=data

00A2 A6A0    WRITE4    LDA        ,Y+    get next byte
00A4 A701    STA        1,X        send it
00A6 5A      DECB
00A7 26F9    BNE        WRITE4    loop for 256
00A9 3530    PULS      X,Y        restore regs
00AB 1600C7  LBRA      STCK        RETURN VIA STATUS CHECK

00AE

*****
* WRITE TRACK (format disk)
* IN: (A) TRACK NO.
* (Y) PATH DESCRIPTOR
* (U) GLOBAL STORAGE
* [ UNIMPLEMENTED FOR NOW ]

00AE 5F      WRTTRK    CLRB        no error status
00AF 39      RTS

*****
* READ SECTOR
* IN- B=MSB OF LOGICAL SECTOR NO.
* X=LSB'S
* Y= PATH DESCRIPTOR
* U= GLOBAL STORAGE

00B0 170046  READSK    LBSR    SELECT    select drive
00B3 250E    BCS        READNG    if error
00B5 170068  LBSR    PHYSIC    send head/sector/cyl no
00B8 2509    BCS        READNG

```

More

Listing continued.

```

00BA 3084      LEAX    ,X      IS THIS SECTOR 0?
00BC 2725      BEQ     READ0   special processing

00BE 8D04      RDISK3   BSR     READSC   READ SECTOR
00C0 2501      BCS     READNG   IF NO ERROR
00C2 5F        CLRB     CLRB        return success code of 0
00C3 39        READNG   RTS

*****
* Subroutine READSC reads the selected sector
00C4 3430      READSC   PSHS    X,Y
00C6 AE41      LDX     V.PORT,U
00C8 10AE28    LDY     PD.BUF,Y
00CB CC0720    LDD     #$0720   READ CMD
00CE ED84      STD     ,X       SEND COMMAND
00D0 A601      READSX   LDA     1,X   get wd status
00D2 2BFC      BMI     READSX
00D4 5F        CLRB     CLRB        byte count
00D5 E784      STB     ,X       select data reg
* READ SECTOR LOOP
00D7 A601      READS4   LDA     1,X   GET DATA
00D9 A7A0      STA     ,Y+      STORE AWAY
00DB 5A        DECB     DECB
00DC 26F9      BNE     READS4

00DE 3530      PULS    X,Y       RESTORE
00E0 160092    LBRA    STCK      GO GET STATUS

***** READ SECTOR 0 *****
* Whenever sector 0 ( the volume status block ) is read
* the volume's characteristics are copied to the OS9
* path descriptor for the Random Block File manager's
* use in dealing with any arbitrary device type.

00E3
00E3 8DD9      READ0    BSR     RDISK3   READ SECTOR 0
00E5 25DC      BCS     READNG   IF ERROR
00E7 3430      PSHS    X,Y       save regs
00E9 AE28      LDX     PD.BUF,Y   get addr of path descriptor
00EB 3147      LEAY    DRVBEQ,U   addr of drive table
00ED C614      LDB     #DD.SIZ-1  number of params to copy
00EF A685      READ01   LDA     B,X   copy 1st N params
00F1 A7A5      STA     B,Y
00F3 5A        DECB     DECB
00F4 2AF9      BPL     READ01
00F6 5F        CLRB     CLRB        OK STATUS
00F7 35B0      PULS    X,Y,PC     RETURN

*****
* SELECT DRIVE
* All regs saved if no error,
* else error code in B and C=1
00F9 3416      SELECT   PSHS    D,X
00FB A6A821    LDA     PD.DRV,Y   drive # from path descriptor
00FE A7C821    STA     CURDRV,U   save in drive table
0101 A146      CMPA    V.NDRV,U   VALID DRIVE #?
0103 2215      BHI     ERUNIT    if no
0105 3047      LEAX    DRVBEQ,U   TABLE BEGINNING
0107 AFC81F    STX     CURTBL,U   save current drive
*** Note: For multiple drives, this table is used
*** to save and unsave the drive's cylinder number.
010A AE41      LDX     V.PORT,U   controller address
010C 5F        CLRB     CLRB        drive no.
010D 8606      LDA     #6        drive regis
010F ED84      STD     ,X
0111 5F        CLRB     CLRB        CARRY=0
0112 3596      PULS    D,X,PC     RETURN

* Handle drive select error:
0114 3516      SELNG    PULS    D,X
0116 53        COMB     COMB
0117 C6F6      LDB     #E$NRDY   set carry
0119 39        RTS            not ready error

* Handle drive not ready error
011A 3516      ERUNIT   PULS    D,X
011C 53        COMB     COMB
011D C6F0      LDB     #E$UNIT   CY=1
011F 39        RTS            ERROR CODE

*****
* CONVERT LOGICAL->PHYSICAL DISK ADDR
* B has hi-order of 24 bit disk addr, low in X
0120 3436      PHYSIC   PSHS    D,X,Y
0122 5D        TSTB     TSTB        MSB MUST BE 0
0123 264A      BNE     PHYERR    IF NO
0125 1F10      TFR     X,D       LOGICAL ADDR
0127 10830005  CMPD     #5        small address?
012B 2318      BLS     PHY0      if yes, no divide needed
012D 3440      PSHS    U         save U
012F 1F43      TFR     S,U       see calling seq to DIV
0131 327C      LEAS    -4,S      param area
0133 3606      PSHU    D         put dividend on stack
0135 CC0006    LDD     #6        divisor
0138 3606      PSHU    D
013A 170081    LBSR    DIV       divide by 6, remain in X
013D 3510      PULS    X         get remainder
013F 3506      PULS    D         get quotient
0141 3540      PULS    U
0143 2002      BRA     PHY1
0145 4F        PHY0     CLRA     quotient=0
0146 5F        CLRB     CLRB        remainder in X is 0..5
0147 10AE41    PHY1     LDY     V.PORT,U   get disk port addr

014A 1E10      EXG     X,D       diskaddr mod 6 in D
014C 8606      LDA     #6        head # register
014E EDA4      STD     ,Y       send head # 0-5 to to controller

```

```

LDX    #PORT      I/O base address
LDA     #CMDST     WD status reg #
STA     ,X         select status
LDA     1,X        get status in A
...
LDD     #CMDST*256  A = cmd reg #,
               + Rdcmd B = command
                       code
STD     ,X         send register
...               select and cmd

```

For those of you not familiar with the 6809, a 16-bit instruction such as STD stores the D register, which is actually the A and B register paired end-to-end. The 68xx family of chips stores 16-bit quantities, with the high order eight bits at the lower of the two addresses for the two bytes (unlike the Intel and other chips). Thus, the STD in the example sends the WD register number to PORT+0, followed immediately by the value of Rdcmd to PORT+1. This could also have been coded:

```

LDA     #CMDST
LDB     #Rdcmd
STA     ,X
STB     1,X

```

The Controller's Design

Returning now to the design of the interface, one "gotcha" came up in interfacing the controller to the SS30 bus. The data transfer to and from the controller cannot always be completed in a single cycle of the 6809. The WD data says that up to six microseconds are required to accept or emit a data byte. Fortunately, the 6809's designers allowed for such slow memory devices by providing an input to the 6809 chip called Memory Ready (MRDY). This signal, when zero, causes the 6809 to hold the address lines constant and stretch the clocks until MRDY goes to a one. The WD controller outputs a signal called Wait, which is true so long as the controller needs the address and data lines held constant. So the simple solution is to connect Wait to MRDY (with appropriate gating).

This was done rather easily as shown in the schematic, but a little disclaimer is needed here. My design does not consider the possibility of some direct-memory access (DMA) device (like a double-density floppy controller) contending for the MRDY line along with the controller, which is not DMA-based. In theory, the DMA device's bus cycle and the controller's bus cycle are independent and no conflict would arise. However, I've not studied it in depth.

Listing continued.

```

*      drive 0 assumed!
0150 1F10      TFR      X,D      disk addr/6 in D
0152 C41F      ANDB     #31      sector no.
0154 8603      LDA      #3      register for sector
0156 EDA4      STD      ,Y      send sector no.
0158 1F10      TFR      X,D      disk addr/6
015A           LSRD     5 shift 5 right
015A 44      0005      dup      5
015A 44      LSRA
015B 56      RORB
015C 44      LSRA
015D 56      RORB
015E 44      LSRA
015F 56      RORB
0160 44      LSRA
0161 56      RORB
0162 44      LSRA
0163 56      RORB
0164 8604      LDA      #4      cyl low order select code
0166 EDA4      STD      ,Y      send low order cyl no.
0168 5F      CLRB
0169 4C      INCA      5, cyl hi order
016A EDA4      STD      ,Y
016C 5F      CLRB      CARRY=0 == no error
016D 35B6      PULS     D,X,Y,PC return

* Handle illegal disk address error
016F 3536      PHYERR   PULS     D,X,Y
0171 53      COMB
0172 C6F1      LDB      #E$SECT  ERROR CODE
0174 39      RTS

*****
* CHECK STATUS FOR ERRORS

0175 3410      STCK     PSHS     X
**** Wait on busy to go false
0177 AE41      LDX      V.PORT,U
0179 8607      LDA      #7      register select for status
017B A784      STA      ,X
017D A601      LDA      1,X      get WD1000's status
017F 2BFC      BMI      WBUSY1   loop if still busy
0181 8501      BITA     #1      any error?
0183 260D      BNE      STERR     if yes
0185 8606      LDA      #6      deselect drive to extinguish light
0187 A784      STA      ,X
0189 A601      LDA      1,X      get head no.
018B 8A18      ORA      #3*8     select drive 3
018D A701      STA      1,X      to deselect
018F 5F      CLRB      OK status.
0190 3590      PULS     X,PC      return with success

* Determine error causation from the error register
0192 8601      STERR    LDA      #1      select the error status
0194 A784      STA      ,X
0196 A601      LDA      1,X      get error flag bits
0198 3510      PULS     X      clean stack
019A

* Check each bit, convert to OS9 error codes:
019A
019A 48      LSLA      B7
019B 2513      BCS      ERRD
019D 48      LSLA      Bit 6
019E 2518      BCS      ERRCRC
01A0 48      LSLA      Bit 5
01A1 2515      BCS      ERRCRC
01A3 48      LSLA      Bit 4
01A4 250E      BCS      ERSEEK
01A6 48      LSLA      Bit 3
01A7 48      LSLA      Bit 2
01A8 2506      BCS      ERRD
01AA 48      LSLA      Bit 1
01AB 2507      BCS      ERSEEK
01AD 48      LSLA      Bit 0
01AE 2504      BCS      ERSEEK

* Read error
01B0 53      ERRD      COMB
01B1 C6F4      LDB      #E$RD
01B3 39      RTS
01B4

* Seek error
01B4 53      ERSEEK    COMB
01B5 C6F7      LDB      #E$SEEK
01B7 39      RTS
01B8

* Unrecoverable CRC check error
01B8 53      ERRCRC    COMB
01B9 C6F3      LDB      #E$CRC
01BB 39      RTS

* TERMINATE USE OF DISK
01BC 5F      TERMNT    CLRB      no action needed
01BD 39      RTS

***** Unsigned 16 bit divide *****
** Credit to OmegaSoft's 6809 Pascal for
** this routine (modified interface)

0000 MTEMP    EQU      0      STACK STORAGE FOR DIVIDE

*****
* Input: 0,U is dividend
*         2,U is divisor

```

More

Another minor constraint is that if the controller is connected to the SS30 card but powered down, pull-down resistors within the controller card will cause the Wait signal to default to zero. This can cause MRDY to go permanently true (0) if the card is accessed while the drive is off. This one I dismiss as does the doctor who says "It hurts when you do that? Well, don't do that!"

The MRDY signal was not routed to the I/O area of the SWTP motherboard, so I ran a discrete wire to the main section to pick it up from "MRESET," the pre-6809 name for that bus line.

With this relatively inexpensive Winchester and an 80-column display, the Apple II can compete head-on with the newer \$10,000 systems.

One last gotcha item is that there is a problem with the old SWTP motherboards that have been modified for the 6809 memory map with I/O moved up to \$E000. The modification results in glitches on the slot select lines (SEL), due to cascaded decoder chips on the motherboard. If SEL is sent directly to the controller as chip select, the glitches cause spurious and mistimed MRDYs which actually crash the 6809. My design gates out the glitches, using the master clocks to solve the problem. This one took a couple of days to find, so beware!

Lastly, be aware that the very early 6809 chips did not properly handle MRDY as implemented by SWTP. The Motorola data sheets for the 6809 specify which chips are flawed and show how to tell them by the part numbers on the '09 DIP. Just avoid those early chips and you'll be OK.

To conclude the discussion of the SS30 card, I built the thing on a prototyping board (30-pin, or SS30) which is available for \$30 or so. The chips were placed in wirewrap sockets. Be sure to use the sockets with short pins (two-level wirewrap), or the pins will bump into a neighboring card.

The ribbon cable from the card to the Gallium has 50 conductors, and I was stumped for a while on how to connect it to the SS30 card. I wound up using a 50-pin right-angle header, which plugs into the hole pattern on the card and accepts the plug on the

ribbon. The wiring to the header is simple, since all the pins on one side of the header are soldered to the ground plane. I cut away the VCC plane to clear the other 25 pins. Perhaps a better choice in prototyping cards would eliminate this hacking.

Onward and Upward To the Software

Since the WD controller is so intelligent, I was able to prove that the SS30 card was working properly by writing a program in Basic which used pokes and peeks to exercise the disk.

The early steps involved writing and reading registers 0-6 of the controller to ensure that no bits were being garbled and that the correct address was sent to A0, A1 and A2 of the WD board. Peeking the status register (7) yielded \$50 as the normal, idle status. Now poking a restore command to the register caused a command to begin. Peeking the status register (7) until the high-order bit "busy" goes off shows when the command finishes. Now the status register should indicate "no errors."

When these tests were completed, it was time to begin the Winchester driver for the OS9 operating system.

As shown in the listing, the OS9 driver is not very complex, since the logic for error retry and seeking (head positioning) is done by the controller

itself. While I won't go into the philosophy of OS9 I/O drivers, I'll discuss the driver in terms of the Gallium disk requirements.

Listing continued.

```
* Output: 0,U is remainder (dividend MOD divisor)
          2,U is quotient (INT(dividend / divisor))

01BE 4F      DIV      CLRA      SET FLAG TO DIVIDE
01BF 327E    HDM      LEAS      -2,S
01C1 A761    STA      MTEMP+1,S SET FLAG
01C3 8601    LDA      #1
01C5 6DC4    TST      0,U      CHECK FOR ALREADY JUSTIFIED DIVISOR
01C7 2B07    BMI      HDIV53
01C9 4C      HDIV51    INCA
01CA 6841    ASL      1,U
01CC 69C4    ROL      0,U
01CE 2AF9    BPL      HDIV51    HAVE IT JUSTIFIED NOW
01D0 A7E4    STA      MTEMP,S   SAVE COUNTER
01D2 EC42    LDD      2,U      GET DIVIDEND
01D4 6F42    CLR      2,U
01D6 6F43    CLR      3,U
01D8 A3C4    HDIV63    SUBD     0,U      CLEAR OUT QUOTIENT
01DA 2406    BCC      HDIV65    SEE IF IT WILL GO
01DC E3C4    ADDD     0,U      GET BACK
01DE 1CFE    CLC
01E0 2002    BRA      HDIV67
01E2 1A01    HDIV65    SEC
01E4 6943    HDIV67    ROL      3,U
01E6 6942    ROL      2,U      PUT BIT IN QUOTIENT
01E8 64C4    LSR      0,U
01EA 6641    ROR      1,U      ADJUST DIVISOR
01EC 6AE4    DEC      MTEMP,S
01EE 26E8    BNE      HDIV63
01F0 EDC4    STD      ,U      REPLACE divisor WITH REMAINDER
01F2 3590    PULS     X,PC      REMOVE 2 BYTE STACK FRAME AND RETURN
01F4 FDBD6   EMOB     OS9      Module end (generates module CRC check

01F7 DSKEND   EQU      *
```

Symbol Table Size: 6230
2940 Unused Bytes of Macro Storage
0 Statement Error(s), Last PC: \$01F6

Circle 14 on Reader Service card.

FIRST QUALITY COMPONENTS - NOT MAIL ORDER "SECONDS"

Send for Free Catalog - over 1100 parts.

ARIES ZERO INSERTION FORCE SOCKETS -

cam actuated, true zero insertion - tin plated solder tail pins - capable of being plugged into dip sockets, including wire wrap.

Stock No. of	No. Pins	1-9	10-49	50
11055	24	4.96	\$4.35	\$3.90
11056	28	5.15	4.58	4.05
11057	40	6.81	5.95	5.35
11058	64	12.02	10.50	9.45

IC-KOOLERS™ from UNITRACK™ dissipate over 2 watts of heat from IC's producing longer life and better performance. Just push IC cooler on heat is collected from top and bottom of IC and dissipated. Won't shake cooler!

Stock No. Pins	Price
22225 14	\$ 2.29
22226 18	2.29
22227 18	2.29
22228 20	2.29

WILD ROVER

Touch switch capsule. Operating motion is .005" without the use of a levered arm. Extremely fast on and off with low noise. Normally operated 115 VAC, 1.6 amp-30 milliohm resistance - 615 radius by 160 thick.

Stock No.	1-9	10 & Up
12098	\$1.42	\$1.28



DIGITAL MULTIMETER
Single rotary switch operation. Large easy to read 5 1/2 digit display 800 hours operating life with single 9v battery. Seven functions - (DC Volts, AC Volts, AC Amps, DC Amps, AC Volts, AC Amps, Diode and Resistor Junction, Audible Continuity Check).

Stock No. 83503
Full 1 year warranty
\$79.95

Stock No. 83504
Carrying case with belt loop
\$9.95

60/40 ROSIN CORE SOLDER

Stock No.	Length (feet)	Weight (oz)	Price
50075	62	9	\$1.16
50076	62	25	4
50077	62	50	8
50078	62	33	1
50079	62	88	5
50080	62	175	8

TI WIRE WRAP SOCKETS

Tin plated phosphor bronze contact - 3 wrap

Stock No.	No. Pins	1-99	100	499	500
11301	8	\$4.40	\$3.35	\$3.30	
11302	14	.59	.54	.45	
11303	16	.64	.58	.48	
11304	18	.73	.66	.55	
11305	20	.99	.90	.75	
11306	22	1.12	1.02	.85	
11307	24	1.25	1.14	.95	
11308	28	1.52	1.38	1.15	
11309	40	2.05	1.86	1.55	

TI LOW PROFILE SOCKETS

Tin plated copper alloy 688 contact pins with gas tight seal.

Stock No.	No. Pins	1-24	25-99	999
11201	8	\$1.0	\$0.9	\$0.8
11202	14	.14	.13	.12
11203	16	.16	.15	.14
11204	18	.18	.17	.15
11205	20	.20	.18	.16
11206	22	.22	.20	.18
11207	24	.24	.22	.20
11208	28	.28	.26	.25
11209	40	.40	.37	.33

ELPAC POWER SUPPLIES - DC/DC CONVERTERS

SINTEC Stock No.	ELPAC Part No.	Input Voltage (VDC)	Output Voltage (VDC)	Output Current (MA)	Dimensions (HxWxD) in inches	Price
13825	CB3801	3.0-7.0	12±0.6	0-25	48x51x3.05	\$ 7.95
13826	CB3811	3.0-7.0	12±0.8	0-25	48x51x3.05	7.95
13827	CB3802	3.0-7.0	15±0.7	0-20	48x51x3.05	7.95
13828	CB3812	3.0-7.0	15±0.7	0-20	48x51x3.05	7.95
13829	CB3804	3.0-7.0	28±0.7	0-10	48x51x3.05	7.95
13830	CB3814	3.0-7.0	28±0.7	0-10	48x51x3.05	7.95
13831	CL3801	4.0-7.0	12±0.8	125	85x11x2.17	\$24.95
13832	CL3811	4.0-7.0	12±0.8	125	85x11x2.17	24.95
13833	CL3802	4.0-7.0	15±0.7	100	85x11x2.17	24.95
13834	CL3812	4.0-7.0	15±0.7	100	85x11x2.17	24.95
13835	CL3804	4.0-7.0	28±1.4	50	85x11x2.17	24.95
13836	CL3814	4.0-7.0	28±1.4	50	85x11x2.17	24.95
13835-1	DATA SHEET FOR DC/DC CONVERTERS					

ELPAC POWER SUPPLIES - SOLV SERIES FULLY REGULATED

SINTEC Stock No.	ELPAC Part No.	Input Voltage (VDC)	Output Voltage (VDC)	Output Current (MA)	Dimensions (HxWxD) in inches	Price
13802	SOLV15-8	3.0A	4.7/18x4x2	Fixed included	53x65	\$36.65
13803	SOLV15-12	1.5A	4.7/18x4x2	Fixed included	38.85	
13804	SOLV15-15	1.5A	4.7/18x4x2	Fixed included	38.85	
13806	SOLV15-24	0.75A	4.7/18x4x2	Fixed included	38.85	
13808	SOLV30-8	8.0A	5/8x4/7/8x3/16	OVP-4	59.85	
13806	SOLV30-12	12.0A	5/8x4/7/8x3/16	OVP-4	59.85	
13810	SOLV30-15	15.0A	5/8x4/7/8x3/16	OVP-4	59.85	
13812	SOLV30-24	24.0A	5/8x4/7/8x3/16	OVP-4	59.85	
13802-1	Data Sheet for SOLV Series					

OK MACHINE AND TOOL

IC INSERTION/EXTRACTION KIT
Includes DIP IC extractors and inserters to accommodate all IC's from 14 to 40 pins. Tools that engage conductive surfaces are CMOS safe and include grounding lugs. Stock No. 13309 \$37.74

SOCKET WRAP ID
DIP socket sized plastic panels with numbered holes in pin locations. Slip onto socket before wire wrapping to identify pins. Also write on them for location, IC part number, function, etc. Simplifies initial wire wrapping, trouble shooting and repair. \$1.82 per pack

IC EXTRACTOR
One-piece, spring steel construction. Will extract all MSI and SSI devices with 8 to 24 pins. Stock No. 13313 \$2.10

Special of the Month!

PROFESSIONAL PRINTED CIRCUIT DESIGN KITS...

Everything you need to get started creating instant PC boards... the convenient, economical way.

Stock No.	Description	Net Each
12838	Eurokit	\$67.50
12840	Standard bus	62.80
12841	S-100	68.20
12842	APPLE	83.20

PIN FORMING TOOL

puts IC's on their true row to row spacing. One side is for 300 centers. Flip tool over for devices on 600 centers. Put device in tool and squeeze. NEW! Stock No. 10200 \$14.95 (ANTI-STATIC MODEL)

ONE TOOL DOES 8 thru 40 PINS! Stock No. 11059 \$12.95

MODUTEC

Miniclamp AC Volt-Ammeter allows singling one conductor out of many without disarrangement.

SET OF \$99.00
THREE

ACCESSORY LINE SPLITTER
allows fast readings of AC power consumption of plug in equipment without separation of leads. Stock No. 13727 \$9.95

POCKET SIZED BATTERY TESTER
for all types of small batteries from 1.35v to 4.5v. Stock No. 13733 \$13.95

VOLT-ICATOR
automotive diagnostic meter plugs into lighter socket and indicates battery condition and charging rates. Stock No. 13736 \$15.95

AC VOLTAGE TESTER
plugs into any 110v service receptacle to check line voltage over 50-150 VAC. Stock No. 13735 \$14.95

VOM-MULTITESTER
versatile Volt-Ohm-Milliammeter in small package. Stock No. 13729 \$13.95

SINTEC co. Drawer Q Milford NJ 08848-9990



TOLL 800-526-5960
FREE in NJ (201) 996-4093

We accept VISA, MC, C.O.D. CHECK, M.O.D.
INCLUDE SHIPPING CHARGES
\$10-\$100 \$3.00
\$100-\$250 \$4.00
over \$250 \$5.00

Microware's OS9 is an interrupt-driven, Unix-like operating system with multiple "tree-structured" file directories. This is ideal for a large Winchester, since a separate directory can be set up for each category of software by project, data type, user or whatever. Unlike Apple DOS, there's no limit to the size of a file or the number of files or directories.

The OS9 driver software is pure code, with no data storage areas, and is intended to provide the program code to interface to a particular type of controller. Due to hardware differences, a controller for floppies requires a different driver than the Winchester. All drives connected to a single controller—and all like controllers—share the same driver soft-

ware. OS9 contains for each drive a "device descriptor", which is a table of constants telling the driver the characteristics of that particular drive. These include: the PORT address of the controller, the number of tracks, whether single- or double-sided, the density, and so on.

One driver can handle many like controllers with multiple drives on each. The device descriptor table also assigns a name to each drive; i.e., D0, D1, H0 or whatever. The user talks to the drive via its name. Also in the device descriptor is the ASCII name of the driver for that particular drive. This is the way OS9 makes the logical connections of drivers and drives transparent to the user.

I think Microware did a splendid

job. In my system, with 5-inch, 8-inch and Winchester disks, I boot from the 5-inch and switch everything to the Winchester, using the floppies only for backup and archival storage of data and programs. The driver for the 8-inch is loaded into memory only when I'm actually using that drive. Then it's released to conserve memory.

Returning to the driver listing, OS9 requires a "Jump" table containing LBRA instructions to transfer to the standard subroutines within any OS9 driver. As seen in the listing, these include Initialize, Read sector, Write sector, Seek, Write track and Get/Put status. Microware supplies fairly good documentation on the standards for these instructions in the *System Programmer's Manual* for OS9.

Mating a Winchester With a Controller

By Ken Barbier

Getting started with a new technology is always interesting, often exciting, and sometimes frustrating. While the 5¼-inch Winchester disk is not exactly a new technology, deliveries and applications snowballed in 1982, when the industry really cranked up production while quietly establishing some informal standardization.

While working recently with Action Computer Enterprise of Pasadena, CA, on its project to develop a desktop multiuser multiprocessor, I became closely acquainted with a number of Winchesters currently on the market. What I learned may be of interest to everyone from systems integrators to serious hobbyists, as the prices of hard disk drives and controllers continue to drop.

In integrating its new Discovery 500 system, Action Computer had many Winchesters to choose from, but few controllers. It finally settled on Data Technology's DTC-520A, the only one at that time available in quantity and suitable for the project. The 520A can handle up to four disk drives, two of which can be Winchesters. It is a "smart" controller, with its own onboard microprocessor, providing

increased throughput while simplifying the software required in the host computer.

A dozen or so different Winchester drive evaluation units had arrived while the controller decision was being made, and these now had to be tested for compatibility with the DTC controller and evaluated for performance.

All but one of the 5¼-inch Winchester hard disk drives with fixed media received were compatible with the Seagate Technology ST506 drive interface, and operated properly (eventually!) on the DTC controller. This compatibility was limited to the pin designations and signal levels found on the 34-conductor control connector and the 20-conductor signal connector. Incompatibilities did exist in disk formats, signal timing, performance and power requirements. More of these differences were discovered in testing than were apparent from studying the specifications.

The very first hard disk drive to be plugged into the Discovery 500 prototype was from one of the biggest names among disk drive manufacturers. It would not respond to any commands issued by the host computer. Consultation with the factory and the delivery of another evaluation drive produced no better results.

Much later it was discovered that the drive specifications indicated that it had more platters (and therefore more read/write heads) than actually existed. Before the drive could be accessed for reading or writing, it had to be formatted. The controller tried to format nonexistent platters, couldn't find them, and simply reported "drive not ready" back to the host computer. This typifies the problems that arose during the development phase of the project.

Drive manufacturers specify "unformatted capacity 12.25 MB" or "12.76 MB" or "13.3 MB," to quote actual examples, in an effort to claim as much capacity as possible. However, it is the formatted capacity that is available to the user, and the format is dependent on the characteristics of the controller, not the drive. It is possible for a drive manufacturer to format a hard disk with special data compression techniques in order to win the specified capacity race, but these funny formats do the user no good whatever if his controller is not compatible with that particular format.

The DTC-520A controller provides the user with a selection between two standard track formats: 33 256-byte sectors or 18 512-byte sectors per track. Since our evaluation drives were received with all kinds of prerecorded formats, we had to make use of the controller's Format Drive command to re-re-

(Continued on p. 36)

Address correspondence to Ken Barbier, PO Box 1253, Borrego Springs, CA 92004.

Three overlapping covers of the magazine *Microcomputing* are shown. The top cover has the title "MICROCOMPUTING" and the subtitle "How Small Computers Can Help Your Business Grow". The middle cover has the title "MICROCOMPUTING" and the subtitle "Micros in Hot Water". The bottom cover has the title "MICROCOMPUTING" and the subtitle "The Shape of Things to Come". The bottom cover also features a photograph of a computer monitor and keyboard.

☐ Bill me ☐ MC ☐ VISA ☐ AMEX

Card# _____ Exp. Date _____

Signature _____ Interbank # _____

Name _____

Address _____

City_____ State_____ Zip_____

Use allow 6-8 weeks for delivery

Box 997 Farmingdale, NY 11737

335R79

BOOKS

**Please send me the following
Microcomputing products:**

[illegible]

Shipping and handling charges:
\$1.50 1st book, \$1.00 each additional book
(UPS, use street address)
\$10.00 each book overseas airmail

Shipping/Handling - Total

Please allow 4–6 weeks for delivery. No C.O.D.s accepted.

Enclosed \$

Enclosed \$ ☐ Check ☐ M.O.Bill: ☐ AE ☐ MC ☐ Visa

Card #

Exp. date_

Signature

Interbank #

Name _____

Name _____


Address_

City

State

zip_

Microcomputing • Mail Order Dept. • Peterborough NH 03458



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD


FIRST CLASS PERMIT NO. 73 PETERBOROUGH, NH 03458

POSTAGE WILL BE PAID BY ADDRESSEE

Wayne Green Inc.

MICROCOMPUTING[®]

Subscription Dept.
POB 997
Farmingdale NY 11737



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 73 PETERBOROUGH, NH 03458

POSTAGE WILL BE PAID BY ADDRESSEE

Wayne Green Inc.

MICROCOMPUTING[®]

Att. Mail Order
Peterborough NH 03458



In The Beginning Was The Word...



MICROCOCCUS • MICROLITER

micrococcus, mi kro kok' us, n. a microscopic organism of a round form.

Microcomputing, mi' kro kom put ing, n. (Gr. mikros, small, and L. computo, to calculate.) The multi-system monthly journal for computer enthusiasts, containing all the information needed to turn your microcomputer into a powerful machine. Includes dozens of new programs, articles on innovative computer applications, buyer's guides, new programming techniques, accurate reviews of hardware and software, complete coverage of new products, tips on your system's hidden capabilities, hardware modifications, tutorials, utilities, book reviews, industry news. Plus features on computers in business, science, education and games. Written in understandable language by experts in the field of computing. Special emphasis is placed on the Apple, Atari, Commodore, Heath and IBM systems, but not to the exclusion of other systems.

(Ed. note—A one year subscription to MICROCOMPUTING is only \$24.97. Call

1-800-258-5473

Or send in the coupon below (or the attached card.)

microcopy, mi' kro kop i, n. A photographic copy of printed material or photographs...

MICROCOMPUTING®

The First Word in Computer Publishing.

*Apple® is a registered trademark of Apple Computer, Inc.

YES! I want to get the First Word in Computer Publishing. Send me 12 issues of MICROCOMPUTING for only \$24.97.

☐ Check enclosed ☐ MC ☐ VISA ☐ AE ☐ Bill me

Card# _____ Exp. Date _____

Interbank# _____

Name _____

Address _____

City _____ State _____ Zip _____

MICROCOMPUTING®

Box 997
Farmingdale, NY 11737

Canada & Mexico \$27.97, 1 Year Only, U.S. Funds
Foreign Surface \$44.97, 1 Year Only, U.S. Funds Drawn on U.S. Bank
Allow 6-8 weeks for delivery.

335R7

The Initialize routine does little for the Winchester. Read and Write must convert the OS9-supplied logical sector number (a 24-bit binary integer) to the appropriate numbers for addressing a specific sector on one of the six surfaces.

Address Arithmetic

Here I deviated somewhat from a long-standing IBM standard for hard disks. Convention says to go through all sectors on a track before changing heads (surfaces). In my translation of the logical sector number to the disk address, the driver scans through all six surfaces (numbered 0-5) before switching to the next sector of the cylinder. That is, the driver scans vertically through cylinder-sector 0, then through sector 1 and so on. After scanning through all 32 sectors of a cylinder, the driver advances to the next cylinder. (There is no speed penalty in this procedure, since head-select time is only about six microseconds.)



The Gallium 10.

(From p. 34)

cord the surfaces of all the platters with one of the two available formats. Obviously, the choice was the most dense format, 18 512-byte sectors. The 12.25, 12.76 and 13.3 MB capacity drives all ended up providing 11,016K of usable storage.

Cylinders \times Heads = Tracks

To calculate the usable storage on a hard disk, the user must know how many platters exist within the sealed disk enclosure—no peeking allowed. The number of read/write heads is twice the number of platters. The number of cylinders specified by the drive manufacturer is the number of tracks available on each disk surface. These tracks are created during the formatting process; they are not physical entities.

Some early 5¼-inch drives used more platters and fewer cylinders to achieve comparable disk capacity. This allowed less accurate head positioning (the tracks were farther apart) and less precise head manufacturing. A typical early drive had two platters, four heads and 159 cylinders, for an unformatted capacity of 6 MB.

As the capacity race heated up, manufacturers began supplying drives with more tightly spaced cylinders. An informal standard

evolved, and virtually all the drives readily available today have 306 cylinders. A single platter drive therefore has 612 tracks: two heads times 306 cylinders. With 18 sectors of 512 bytes each, those 612 tracks provide 5508K bytes of formatted storage.

The drive that wouldn't play was actually of that configuration. It arrived with the specifications of the earlier model: four heads and half the number of cylinders. The model number reflected the total capacity, and gave us no hint of the actual internal configuration of the drive. A needless panic arose, due to improper documentation.

Since the drives were being selected for installation in a small multiuser computer, the two-platter 306-cylinder drive was standardized as the smallest practical size. While this provides slightly over 11 MB of storage, this model of the Discovery 500 is called a 10 MB system for simplicity.

Upgrading Hard Disk Capacity

Five-and-one-quarter inch Winchester disk drives are currently being delivered with up to four platters. With the 306-cylinder density and the DTC-520A controller track format, this provides a maximum of 22,032K of formatted storage. As of this writing, only one

supplier has delivered a production-model drive in this capacity. It has proved to be compatible with the smaller drives, following the necessary disk driver software changes.

Other disk drive manufacturers have "announced" drives storing up to 140 MB on eight platters with 16 heads. While this is exciting, it is not here today, and in any case will not be compatible with the DTC controller, which can address a maximum of eight read/write heads.

Obviously, then, to upgrade to these exotic storage capacities will require more than the presence of the drive. A new controller, and extensive software rewriting, will be necessary.

Software Considerations

Since the DTC-520A is a "smart" controller, the necessary disk driver software is simplified and easy to reconfigure for different disk characteristics and capacities. When the computer system is initialized at power up, the disk drive characteristics are written to the DTC controller by the host computer, and from then on data is accessed according to an absolute sector number, beginning with zero.

The host computer software does

(Continued on p. 37)

[From p. 36]

not need to keep track of the number of disk platters, heads, tracks or cylinders, as the disk sectors are addressed sequentially from the first to the last. The microprocessor on the controller converts an absolute sector address to the proper head, cylinder and sector number.

Also transparent to the host computer software is the disk error detection and correction, and automatic retries following seek errors and soft read errors. For drive testing and diagnostics, these features can be turned off under software control. In the event of errors, the controller provides extensive

reporting in the form of error codes, and can be interrogated to provide the address of the sector where the error was discovered.

The ultimate error condition is one in which communication fails between the host computer and the disk controller, or between the controller and the disk drive. To facilitate troubleshooting at this level, the DTC controller provides error codes displayed on a row of light emitting diodes (LEDs) on the controller printed-circuit board. These human-readable codes parallel those readable by the diagnostic software, providing error indications just in case the host computer can't read the controller properly. ■

Now to the addressing arithmetic. If N stands for the logical sector number, N modulo 6 determines the surface number (head number) in the WD register set. That is, the remainder (0-5) of $N/6$ = the surface number. Next we need the sector number. Since there are 32 sectors per track, we get the sector number by finding modulo 32 of the integral portion of $N/6$ (already calculated above in finding $N \text{ MOD } 6$). Finally, the track (or cylinder) number (0-229) is the integral portion of the division of $N/6$ by 32, which we did to get the sector number.

Put in terms of formulas, if N stands for logical sector number (translated into a decimal), H for head (or surface) number, S for sector number and T for track number:

$H = N \text{ MOD } 6$
 $S = (\text{INT } N/6) \text{ MOD } 32$
 $T = \text{INT} [(\text{INT } N/6)/32]$

For example, if $N = 10011000010100$
 $= 9748$ decimal,

$H = 9748 \text{ MOD } 6 = 4$ ($9748/6 = 1624, R4$)
 $S = 1624 \text{ MOD } 32 = 24$ ($1624/32 = 50, R24$)
 $T = 50$ (the integral value of 1624 divided by 32)

So the required address is sector 24 of track 50 on surface 4 (or, since the numbering begins with 0, the 25th sector of the 51st track on the 5th surface).

Note that the range of OS9's N cannot exceed 16 bits with the 10-megabyte Winchester (44,000+ sectors), so we can ignore OS9's highest eight bits of the 24-bit number (or maybe ensure that they are zero for safety). Since this math is common to Read and Write, it is a subroutine in the driver, called by both procedures.

Speed becomes a consideration when one tries to optimize the disk Read/Write of sequential sectors so as to "catch" two or more sectors in one revolution of the disk. This is called sector interleaving and is done during formatting by ordering the actual sectors on a track other than 0 to 31. The

optimal ordering depends on the operating system's overhead (which affects the rate at which reads are done), and also on the speed at which the data is sourced or consumed by the program doing the disk I/O.

For the simple case of program loading, which involves no computational work for each read, today's microprocessor operating systems can handle about four to eight sectors per revolution at the floppy disk speed of about 300 RPM. The 3600 RPM Winchester is another story! OS9 in particular is hard-pressed to catch two sectors per revolution for program loading with a 1 MHz CPU. For my system, the optimal interleaving would place the even-numbered sectors first on the track, followed by the odd-numbered ones.

I did experiments by reformatting cylinder 229 and doing 16K-byte Reads to see the improvement. Indeed, the speed doubled to one sector every 1/120 of a second after reformatting. I could not get OS9 (level 1) at 1MHz to get four sectors per revolution. Obviously, a DMA-based interface could do much better, but I'm quite happy with a program load time which is faster than I can type. Data file accessing is, in general, not much improved by sector interleaving, especially at 3600 RPM, because of computational delays.

Reading and Writing

For the Read sector routine, the conversion of N to disk address is done; then the WD controller is commanded to read. When this is done (as indicated by the busy bit in the status register), the data in its sector buffer is copied to the OS9 buffer.

You may notice that the copy does not use any handshaking bits to transfer the data from the controller to memory. The manual stresses not to

Circle 329 on Reader Service card.

TRS-80 COMPUTERS PURE RADIO SHACK EQUIPMENT		OKIDATA BUY DIRECT - SAVE 1-800-841-0860 MICRO MANAGEMENT SYSTEMS, INC.		EPSON CONVENIENT ORDER ENTRY 912-377-7120 PARCEL DIVISION DEPT. NO. 7 2803 Thomasville Rd. E. • Cairo, Ga. 31728	
TRS-80 COLOR COMPUTER DISCOUNT PRICED FROM CALL BUY DIRECT 26-3004	TRS-80 MODEL III COMPUTER DISCOUNT PRICES FROM \$588 26-1061	SMITH CORONA TP-1 DAISY WHEEL PRINTER DISCOUNT PRICED FROM \$539 BUY DIRECT	TRS-80 MODEL 16 COMPUTER BUY DIRECT DISCOUNT PRICED FROM \$4098 26-6001	TRS-80 PRINTERS MFG BY RADIO SHACK DWP-410 \$1287.00 DMP-100 \$339.00 DMP-200 \$679.00 DMP-400 \$1015.00 DMP-500 \$1525.00	TRS-80 SOFTWARE VISICALC, PROFILE, SCRIPTIT & MORE SAVE MONEY PRICES AND PRODUCTS SUBJECT TO CHANGE WITHOUT NOTICE. ORDERS SUBJECT TO VERIFICATION AND ACCEPTANCE.
FRANKLIN ACE 1000 & 1200 COMPUTER DISCOUNT PRICED FROM \$CALL	TRS-80 MODEL 12 COMPUTER BUY DIRECT DISCOUNT PRICED FROM CALL	PLEASE WRITE US FOR FREE *Copy of our customer discount price list upon request. *Copy of manufacturers warranty upon request.	ATARI HOME COMPUTERS DISCOUNT PRICED FROM \$548	Commodore Commodore 64 \$CALL VIC 20..... \$CALL	OKIDATA EPSON PRINTERS . *CALL

use Data Request in the controller, as the transfer can be done at CPU speed without worrying about handshaking. This is a great simplification. On my old 1MHz system, this 256-byte transfer takes only a few milliseconds.

For Write sector, we pretty much do the reverse of the Read sector processing. First, send the disk address; next, send the WD "Write" command; then send 256 bytes to the controller to write. Now we merely wait for busy to go false.

After completing a Read or Write, we must check the resultant status for errors, such as CRC error, sector not found, etc. If one of these happens, it's doomsday, since the controller has tried diligently to recover, even doing home to track 0 and repositioning the head. In several months' operation, I've yet to have a hard error and have had very few soft (recoverable read) errors. If an error is detected, the code in the driver translates the error register (1) bits into the corresponding OS9

error code numbers, which are standard for all drive types.

You may note that the driver does not use the interrupt capability of the hardware. This is a feature I intend to add when time permits, but the drive is so fast that I can live with interrupts blocked for the time being.

As for the Write track routine, Microware implements this for floppy disk formatting, wherein the OS9 Format utility formats each track to simplify the driver. For a Winchester with non-removable media, one essentially never reformats the disk. I chose to NO OP the Write track routine. The Format utility is still run to bring up the disk for the first time; however, it merely establishes the logical organization of the disk by creating the volume index, directories, free-sector bit map, etc., all of which use the driver's sector Read/Write routines. So how did I format the disk? Secret: I used the Apple format utility.

If implemented, the Write track routine would be very simple, consisting of something like:

SUBROUTINE Write track

IF OS9-specified track number is not 0

THEN RETURN {write track 0 does the whole disk}

FOR CYLINDER=0 to 229

{send CYLINDER to WD controller register}

FOR HEAD=0 to 5

{send HEAD to WD controller register}

FOR SECTOR=0 to 31

{send 0 then SECTOR to WD data register}

NEXT SECTOR

FOR I=64 to 255

{send 0 to WD data register {pad out buffer to 256}}

NEXT I

{send the "format track" command to WD cmd register}

{wait for busy to go false}

NEXT HEAD

NEXT CYLINDER

END

The details of formatting the disk are in the WD manual.

Epilogue

With the OS9 driver up and running, I'm quite pleased with the Gallium. The more than 44,000 sectors available have improved my efficiency as a software developer tremendously, perhaps by a factor of 4. When editing or word-processing a big file, the exit-with-backup time is now a couple of seconds rather than several minutes, as was the case with eight-inch floppies. You must, however, be disciplined with backup procedures.

Circle 209 on Reader Service card.

SWITCHING POWER SUPPLIES FREE!

Our gift to you for trying Lcom^{inc} products is a full cash allowance toward your second order. Once convinced that our switchers are the best and you're ready to re-order, include your original invoice and we'll deduct the face value (less handling) providing your order totals 4X the original invoice cost. This calculates to 25% below our quantity pricing! Offer ends 7/1/83

L-com inc. is determined to become a leader in the switching power supply field. We offer advanced circuitry, quality, variety and the best price/performance ratio in the industry. This ad shows only part of our line which includes 18 to 150 watt switchers, all with "off the shelf" delivery. We also custom build switching power supplies to your exact specifications.

The benefits our products offer:

- Most popular voltage/current outputs. ●Short circuit/overload protection. ●Built-in EMI (RFI) line filter. ●Screw terminal strips. ●Soft start feature protects the critical series. ●Parallel operation acceptable for higher current. ●LED "On" indicator and Volt-Adj. on panel. ●U.L. recognized components. ●48 hr. burn-in assures predictable, trouble-free service. ●Anodized metal case.

Input: 90-132VAC or DC, 47-440Hz. (A, B & D Series). 90-132, 180-265VAC Selectable (C Series only).

Line Protection: Each line internally fused.

Line Regulation: $\pm 0.1\%$ max. for $\pm 10\%$ change.

Load Regulation: $\pm 0.2\%$ max.

50/100% Rated Load.

Ripple & Noise: Typical 1% p-p max., all outputs.

Drift: Less than 3% after 10 minute warm up (A & C Series).

Less than 1% after 10 minute warm up (B & D Series).

Converter Frequency:

RCC System, 30kHz (A & C Series).

FCC System, 50kHz (B & D Series).

Efficiency: 65% - 75% Typical.

Temperature Range:

Operating, -10°C to $+50^{\circ}\text{C}$.

Storage, -25°C to $+80^{\circ}\text{C}$.

Over Current Protection: All outputs

short circuit protected by current

foldback with automatic recovery

after fault removal.

Over Voltage Protection: All outputs

limited to 130% of rated voltage

in event of internal failure.

(A Series, not provided).

Recovery Time: Less than 300 μs

to within 0.5% final value (typ).

M.T.B.F.: Excess of 35,000 hours.

Metal Enclosure: Anodized matte tan.


Hold-up Time: 35ms (max) after loss

of normal AC power.

CALL TODAY (617) 682-6936.

Lcom^{inc}

1545 OSGOOD ST., UNIT 11AM, NO. ANDOVER, MA 01845



Model	Output 1	Output 2	Output 3	Output 4	One-99	10-49	50-99
A-0503	5V-3A				59.95	49.15	41.97
A-121R3	12V-1.3A				59.95	49.15	41.97
A-1501	15V-1A				59.95	49.15	41.97
A-24R7	24V-0.7A				59.95	49.15	41.97
B-0505	5V-5A				89.95	73.78	62.97
B-0510	5V-10A				119.95	96.36	83.97
B-1204	12V-4A				119.95	96.36	83.97
B-1503	15V-3A				119.95	96.36	83.97
C-0506-2	+5V-6A	-5V-6A			139.95	114.78	97.97
C-122R5-2	+12V-2.5A	-12V-2.5A			139.95	114.78	97.97
C-1802-2	+15V-2A	-15V-2A			139.95	114.78	97.97
C-0506-3A	5V-6A	+12V-1A	-12V-1A		129.95	106.56	90.97
C-0506-3B	5V-6A	+15V-1A	-15V-1A		139.95	114.78	97.97
C-0505-3C	5V-5A	+12V-1.5A	-12V-1.5A		139.95	114.78	97.97
C-0504-3D	5V-4A	+15V-1.5A	-15V-1.5A		149.95	122.97	104.97
D-0520	5V-20A				189.95	155.76	132.97
D-1208	12V-8A				189.95	155.76	132.97
D-156R6	15V-8.5A				189.95	155.76	132.97
D-2404	24V-4A				189.95	155.76	132.97
D-0510-A4	5V-10A	-5V-1A	+12V-1.5A	-12V-1.5A	199.95	163.96	139.97
D-0510-B4	5V-10A	-5V-1A	+15V-1.5A	-15V-1.5A	199.95	163.96	139.97
D-0508-C4	5V-8A	+12V-1A	-12V-1A	+24V-1.5A	199.95	163.96	139.97
D-0508-D4	5V-8A	+15V-1A	-15V-1A	+24V-1.5A	199.95	163.96	139.97
D-0510-E4	5V-10A	+12V-1.8A	-12V-1.8A	+25V-1A	199.95	163.96	139.97

DAISY WHEEL PRINTERS...

- SMITH CORONA TPI
- BROTHER HR-1
- DAISYWRITER 2000
- DIABLO 620/630 KSR
- QUME SPRINT 9 KSR

COMPUTER SYSTEMS...

- ATARI 800
- TRS-80 MODEL III

\$\$\$ CALL FOR PRICE \$\$\$


You won't believe it!!!

Rainbow

P & P CORPORATION

PO BOX 362 • HADDONFIELD, NJ 08033

800-257-6170 in NJ call 609-428-3900



DAISY WHEEL

New Smith Corona TP-1


True letter quality printer for less than the cost of an office typewriter! Priced \$500 less than other popular daisy wheel printers!

SALE PRICE:

\$569

FEATURES:

- ★ Friction feed
- ★ 15 cps, 120 wpm
- ★ Changeable daisy wheels
- ★ Parallel or serial interface
- ★ Compatible with R/S, Apple, etc.



SUNLOCK SYSTEMS

4217 Carolina Ave.

Richmond, Va. 23222

ADDITIONAL PRINTER SPECIALS

Epson	Okidata	C.Itoh (par)	(ser)
MX80 \$369	82A \$419	8510 \$399	\$579
FX80 559	83A 639	1550 699	749
MX100 649	92 499	F10-40 1299	1299
	93 849	F10-55 1595	1595

WE WILL MEET OR BEAT ANY ADVERTISED PRICE

TO ORDER CALL TOLL FREE 800-368-9191

In Virginia call 804-321-9191

We accept MasterCard, Visa and CODs

WE TOOK A BIG BYTE OUT OF COMPUTER PRICING!

ORDERING INFO

We accept Visa, Mastercard, Money Orders or Certified Check. Personal checks require 2 weeks for bank clearance. All items factory fresh & carry manufacturer's warranty. Prices subject to change without notice.

SPECIALS OF THE MONTH

OKIDATA 82A

\$419.



COMMODORE

64

\$ CALL



ATARI 800

**\$ NEW
LOWER
PRICE!**



COMPUTERS

ATARI 400	\$197.
ATARI 800	\$598.
ATARI 410	\$74.
ATARI 810	\$439.
COMMODORE 64	CALL
COMMODORE VIC 20	\$149.
COMMODORE VIC 1530	\$69.
NEC PC 8001A	\$739.
NEC PC 8012A	\$499.
NEC PC 8031A	\$739.
SANYO MCB 1000	\$1599.
TIMEX 1000	\$84.
XEROX 5 1/4"	CALL
XEROX 8"	CALL
XEROX 630	CALL

DISKETTES

BASF	CALL
MAXELL	CALL

TERMINALS

TELEVIDEO 910	\$589.
TELEVIDEO 950	\$945.

PRINTERS

DIABLO 620	\$1199.
DIABLO 630	\$1675.
OKIDATA 82A	\$419.
OKIDATA 83A	\$699.
OKIDATA 84P	\$1029.
EPSON	CALL
NEC 8023	\$479.

SOFTWARE

MICROSOFT	CALL
MICROPRO	CALL
ALL MAJOR BRANDS	CALL

COMPUWAY, INC.

24 LUMBER ROAD

ROSLYN, N.Y. 11576

toll free 800 645 1362
516 621 1362

Fortunately, the OS9 tree-structured file system simplifies this, since I merely copy a directory's files to a floppy to back up a given project's work. As to finding a file within the Winchester's vast capacity, I use SDIR, a utility which quickly gives alpha-sorted listings of all or some directories.

In addition to adding interrupts to the driver, I also intend to migrate the driver over to the Apple II version of OS9, which uses Stellation Two's "The Mill," a 6809 board for the Apple II. Apple OS9 is identical to the SS50 version of OS9 from the user's perspective, including the great interrupt-driven multiprogramming features. With this relatively inexpensive Winchester and an 80-column display, the Apple II can compete head-on with the newer \$10,000 systems, especially if one agrees that in most applications the speed of the disk (not the CPU) determines the overall system throughput.

My bevy of floppies is still there, though. The good ones have been copied to Winchester, but maybe I'd better keep all of them—just in case. ■

Virtual Memory

Now you see it—now you don't

By Russell King

If you are looking for an inexpensive way to expand the memory of your computer, virtual memory may be your answer. Virtual memory is an ingenious technique that can, for example, make a 16K memory appear to be 64K (for most eight-bit microcomputers), or make 2M (1M = 1024K) appear to be 8M for 68000 or Z8000 16-bit microcomputers.

It differs considerably from overlay programming (see October *Microcomputing*, 1980) in that it is totally transparent to the user; the effect is achieved through hardware modifications, not programming techniques. Several microprocessor manufacturers have announced that virtual memory will soon be available for their 16-bit microprocessors. In this article I will describe the fundamental principles behind virtual memory techniques to help you understand this new breed of 16-bit microcomputer.

Address correspondence to Russell King, 15 Fyfe St., Regina, Sask. S4X 1J7, Canada.

Saving Space and Money

The rationale behind virtual memory is that a computer really accesses only a small portion of memory at any given time. Also, a portion of any program exists only to handle special conditions such as initialization and termination routines. This means that a significant part of memory is accessed once or seldom—very inefficient.

It would be much better to store infrequently used parts of the program on disk, and move them into memory only when needed. We could then get by with a smaller real memory and use what we have more effectively. The resulting financial savings are also significant when you consider the difference in cost between, say, two and eight megabytes of memory.

Virtual memory works in this way. The entire memory is on a fast, direct-access device—such as a hard disk. The computer RAM is your "window" that looks at some portion of the memory area on the disk. To make this technique most useful, the RAM is divided into several equal-sized windows (called real pages), allowing you to follow many things at once.

Some intelligence and record-keeping abilities are added to keep track of things, and to ensure the most efficient use of all pages. The memory stored on disk—the virtual memory—is also divided into windows the same size as the RAM windows, allowing exact alignment between the real (RAM) and the virtual (disk) memory.

The essential components in a virtual memory system are a CPU (or MPU) and its support circuitry, some

RAM (less than the maximum that the CPU can handle), a mass storage device (disk, drum, bubble, etc.) and a Virtual Memory Controller. The configuration in Fig. 1 shows these components. To simplify the discussion, think of the system as using an eight-bit microprocessor, accessing up to 64K bytes of memory and equipped with 16K RAM and 64K virtual memory. Before proceeding to the detailed discussion of the components, look at Table 1, which explains several terms used in conjunction with virtual memory.

The Controller

The Virtual Memory Controller (VMC) performs the necessary memory-management functions. It moves information from memory to disk (and vice versa) and generally keeps track of what is where. Memory access is somewhat different in a system that uses virtual memory. The CPU does not query memory directly, but instead sends all memory requests to the VMC. The address that the CPU requests is called a virtual address in virtual memory. The VMC converts this address into a real address in real memory (in our example, an address within the 16K RAM).

The VMC deals with blocks of memory. When it checks to see if a request is in memory, it is really checking to see whether the block containing that request is in memory. These blocks are called pages. In our sample system we'll define our page size to be 4K (4096 bytes), although a page size of 256, 512 or 1024 bytes would be more practical for this system. Since

Mass storage: a large capacity storage medium with direct access capabilities (disk storage, bubble memory, etc.).

Page: the smallest block of data that is transferred between memory and mass storage.

Paging: the act of transferring a page of data from memory to mass storage or vice versa.

Paging in: paging from disk to memory.

Paging out: paging from memory to disk.

Page size: the size of a block of data. This is 4K in the text, i.e., 4K bytes of data are transferred between disk and memory in one

operation.

Page location table, page relocation table: table that keeps track of memory available for paging operations.

Real address: the actual location (in RAM memory) that is addressed.

Swap, swapping: block paging operations.

Translation table: a table that converts the virtual address into a real address.

Virtual address: the apparent address that is being accessed.

Virtual memory controller: one or more devices that control the mechanics of virtual memory.

Table 1. Glossary of terms.




Fig. 1. Components of a virtual memory system.

our sample has 16K bytes of real memory, we have four pages (pages 0-3) of real memory. And, with 64K bytes of virtual memory, we have 16 virtual pages (pages 0-F).

The virtual address that the CPU requests can be divided into two parts. The high-order four bits designate the page address (from 0 to F); the remainder is the displacement, or location within the page. The VMC only changes the page address portion of the virtual address, never the remainder.

For example, if the CPU sends a request to the VMC for address F321 (page F, displacement 321), stored in real page 1, the VMC will find where page F is currently stored and change the page address to 1321. This address, the real address, is where the requested information now lies. The real memory will be accessed at location 1321.

At some later time, virtual page F may be moved onto disk, freeing up real page 1 for some other virtual page. Later still, if virtual page F is again moved into real memory, it could be placed in any real page, say page 0, in which case the virtual address F321 would be changed to the real address 0321 by the VMC. Thus real memory is shared dynamically by the virtual memory.

Virtual Technique Offshoots

If disk storage can be used to replace memory, a logical extension would be to use tape storage to replace disks. Thus you could have virtual disk drives, which would allow you to substitute less expensive tape drives for some disk storage. IBM has done this

with its mass storage subsystem.

Virtual memory can be used very effectively on systems that have multiple-user capabilities. If our sample computer had an operating system (software) that allowed four people to use the machine simultaneously, each user could have several pages of real and 64 pages of virtual memory assigned to him. This is a simple extension of the concept of virtual memory, involving paging on a larger scale.

In such a system, each user shares the real memory available, but has his or her own virtual memory space. The real memory is shared dynamically, in that one person may have his entire memory space paged out to disk at one point, and later may be using all the available real memory. Moving a user's memory space between disk and memory is called swapping.


Finally, if a machine can have virtual memory, virtual disks and multiple users, why not virtual everything—even a virtual machine? IBM has an operating system that does just that.

The New Machines

The new 16-bit processors that are capable of directly addressing more than a megabyte of memory will have some form of mass storage (bubble memory or hard disk) for virtual memory. They will probably have up to 256K of real memory initially, with a virtual memory size three or four times as large, with the capability to increase both real and virtual memory up to the maximum for the machine. Desktop computers may use bubble memory for virtual storage, while larger machines will probably use built-in Winchester disk drives. ■

Circle 390 on Reader Service card.

Z-80 SINGLE BOARD COMPUTER \$49.95



The MASTER CONTROLLER BOARD contains:

- Z-80 Microprocessor
- 72-Parallel I/O lines; three 8255s
- Keyboard controller: 8279
- 12K-EPROM: three sockets for 2708, 2716, 2732
- 2K-RAM: 2114s
- 8-Sixteen bit counter timer channels: one 8253 and one AMD 9513
- 2-Serial I/O ports; one Z-80 SIO chip. One port is RS-232 W/DB-25
- 1-High speed arithmetic processor: AMD 9511

A bus expansion connector is provided.

All this on one board less than nine inches on a side

BARE BOARD. With documentation. **\$49.95**

MASTER CONTROLLER BOARD. Assembled w/all parts (no IC's) **\$139.95**

MINIMUM KIT. Includes bare board with documentation, one each Z-80, 8255, 2716, four 2114's, 4Mhz crystal, and support gates and buffers, all socketed. **\$119.95 A&T 199.95**

MONITOR PROGRAM allows a CRT or TTY to control the MASTER CONTROLLER. This program requires the minimum kit and the serial parts kit. A programmed 2716 and listing is supplied with the monitor. **\$29.95**
Listing Only **\$19.95**

SERIAL PARTS. Includes 8253, Z-80 SIO, 1488, 1489, sockets, and DB-25 connector **\$39.95**

MINIMUM KIT, serial parts, w/TINY CONTROLLER BASIC **A&T \$239.95**

MAXIMUM KIT w/2-2716's (monitor program and tiny basic) less 9511 **239.95 A&T \$319.95**

POWER SUPPLY. 5V2A, -5V¼A, +12V¼A, -12V¼A. Kit **\$44.95**


OEM & Dealer Inquiries Welcome
USA & CANADA include \$3.50 postage and handling. We ship World Wide please include 15% for shipping.

R.W. ELECTRONICS, INC.

3165 North Clybourn
Chicago, IL 60618
(312) 248-2480

Buyer's Guide to Hard Disk Drives

Microcomputing is printing this buyer's guide to Winchester hard disks as a service to our many readers who want to know more about the characteristics of these memory devices and generally what is available on the market. We have limited this survey to systems with less than 40 megabytes of storage, since few microcomputer users will want or need more. The systems vary considerably in the amount and type of interfacing hardware and software included, so buyers should check carefully with dealers or manufacturers' representatives before ordering.



Apple II with Corona 5¼-inch Winchester hard disk.

IBM Personal Computer with Corona Personal Hard Disk.

Atari Corporation's Model 3033 Winchester.

Manufacturer Name/Address	Model Name/Number	Price	Capacity (unformatted Mbytes)		Disk Drive Type	Platter Diameter (inches)	Number of Platters	Data Transfer Rate (Mbits per second)	Average Access Time (milliseconds)	Track-to-Track Access Time (msecs)	Media Type	Disk Speed (rpm)	Head Type	Drive Shock Mounted?
			7	13										
Ampex Corporation 200 N. Nash St. El Segundo, CA 90245	Pyxis P-7	\$1065	Fixed	Fixed	5 1/4	1	5	90	18	3600	Ferric Oxide	IBM 3350	Yes	
	Pyxis P-13	\$1280	Fixed	Fixed	5 1/4	2	5	90	18	3600	Ferric Oxide	IBM 3350	Yes	
	Pyxis P-20	\$1555	Fixed	Fixed	5 1/4	3	5	90	18	3600	Ferric Oxide	IBM 3350	Yes	
	Pyxis P-27	\$1905	Fixed	Fixed	5 1/4	4	5	90	18	3600	Ferric Oxide	IBM 3350	Yes	
	Scorpio S-48	\$5085	Fixed	Fixed	8	2	9.7	32	6	3600	Ferric Oxide	IBM 3350	Yes	
Apple Computer, Inc. 20525 Mariani Ave. Cupertino, CA 95014	ProFile	\$2195	Fixed	Fixed	5 1/4	2	5	95	25	3600	Oxide	Magnesia Zinc	Yes	

YORK 10™ BASF-DPS WORLD STANDARD TAPE



**MONEY BACK
GUARANTEE**


PREMIUM 5-SCREW
SHELL FITS ALL
STANDARD RECORDERS

COMPUTER GRADE BLANK CASSETTES

DATA TRAC / C-05, C-10, C-20

CASSETTE STORAGE CADDY

NEW!
ORGANIZE
YOUR TAPES!
\$2⁹⁵ EACH



FINEST QUALITY
PHILIPS (MORECO)
TYPE HARD BOXES



TRACTOR FEED
DIE-CUT BLANK
CASSETTE LABELS

INTRODUCTORY OFFER!

ORDER 2 DOZ. CASSETTES AND 1 CADDY
GET 1 CADDY FREE!

OFFER EXPIRES AUGUST 1, 1983

HERE'S WHAT
USERS SAY ABOUT YORK 10 CASSETTES:

"We monitored the output to the computer with a specially built meter and found absolutely no dropouts throughout the tape..."
Stace Papadopoulos
Beaverton, OR

"It's nice to have a tape you can rely on 100% of the time to perform with such quality. And the fast, courteous service was a pleasant surprise."
Tom Parkinson
Madison, OH

"YOU'VE TRIED THE REST.
NOW BUY THE BEST!"



Call: 213/710-1430

for IMMEDIATE SHIPMENT
on Credit Card Orders.



ORDER NOW... YORK 10™ Computerware
MAIL TO: 24573 Kittridge St., #M Canoga Park, CA 91307

ORDER FORM

ITEM	1 DOZEN	2 DOZEN	TOTAL
C-05	<input type="checkbox"/> 7.50	<input type="checkbox"/> 13.50	
C-10	<input type="checkbox"/> 8.00	<input type="checkbox"/> 14.40	
C-20	<input type="checkbox"/> 10.00	<input type="checkbox"/> 18.00	
Hard Box	<input type="checkbox"/> 2.50	<input type="checkbox"/> 4.00	
Storage Caddy @ \$2.95 ea	Quantity _____	Quantity _____	
Blank labels	<input type="checkbox"/> 4.00/100	<input type="checkbox"/> 30.00/1000	
SUB TOTAL			
Calif. residents add 6% sales tax			
Shipping/handling 1 doz \$2, 2 doz \$3.50			
3 doz \$4.50, each additional doz \$5.00			
For Parcel Post instead of UPS ADD \$1			
Outside Continental USA, ADD \$2			
TOTAL			

Check or M.O. ☐ Charge to
enclosed ☐ Credit Card: ☐ VISA ☐ MASTERCARD
☐ PLEASE SEND QUANTITY DISCOUNTS

Each cassette includes two YORK 10 labels only. Boxes are sold separately. Shipments are by U.P.S. unless Parcel Post requested. Boxes, caddies, and blank labels are free of shipping charges when ordered with cassettes. When ordered without cassettes, shipping charges. Boxes — \$1.00/doz. Caddies \$1.00 each. MINIMUM SHIPPING/HANDLING ON ANY ORDER — \$2.00

Card No. _____ Exp. _____
Name _____
Address _____
City _____ State/Zip _____
Signature _____
Computer make & model _____ Disk?(y/n) _____

1. Complete with software and adapter.
2. In quantity to OEM's.
3. Includes controller, interface card, etc. System ready to attach to host computer.
4. Includes back-up floppy.

Atasi Corporation 2075 Zanker Road San Jose, CA 95131	Atasi 3020 Atasi 3033 Atasi 3046	\$2600 \$3200 \$3800	19.8 33.1 46.3	Fixed Fixed Fixed	5/4 5/4 5/4	2 3 4	5 5 5	30 30 30	6 6 6	3600 3600 3600	Ferric Oxide Ferric Oxide Ferric Oxide	IBM 3350 IBM 3350 IBM 3370	Yes Yes Yes
Computer Dynamics 105 S. Main St. Greer, SC 29651	CDI WIN-5	\$1695 ¹	5.3	Fixed	8	1	4.3	70	19	3125	Plated Thin-Film		Yes
Computer Memories, Inc. 9216 Eaton Ave. Chatsworth, CA 91311	5206 5412 6213 5619 6426 6640	\$610 ² \$725 ² \$835 ² \$840 ² \$970 ² \$1095 ²	6.4 12.8 13.3 19.1 26.7 40	Fixed Fixed Fixed Fixed Fixed Fixed	5/4 5/4 5/4 5/4 5/4 5/4	1 2 1 3 2 3	5 5 5 5 5 5	80 80 40 80 40 40	15 15 10 15 10 10	3600 3600 3600 3600 3600 3600	Ferric Oxide Ferric Oxide Ferric Oxide Ferric Oxide Ferric Oxide Ferric Oxide	IBM 3350 IBM 3350 IBM 3350 IBM 3350 IBM 3350 IBM 3350	Yes Yes Yes Yes Yes Yes
Corona Data Systems, Inc. 31324 Via Colinas Westlake Village, CA 91361	ST 05 ST 10 EXPHD 05 EXPHD 10 PHD 05 PHD 10	\$2195 \$2695 \$2195 \$2695 \$1795 \$2295	6.4 12.8 6.4 12.8 6.4 12.8	Fixed Fixed Fixed Fixed Fixed Fixed	5/4 5/4 5/4 5/4 5/4 5/4	1 2 1 2 1 2	5 5 5 5 5 5	85 85 85 85 85 85	3 3 3 3 3 3	3600 3600 3600 3600 3600 3600	Oxide Oxide Oxide Oxide Oxide Oxide	Winchester Winchester Winchester Winchester Winchester Winchester	Yes Yes Yes Yes Yes Yes

Manufacturer Name/Address	Model Name/Number	Price	Capacity (unformatted Mbytes)	Disk Drive Type	Platter Diameter (inches)	Number of Platters	Data Transfer Rate (Mbits per second)	Average Access Time (milliseconds)	Track-to-Track Access Time (msec)	Disk Speed (rpm)	Media Type	Head Type	Drive Shock Mounted?
Data Technology Industries 701-A Whitney St. San Leandro, CA 94577	Datavault	\$1995	7	Fixed	5 1/4	1	—	—	—	3600	—	—	Yes
	Universal Hard Disk System	\$1995	6.4	Fixed	5 1/4	1	110	17	3600	3600	Ferric Oxide	—	Yes
		\$2595	12.8	Fixed	5 1/4	2	110	17	3600	3600	Ferric Oxide	—	Yes
		\$3095	19.1	Fixed	5 1/4	3	110	17	3600	3600	Ferric Oxide	—	Yes
Discron, Inc. 1701 McCarthy Blvd. Milpitas, CA 95035	D 507	\$555 ²	6.4	Fixed	5 1/4	1	80	17	3600	3600	Ferric Oxide	Mini Winchester	Yes
	D 514	\$655 ²	12.8	Fixed	5 1/4	2	80	17	3600	3600	Ferric Oxide	Mini Winchester	Yes
	D 519	\$775 ²	19.1	Fixed	5 1/4	3	80	17	3600	3600	Ferric Oxide	Mini Winchester	Yes
	D 526	\$895 ²	25.5	Fixed	5 1/4	4	80	17	3600	3600	Ferric Oxide	Mini Winchester	Yes
	DP 100 Lynx	\$1390 ²	11.6	Removable	8	1	60	15	3600	3600	Ferric Oxide	Winchester	No
						7							
EVOTEK 1220 Page Ave. Fremont, CA 94538	5510	\$750	7.8	Fixed	5 1/4	1	49	7	3600	3600	Plated Thin-Film	IBM 3370	Yes
	5520	\$1050	15.6	Fixed	5 1/4	2	49	7	3600	3600	Plated Thin-Film	IBM 3370	Yes
	5530	\$1275	23.4	Fixed	5 1/4	3	49	7	3600	3600	Plated Thin-Film	IBM 3370	Yes
	5540	\$1650	31.2	Fixed	5 1/4	4	49	7	3600	3600	Plated Thin-Film	IBM 3370	Yes
	5810	\$925	12.9	Fixed	5 1/4	1	8.25	49	7	3600	Plated Thin-Film	IBM 3370	Yes
	5820	\$1475	25.8	Fixed	5 1/4	2	8.25	49	7	3600	Plated Thin-Film	IBM 3370	Yes
	5830	\$1675	38.8	Fixed	5 1/4	3	8.25	49	7	3600	Plated Thin-Film	IBM 3370	Yes
	5840	\$2125	51.7	Fixed	5 1/4	4	8.25	49	7	3600	Plated Thin-Film	IBM 3370	Yes
Genie Computer Corp. 31125 Via Colinas Westlake Village, CA 91362	5 + 5	\$3995	12.8	Removable and Fixed	5 1/4	2	40	18	3443	3443	Oxide	DMA	Yes
	IDE Associates 44 Mail Road Burlington, MA 01803	\$1650	6.4	Fixed	3.9	1	70	3	3547	3547	Metallic Alloy	—	Yes
		\$1700	6.4	Removable	3.9	1	70	3	3547	3547	Metallic Alloy	—	Yes
		\$1450	6.4	Fixed	3.9	1	70	3	3547	3547	Metallic Alloy	—	Yes
		\$1500	6.4	Removable	3.9	1	70	3	3547	3547	Metallic Alloy	—	Yes
International Memories, Inc. 10381 Bandy Drive Cupertino, CA 95014	5006 H	\$535 ²	6.4	Fixed	5 1/4	1	68	18.5	3600	3600	Plated	IBM 3350	Yes
	5012 H	\$615 ²	12.8	Fixed	5 1/4	2	68	18.5	3600	3600	Plated	IBM 3350	Yes
	5018 H	\$715 ²	19.1	Fixed	5 1/4	3	68	18.5	3600	3600	Plated	IBM 3350	Yes
	5040 H	—	41.3	Fixed	5 1/4	3	68	19	3600	3600	Plated	IBM 3350	Yes
IQ Systems 2931 La Jolla St. Anaheim, CA 92806	Graymatter 5	\$1995	6.3	Fixed	5 1/4	1	85	15	3600	3600	Ferric Oxide	IBM 3350	No
	Graymatter 10	\$2495	12.6	Fixed	5 1/4	2	85	15	3600	3600	Ferric Oxide	IBM 3350	No
	Graymatter 20	\$3695	25.5	Fixed	5 1/4	4	85	15	3600	3600	Ferric Oxide	IBM 3350	No


Megavault (SLI) 6431 Independence Ave. Woodland Hills, CA 91367	MV 16S	\$2200 ²	16	Fixed	8	1	9.7	45	7	3600	Oxide	IBM 3350	Yes
Microscience International Corp. 575 E. Middlefield Road Mountain View, CA 94043	HH 612	\$700 ²	12.8	Fixed	5 1/4	1	5	85	18	3550	Plated Thin-Film	IBM 3350	Yes
Percom Data Corp. 11220 Pagemill Road Dallas, TX 75243	PHD	\$1995	6.4	Fixed	5 1/4	1	5	85	3	3600	Ferric Oxide	IBM 3350	Yes
	PHD	\$2495	12.8	Fixed	5 1/4	2	5	85	3	3600	Ferric Oxide	IBM 3350	Yes
	PHD	\$2995	19.1	Fixed	5 1/4	3	5	85	3	3600	Ferric Oxide	IBM 3350	Yes
	PHD	\$3495	25.8	Fixed	5 1/4	4	5	85	3	3600	Ferric Oxide	IBM 3350	Yes
Pertec 9601 Lurline Chatsworth, CA 91311	D 3400	\$5275	12	1 Fixed 1 Removable	14	2	2.5	40	10	2400	Ferric Oxide	2314 Ferrite	No
	D 3400 EXT	\$6280	24	3 Fixed 1 Removable	14	4	2.5	40	10	2400	Ferric Oxide	2314 Ferrite	No
Prizm Computer Products 702 Landwehr Road Northbrook, IL 60062	Model I	\$4195 ³	12.8	Fixed	5 1/4	2	3.2	68	3	3600	Plated Thin-Film	—	Yes
	Model II	\$4695 ³	25.8	Fixed	5 1/4	4	3.2	49	3	3600	Ferric Oxide	—	Yes
Quentin Research 9207 Elton Ave. Chatsworth, CA 91311	QA-505	\$2195	6.4	Fixed	5 1/4	1	5	40	15	3600	Ferric Oxide	Magnesium Oxide	No
	QA-510	\$2395	12.8	Fixed	5 1/4	2	5	40	15	3600	Ferric Oxide	Magnesium Oxide	No
	QA-515	\$2695	19.1	Fixed	5 1/4	3	5	40	15	3600	Ferric Oxide	Magnesium Oxide	No
	QA-520	\$2995	26	Fixed	5 1/4	3	5	40	15	3600	Ferric Oxide	Magnesium Oxide	No
	QA-531	\$3195	40	Fixed	5 1/4	4	5	40	15	3600	Ferric Oxide	Magnesium Oxide	No
Rodime 25801 Obrero Mission Viejo, CA	RO 201	\$720 ²	6.7	Fixed	5 1/4	1	5	90	18	3600	Ferric Oxide	IBM 3350	Yes
	RO 202	\$890 ²	13.3	Fixed	5 1/4	2	5	90	18	3600	Ferric Oxide	IBM 3350	Yes
	RO 203	\$1060 ²	20	Fixed	5 1/4	3	5	90	18	3600	Ferric Oxide	IBM 3350	Yes
	RO 204	\$1285 ²	26.7	Fixed	5 1/4	4	5	90	18	3600	Ferric Oxide	IBM 3350	Yes
	RO 206	\$1720 ²	42	Fixed	5 1/4	3	5	50	5	3600	Plated	IBM 3350	Yes
	RO 208	\$2150 ²	53	Fixed	5 1/4	4	5	50	5	3600	Plated	IBM 3350	Yes
Santa Clara Systems, Inc. 560 Division St. Campbell, CA 95008	SCS-5	\$2340	6.2	Fixed	5 1/4	1	5	70	8.3	3600	Plated Thin-Film	Winchester	Yes
	SCS-10/F	\$5995	12	Fixed	8	1	5	70	8.3	3600	Ferric Oxide	Winchester	Yes

3. Includes controller, interface card, etc. System ready to attach to host computer.

4. Includes back-up floppy.

1. Complete with software and adapter.

2. In quantity to OEM's.



IMI's 5000H series 5 1/4-inch Winchester.

Discron's 5 1/4-inch half-high Winchester disk drive.

EVOTEK's disk drives use thin-film media.

Davong Systems' Universal disk drive.

Manufacturer Name/Address	Model Name/Number	Price	Capacity (unformatted Mbytes)	Disk Drive Type	Platter Diameter (inches)	Number of Platters	Data Transfer Rate (Mbits per second)	Average Access Time (milliseconds)	Track-to-Track Access Time (msecs)	Disk Speed (rpm)	Media Type	Head Type	Drive Shock Mounted?
Seagate Technology 360 El Pueblo Road Scotts Valley, CA 95066	ST206	\$745 ²	6.4	Fixed	5 1/4	1	5	85	16	3600	Plated Thin-Film	N/A	Yes
Shugart 475 Oakmead Parkway Sunnyvale, CA 94086	SA 604	\$675 ²	6.7	Fixed	5 1/4	2	5	99	16.2	3600	Ferric Oxide	IBM 3350	Yes
	SA 606	\$760 ²	10	Fixed	5 1/4	3	5	99	16.2	3600	Ferric Oxide	IBM 3350	Yes
	SA 612	\$800 ²	12.8	Fixed	5 1/4	2	5	99	16.2	3600	Ferric Oxide	IBM 3350	Yes
	SA 706	\$550 ²	6.7	Fixed	5 1/4	1	5	99	16.2	3600	Ferric Oxide	IBM 3370	Yes
	SA 712	\$650 ²	13.3	Fixed	5 1/4	2	5	99	16.2	3600	Ferric Oxide	IBM 3370	Yes
	SA 1002	\$995 ²	5.3	Fixed	8	1	4.34	70	19	3125	Ferric Oxide	IBM 3340	Yes
	SA 1004	\$1205 ²	10.7	Fixed	8	2	5	70	19	3125	Ferric Oxide	IBM 3340	Yes
	SA 4004	\$1300 ²	14.5	Fixed	14	1	7.1	63.6	20	2964	Ferric Oxide	IBM 3340	Yes
Smoke Signal 31336 Via Colinas Westlake Village, CA 91362	SP-W15	\$3850	18	Fixed	5 1/4	4	5	70	2	3600	Thin Magnetic Oxide	IBM 3350	Yes
Syquest Technology 47923 Warm Springs Blvd. Fremont, CA 94539	SQ 306	\$850 ²	6.4	Fixed or Removable	3.9	1	5	70	18	3547	Plated Thin-Film	IBM 3350	Yes
Tandon Corp. 20320 Prairie St. Chatsworth, CA 91311	TM 501	\$450 ²	6.4	Fixed	5 1/4	1	5	85	17	3600	Plated	IBM 3350	Yes
	TM 502	\$550 ²	12.8	Fixed	5 1/4	2	5	85	17	3600	Plated	IBM 3350	Yes
	TM 503	\$650 ²	19.2	Fixed	5 1/4	3	5	85	17	3600	Plated	IBM 3350	Yes
Tecmar, Inc. 23600 Mercantile Road Cleveland, OH 44122	Share/5 Expansion 40100 ^s	\$2995	6.4	Fixed	5 1/4	2	5	85	18	3600	Oxide	IBM 3350	Yes
	Share/10 Expansion 40200 ^s	\$3995	12.8	Fixed	5 1/4	2	5	85	18	3600	Oxide	IBM 3350	Yes
	Share/15 Expansion 40300 ^s	\$4995	19.1	Fixed	5 1/4	3	5	74	13	3600	Oxide	IBM 3350	Yes
	Cartridge PC 40011 ^s	\$1795	6.4	Removable	3.9	1	5	90	18	3600	Chromium Dioxide	IBM 3350	Yes
	8432	\$1735 ²	20	Fixed	8	1	.93	65	18.6	3125	Ferric Oxide	IBM 3350	Yes
3M 3M Center St. Paul, MN 55144													
World Wide Data Systems, Inc. 17321 El Camino Real Houston, TX 77058	Prometheus 5	\$1495	6.7	Fixed	5 1/4	1	5	90	18	3600	Ferric Oxide	Thin Film	Yes
	Prometheus 10	\$1695	13.3	Fixed	5 1/4	2	5	90	18	3600	Ferric Oxide	Thin Film	Yes

	Prometheus 20	\$2095	26.7	Fixed	5 1/4"	4	5	90	18	3600	Ferric Oxide	Thin Film	Yes
X Comp 7566 Trade St. San Diego, CA 92121	8 MB PHD	\$2195	10	Fixed	5 1/4"	1	5	120	18	3600	Ferric Oxide	—	Yes
	8x8 PHD	\$2595	20	Fixed	5 1/4"	2	5	120	18	3600	Ferric Oxide	—	Yes
	Toaster	\$2795	12.8	Removable	3.9	2	5	70	18	3600	Chromaflex	N/A	Yes
	Z67 ⁴	\$5995	11	Fixed	8	2	.6	70	19	2983	Ferric Oxide	—	Yes
Zenith Data Systems 1000 Milwaukee Ave. Glenview, IL 60023													


5 IBM PC-compatible only.

3. Includes controller, interface card, etc. System ready to attach to host computer.

4. Includes back-up floppy.

1. Complete with software and adapter.

2. In quantity to OEM's.



Fourteen-, eight- and 5 1/4-inch disk drives by Shugart.

Shugart's SA706/712 series are half-height.

Tandon's 6.4 Mbyte TM501 Winchester.

Computer Dynamics' WIN-5 hard disk.

**5 1/4" \$170***SINGLE SIDE
SINGLE DENSITY
W/HUB RING100% CERTIFIED
2 YEAR WARRANTYSOFT,
10 OR 16
SECTORS**8" \$199***SINGLE SIDE
SINGLE DENSITY100% CERTIFIED
2 YEAR WARRANTYSOFT
OR 32
SECTORS**5 1/4" \$199***SINGLE SIDE
DOUBLE DENSITY
W/HUB RING100% CERTIFIED
2 YEAR WARRANTYSOFT,
10 OR 16
SECTORS**8" \$249***SINGLE SIDE
DOUBLE DENSITY100% CERTIFIED
2 YEAR WARRANTYSOFT
OR 32
SECTORS**5 1/4" \$299***DOUBLE SIDE
DOUBLE DENSITY
W/HUB RING100% CERTIFIED
2 YEAR WARRANTYSOFT,
10 OR 16
SECTORS**8" \$309***DOUBLE SIDE
DOUBLE DENSITY100% CERTIFIED
2 YEAR WARRANTYSOFT
OR 32
SECTORS

- * Minimum order 10
- Packed 10 boxes of 10 diskettes with sleeves and labels
 - Quantity discounts - 100 deduct 5%, 1,000 deduct 7%, 5,000 deduct 10%
 - Add \$5.00 per case 5 1/4", \$7.00 per case 8" (case of 100)
- For shipping and handling Continental U.S.A., U.P.S. ground.

VINYL STORAGE PAGES
5 1/4" or 8" 10/\$5**SNAP-IT POWER CENTER**

Turn one outlet into six

- Shock-safe
- Unbreakable
- 15 Amp Circuit Breaker
- Lighted On-Off Switch



\$19.95

DISK DRIVE HEAD CLEANING KITS

Prevent head crashes and ensure error-free operation

5 1/4" or 8" \$19.50

**HARDHOLE DISK PROTECTORS**

Reinforcing rings of tough mylar protect disk hole edge from damage.

Applicators \$3 \$4
Hardhole Rings (50) \$6 \$8




5 1/4" 8"

SFD C-10 CASSETTES . 10/\$7

(All cassettes include box and labels.)

Get 8 cassettes, C-10 Sonic, and Cassette/8 Library-Album, as illustrated, for only \$8

**LIBRARY CASES**

8" Kas-sette/10 \$2.99
5 1/4" Mini Kas-sette/10 \$2.49



We also stock at FANTASTIC low prices

MAXELL 3M OYSAN**BASF OPUS**

Floppies, Tape, Data Cartridges, Data Cassettes, and Disk Packs

• Written purchase orders accepted from government agencies and well rated firms for net 30 day billing. • International orders accepted with a \$5.00 surcharge for handling, plus shipping charges. • C.O.D. requires a 10% deposit. • We accept Visa, MasterCard, Money Orders, and Certified checks. • Checks require bank clearances. • All shipments F.O.B. San Diego. • Minimum shipping and handling \$2.00, minimum order \$10.00. • California residents add 6% sales tax. Prices and terms subject to change without notice. • All sales subject to availability, acceptance, and verification. • All sales are final. • Satisfaction guaranteed or full refund.

We also offer printer ribbons, printwheels, type elements, equipment covers, power consoles, paper supplies, storage and filing equipment, furniture and many other accessories for word and data processing systems. Write for our free catalog.

Orders Only

800-854-1555

Information

619-268-3537

Modem Hotline (Anytime)

619-268-4488

Exclusive Monthly Specials

ABC**DATA PRODUCTS**
(FORMERLY ABM)

ITT TELEX 4992217

8868 CLAIREMONT MESA BLVD
SAN DIEGO, CALIFORNIA 92123

The Intelligent Toaster

This series on single-chip intelligence continues with details on how to program the 8748 EPROM.

By Mark J. Robillard



Last month, we checked into the programming of the erasable EPROM and tried a chip pin-out. In this installment, I'll detail the program operation.

Programming and Verification

The 8748 is programmed by following these steps, outlined in exact order.

1. Place VDD at +5 volts. Make sure oscillator is running. RESET=0, T0=1, EA=1, PROG input is open.
2. T0=0 (select program mode).
3. EA = +23 V.
4. Apply the lower eight address inputs of the location on the Bus lines, the upper two to P20 and P21.
5. Pull Reset high (this will latch address).
6. Apply the data to be written on the BUS.
7. Place VDD at +25 V.

8. PROG pin is set to 0 V, then to +23 V for 50 ms, then back to 0 V and, finally, floating.

9. Bring VDD back to +5 V.

10. Select verify by pulling T0 to +5 V.

11. Read the data programmed on BUS outputs.

12. If it's okay, reset T0 to zero.

13. Bring RESET back to zero.

14. Return to step 4 for successive addresses.

Simple, yet complicated. Most of the digital stuff sounds fairly easy to accomplish, but that voltage switching... Considering the range of switching, some analog transistor switches must be designed. Lucky for you I'm providing working schematics of this part of the design, so all you have to do is build it.

Fig. 1 shows the voltage switch. This circuit was not designed by me; it

was included in an article in the July 1982 *Digital Design Magazine* ("A Simple Programmer for the 8748," by Terry Hinshaw). I have used only the voltage switch from this article and improved on the programmer design.

So much for credits. The circuit is simple, as you can see. The 7406 inverters have open-collector outputs that are suitable for driving the transistors shown. As you can see, the VDD circuit selects between +5 V (PC4=1) and +25 V. Similarly, the EA circuit will switch from +5 V (PC5=1) to +23 V (approximately after the diode and transistor).

If the part you're programming is an 8748H, this voltage must be +18. This is also true of the VDD input. This may be accomplished by allowing the +25 V to flow through a +7.0 V zener diode or to provide a +18.7 V input.

The PROG pin, as you might have guessed, is somewhat more complex. Here we must provide 0 V (PC6=1, PC7=0), then a swing to +23 V (+18 V for 8748H), which is PC6=0, PC7=1 for 50 ms, back to zero, then ultimately to a float (PC6=1, PC7=1). With the circuit already designed for us, let's proceed. (Thank you, Mr. Hinshaw.)

You have undoubtedly noticed by now that there is a strange device looming in the left half of Fig. 2. It's the key to super-simple programmer design. The 8255, for the uninitiated, is a programmable I/O chip. We hook this up to a home computer and let software twiddle the outputs in the sequence necessary for correct programming.

To be more specific, there are three eight-bit I/O ports on the 8255. Port A will be used as a data/address bus,



Here it is! An overfed EPROM (actually, an 8748).

Address correspondence to Mark J. Robillard, 3 Peach Lane, Townsend, MA 01469.

The Demand
Is Now Supplied

DATARACK™

A Complete Line
Of Computer and Word Processing
Supplies and Accessories

At Computer and Stationery Stores
Everywhere

Finally, one-stop shopping for all your computer supplies and accessories! If you own an IBM, Apple, Atari, or any other small computer you know how hard—and sometimes impossible—it has been finding supplies and accessories. Now, thanks to Datarack, buying a cable, printer ribbon, printwheel or even a surge protector is as close as the stationery store and as easy as buying a pencil.

Datarack features over 500 top name brand computer-related items, each clearly identified to your system's needs and packaged in a unique single product system. The Datarack family of products includes computer paper, continuous letterheads, envelopes, custom checks and invoices magnetic diskettes, cassettes, ribbons, cleaning products, diskette and printwheel storage equipment and much, much more.

Yes Please send me information on how my store can become a Datarack dealer.

- ☐ Computer Store
☐ Stationery Store
☐ Office Supply Store
☐ Other _____
☐ Please send me information on becoming an independent Datarack representative.

NAME _____

STORE NAME _____

CITY _____

STATE/ZIP _____

Yes Please send me information on the nearest Datarack dealer in my area.

My system is:

- ☐ IBM Personal Computer
☐ Apple II, III
☐ Atari
☐ Other _____

NAME _____

ADDRESS _____

CITY _____

STATE/ZIP _____

Datarack is a division of Data Research Associates, Inc.
475 South Dean Street
Englewood, New Jersey 07631
(201) 569-2620

UO-LISP

**AN OPTIMIZING COMPILER
AND ASSEMBLER
AN EXCELLENT SYSTEM
FOR A.I. ROBOTICS
INTELLEGEENCE SYSTEMS**

FAST LOAD LIBRARIES:
COMPILED CODE CAN BE STORED IN
RELOCATABLE FILES.

INTERPRETER:
OVER 125 FUNCTIONS IMPLEMENTED IN
BASE INTERPRETER.

DOCUMENTATION:
THE MANUAL IS OVER 100 PAGES COVERING
ALL ASPECTS OF THE SYSTEM. NUMEROUS
EXAMPLES OF EACH FACILITY ARE INCLUDED.

SUPPORT SOFTWARE:
LITTLE META-TRANSLATOR WRITING SYSTEM
IS A LISP PROGRAM WHICH PERMITS YOU
TO SPECIFY THE SYNTAX OF A PROGRAMING
LANGUAGE AND HOW IT IS TO BE INTERPRETED.


REQUIREMENTS:
TRS-80 MODEL I OR MODEL III, 48K, DUAL DISKS
ALSO AVAILABLE FOR CP/M.

ORDERING:
SYSTEM MANUAL....\$20.
COMPLETE SYSTEM...\$160.
LITTLE META MANUAL ONLY....\$16.
LITTLE META TRANSLATOR....\$40.
VISA and MASTERCARD
PLEASE INCLUDE EXPIRATION DATE and CARD No.



FAR WEST SYSTEMS, SOFTWARE, INC.
P.O. BOX 3301 EUGENE, OR 97403
(503) 485-5155

Epson, OKI, IDS, NEC, Diablo, Qume



ACOUSTIC ENCLOSURES

- Reduces Noise Up to 90%
- Heavy Duty Acrylic Cover
- Bottom Feed Capability
- Woodgrain Finish



Micro Printercenter™

Dealer & Ordering Info
800-343-4311

Master Charge and Visa Accepted
Shipping & Handling Charges Additional

CAB-TEK, Inc.

Riverside St. Nashua, NH 03062
CIVILIZING COMPUTERS

MPC I \$99 (MX 80) MPC II \$129 (OKI82)
MPC III \$179 (83A, MX100) MCP IV \$199 (Daisy Printer)
Power Control & Ventilation \$80
Paper Rack \$30 Bottom Feed Brackets \$30
MPC I SHOWN

Now You Can Afford Another 64K...

**Especially when it's less than
a half cent per bit!**

Specifications:

- Fully Static Operation
- Supports S-100 IEEE-696 Standards
- Uses Popular 2716 Pinout Type Static RAM's
- Board Access Time Under 200nS
- 150nS RAMS Standard
- No Wait States Needed at 6.000MHz
- High Quality FR-4 Type PC Board
- Switch Selectable Phantom Line
- All Data, Status and Address Lines Fully Buffered
- Gold Plated Contact Fingers for Low Contact Resistance and Long Life
- Switch Selectable Extended Address Lines For Up To 16 M-bytes
- Extreme Low Power Dissipation (<500mA Typical)
- Top 8K May Be Switched Disabled and/or Interchangeable with 2716 Type EPROM's

COEX 64K S-100 CMOS

STATIC RAM BOARD

\$299⁰⁰
only
Assembled & Tested



VISA

"Have You Kissed Your Computer Lately"

Components Express, Inc.

1380 E. Edinger • Santa Ana, Calif. 92705 • 714/558-3972

Terms of Sale: Cash, Checks, Credit Cards, M.O., C.O.D. Calif. residents add 6% sales tax.



Microcomputing, May 1983 51

it, just take my word for it...it's there).

Fig. 3 shows the breakdown of what those 64 data memory locations are used for. Starting from zero, there are eight general-purpose registers (Bank 0)—R0 through R7. These may be written to, read from, incremented, decremented or used for just about anything your heart desires.

After these registers, there is an area set aside as a subroutine stack. There are enough locations here for eight subroutines to be nested simultaneously. Each time you initiate a Call instruction, the current program address is pushed onto this stack, much like the larger microprocessors.

Well, we've eaten up 24 locations so far. The next eight support an optional second-register bank (Bank 1). At any time in the program, a SEL RB1 instruction will do an immediate switcheroo. You can use all the instructions pertaining to the first bank with the second, as the R numbers are identical. Just make sure you remember which bank you're in.

Finally, there are 32 eight-bit memory locations that are not used by any specific instruction. These may be




Fig. 3. Map of internal Data Memory.

used as you wish. In fact, let's examine the instructions available for moving in and out of this internal memory. All data moves pass through the accumulator. The following instructions work on this data memory:

MOV A, @R0	ADD A, @R0
MOV A, @R1	ADD A, @R1
MOV @R0, A	ADDC A, @R0

MOV @R1, A	ADDC A, @R1
MOV @R0, #data	ANL A, @R0
MOV @R1, #data	ANL A, @R1
XCH A, @R0	ORL A, @R0
XCH A, @R1	ORL A, @R1
XCHD A, @R0	XRL A, @R0
XCHD A, @R1	XRL A, @R1

Quite a list, isn't it? Now let's see what this foreign language really means. The column on the left involves straight moves to and from. You'll notice that every instruction is repeated once for each of R0 and R1. Some explanation here is necessary.

Whenever you address external memory in the 8748, be it data or program memory, you do so using either register 0 or register 1 as a pointer. Therefore, the first instruction in the left column allows the contents of the data memory location pointed to by R0 to be moved into the accumulator. The same is true about the second, except R1 is the pointer.

The second group provides for just the opposite. The contents of the accumulator are stored in a location pointed to by one of these registers.

The third group will allow you to directly set any memory location with the data word of your choice. This

New Inmac Catalog jam-packed with computer/ wp supplies. Yours free!



Accurately called "the bible of the industry," it's loaded with great products and ideas for your personal computer, minicomputer or word-processing system. You'll enjoy:

- **One-stop shopping.** Over 2,000 products to choose from.
- **Easy ordering.** Mail, phone, or TWX. Verbal P.O.'s welcome.

- **Fast delivery.** 24-hour shipment. Overnight emergency shipments available.
- **45-day trial.** Full refund if not completely satisfied.
- **Guaranteed quality.** All products field-tested to highest standards.
- **Lower shipping costs.** 7 fully stocked distribution centers serving the U.S.

Send today for your free 100-page Inmac catalog. Or phone (408) 727-1970.

inmac

Catalog Dept., 2465 Augustine Drive, Santa Clara, CA 95051
Please be sure to include your phone number. 287102

NAME _____ PHONE _____
COMPANY _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____

Circle 106 on Reader Service card.

Z-80® and 8086 FORTH

FORTH Application Development Systems including interpreter-compiler with virtual memory management, assembler, full screen editor, line editor, decompiler, demonstration programs, and utilities. Standard random access disk files used for screen storage. Extensions provided for access to all operating system functions. 120 page manual.

Z-80 FORTH for CP/M® 2.2 or MP/M \$ 50.00
8086 FORTH for CP/M-86 \$100.00
PC/FORTH for IBM® Personal Computer \$100.00

Extension packages for software floating point, AMD 9511 or Intel 8087 support, graphics, and data base management also available.

Nautilus Cross Compiler systems allow you to modify the FORTH nucleus, recompile for a different target computer, generate headerless and/or ROMable code. Supports forward referencing. Produces load map, list of unresolved symbols, and executable image in RAM or disk file. 100 page manual. (Prerequisite: one of the application development packages above for your host system)

Hosts: Z-80, 8086/88, IBM PC
Targets: Z-80, 8080, 8086/88, IBM PC, LSI-11, 6502
Cross Compiler for one host and one target ... \$300.00
Each additional target \$100.00

PC/FORTH distributed on 5¼ inch soft sector double density diskettes. All other software distributed on 8 inch soft sector single density diskettes. Prices include shipping by UPS or first class mail within USA and Canada. California residents add sales tax. Z-80 is a trademark of Zilog, Inc. IBM is a trademark of International Business Machines Corp. CP/M is a trademark of Digital Research, Inc.

Laboratory Microsystems
4147 Beethoven Street
Los Angeles, CA 90066
(213) 306-7412

word is the second part of the instruction. You see, this constitutes our very first two-byte instruction. The others so far are one byte only.

Here, the second byte contains the immediate data. After these comes a useful command. The XCH op code allows the accumulator and the addressed memory location to swap places instantaneously with one byte of instruction. The last, XCHD, will transfer only the lower four bits (nibble) of each. This is useful when working with four-bit BCD data.

That does it for the left. Is it beginning to become clear that the 1024 program locations may be plenty? As you can see, there are many useful instructions which occupy only one byte of program space. Still not convinced? Let's go on.

More Instructions

The right column of instructions provides the ability to perform arithmetic and logic functions on the contents of data memory. The first set will add the contents of the addressed location to the data present in the accumulator.

The result is left in the accumulator

and the data memory location contents are unchanged. The next will do the same with the inclusion of the carry-bit information that may have been left from a previous operation.

The logic functions of And, Or and Exclusive Or are accommodated throughout the next three sets. In all cases, the result of the logic operation will be left in the accumulator. All of the instructions in the right column are one byte in length.

Remember that there are three types of memory that the 8748 can handle: Data Memory, Program Memory and External Data Memory. The designers of this micro certainly did not forget them, as illustrated in the instructions arranged just so these may be fully utilized:

```
MOVX A, @R0    MOVX @R0, A    MOVP A, @A
MOVX A, @R1    MOVX @R1, A    MOVP3 A, @A
```

This time let's start with the far right column. MOVP will allow the contents of a program memory location to be transferred into the accumulator. Oddly enough, this instruction uses the contents of that same accumulator to address that location. Notice, also, that the program memory internal to

the part is more than 1000 locations deep, and the accumulator may address only up to 256!

In this machine, program memory is divided up into pages. Each one is (you guessed it) 256 locations deep. So when you use an instruction like MOVP in a program, only the 256 locations available in the current operation page can be transferred. This sometimes presents a serious limit. After all, why would we use an instruction like this anyway?

Encoding the Keyboard



Have you ever used a microprocessor to encode a keyboard? If you read earlier installments of this series, you will no doubt remember the algorithm shown where, when a key press is detected, the number concocted from a series of wild and wonderful readings pointed to a location in a table of key values. Use this instruction to point to that table, and build the table in program memory.

External fetches outside the chip can get hairy. The BUS pins act as a combination address/data bus. First, the eight bits of address pointer data from either R0 or R1 are placed out on

Circle 206 on Reader Service card.

TRS-80™ "CAN YOU BUY DIRECT?" WILL YOU PAY TOO MUCH?

HAVE YOU GOT OUR PRICES?



SAVE SALES TAX*
PLUS DISCOUNT

*TEXAS RESIDENTS ADD ONLY 4%

FORT WORTH COMPUTERS

377 Plaza • GRANBURY • NR FORT WORTH • TEXAS 76048

TOLL FREE NUMBER: 1-800-433-S-A-V-E

IN TEXAS CALL: 817-573-4111

TM: TRADE MARK OF THE TANDY CORPORATION




Fig. 5. Hook-up of an external UART device to the 8748.

in memory, where they won't interfere with programs. Well, that's one problem solved.

Now let's turn to our left. The columns of instructions here represent the ability to store and retrieve data from an external memory device. It is assumed that this device is RAM; however, any IC that can be addressed like memory may be substituted. Let me explain. Remember the fact that the Motorola 68701 had an on-board UART? Well, it's a relatively easy task to hook an industry-standard UART (which costs a couple of dollars) onto the 8748. Fig. 5 shows the hookups that allow the use of an 8251A UART. To show the versatility of the 8748, I have included some interesting interfacing.

Have you ever had to add a UART to a system? Sure these devices come in (relatively) small packages now and require little software maintenance to keep them going. But what about the bit rate clocks you've had to provide?

Suddenly the single IC circuit becomes several devices. If you opt for one of those single-chip baud rate generators, you may as well buy another 8748 for the price they demand—and don't forget the extra crystal. That will set you back another \$3 or \$4. Discouraged? Don't be. Remember, you have a dedicated I/O controller here.

The designers had considered this problem and provided some relief by allowing the crystal frequency clock divided by 15 to output from the ALE line. If you set up your UART to accept a frequency 16 times that needed for a certain bit rate, you can select a crystal to run both the 8748 and the

UART. The example in the figure will transmit and receive at 9600 baud, given the frequency of crystal I have chosen.

Another problematic input of the 8251A is the CLK line. This pin demands a clock frequency at least 4.5 times greater than the bit rate. I have enabled the T0 output (ENT0 CLK) clock, which is the crystal frequency divided by three, to provide this. It works fine.

You might notice that there is no address latch present in Fig. 5. No, there is none on board the UART. How, then, are the internal registers addressed? Well, I ignore the address info coming from either R0 or R1. I have control over what goes in or out of the chip by the RD and WR lines. I use a port line to select the UART, and to address (via C/D) internal register locations. Because this is the only device present outside the 8748, I really don't care what happens to the pointer data.

So in retrospect, memory manipulations with the 8748 are not only simple, but useful. All of the instructions, except the immediate data move, are contained in one-byte chunks.

We've covered so much, yet there's more to go! Next month, we'll conclude our journey into the land of the 8748 with construction details of a program emulator and complete programmer. In the meantime, try to get a copy of the *Microcontroller Data Manual* from your local Intel representative. This will help you understand what is to come, both in the next article and in your future as an intelligent control designer. ■

CHIPS & DALE

4116 250 ns 8/\$9.50 100 + \$1.05 ea.	
4116 200 ns 8/\$10.00 100 + \$1.18 ea.	
4116 150 ns 8/\$11.50 100 + \$1.25 ea.	
4116 120 ns 8/\$14.50 100 + \$1.50 ea.	
2114L 300 ns 8/\$11.00	
2114L 200 ns 8/\$12.00	
4164 200 ns \$4.65 ea 100 + CALL	
4164 150 ns \$5.00 ea 100 + CALL	
6116 150 ns \$4.00 ea 100 + CALL	
6116 200 ns \$3.85 ea 100 + CALL	
6116 LP 150 \$4.75	
1791 Disk Controller \$20.00	
Z80A CPU \$3.00	
Z80A CTC \$3.00	
Z80A PIO \$3.00	
8251A \$4.00 ea	
8255 \$4.25	
2716-1 (5V) 350 ns 8/\$4.25 ea \$5.00 ea	
2716 (5V) 450 ns \$2.75 ea 100 + CALL	
2732 \$3.85 ea 100 + CALL	
2532 8/\$4.25 \$5.00 ea 100 + CALL	
2764 5V 300 ns 28 pin \$9.00 ea	
27645V 24 pin \$16.50	
2564 \$16.50	
68000 CPU \$CALL	
8027 Intel Co-processor for 8088	
\$190.00	

COMPUTERS

NEC APC Computers.....	CALL	CALL
Altos Computers.....	CALL	CALL
Sage II (16 bit).....	CALL	CALL
IBM P.C. complete sys. (with or w/out hard disk).....	CALL	CALL

IBM PERIPHERALS

Baby Blue board.....	CALL	CALL
Quadram board.....	CALL	CALL
Davong hard-disk.....	CALL	CALL
Davong board.....	CALL	CALL
Amdek Monitors.....	CALL	CALL
Princeton Monitors.....	CALL	CALL
NEC 3550 Printer.....	22.97	CALL
Call for other IBM Peripherals		

NEC Printer P.C. 8023.....	\$695.00	\$465.00
Other NEC Printers.....	—	CALL

Okidata Printers

82A.....	\$748.00	CALL
83A.....	\$995.00	CALL
84A.....	\$1395.00	CALL

CONTROL DATA FLOPPY DISKETTES

5 1/4" S.S. D. Box of 10.....	\$21.50
5 1/4" D.S. D. Box of 10.....	\$27.00
8" S.S. D. Box of 10.....	21.50
8" D.S. D. Box of 10.....	31.00

SOFTWARE CP/M, IBM, Apple, TRS-80, Atari

Package 1 includes Wordstar, Mail Merge, Spellstar (CP/M) (IBM).....	\$410.00
dBase II (CP/M) (IBM).....	\$425.00
FMS 80 (CP/M).....	\$597.00
CALL for other mfg. comp., prnts, modems, terminals, chips, & software	

Allow up to 3 wks. for personal checks to clear. Please include phone number. Price subject to change without notice. Shipping & Handling for Chips \$3.50. FOB Bellevue, WA for all else. Wash. residents add 6.5% Sales Tax.



CHIPS & DALE
10655 N.E. 4th St., Suite 400
Bellevue, WA 98004
1-206-451-9770

A Sinclair Quick Fix

These machine-language programs give your ZX-81 (Timex-Sinclair 1000) the ability to write and read data tapes.

By Alan Sehmer

With its \$100 price tag, the Sinclair ZX-81 is truly an amazing machine. The package includes an 8K Basic interpreter, a built-in rf TV modulator and a cassette tape port.

For all its good points, the ZX-81 does have a few faults. One is its inability to make data tapes. Until now, whenever the ZX-81 read from or wrote to the data tape, it would always transfer both the Basic program

and whatever variables had been defined. Because of this feature, it's impossible for more than one program to share a common database.

Whenever a program is read from tape, it brings along its own variables, destroying any variables already in memory. I often find it desirable to write data-handling programs in small, single-purpose pieces (for example, one program to enter data, one

to sort or number crunch and one to output). This type of approach makes changing or writing new programs fairly easy, but it requires data tapes.

Solving the Problem

To overcome this problem, I wrote two short (90 bytes total) machine-language programs. These programs will read or write only data to the tape, without affecting the Basic program. The programs are "hidden" in the first line of the Basic program as a REM statement and called from the Basic program with the USR command.

These programs will transfer an array of numbers or strings to or from tape. The array can have any name with as many dimensions of any size that the programmer wishes. As with most such programs, there is some setting up to do and there are some restrictions that must be followed.

First, these programs will transfer only arrays. Second, the array to be filled by the read program must be the same size as the array that was written to tape. Third, the REM statement holding the machine-language programs must be the first line in the Basic program. It may have any line number but it must be the first line. Another factor that must be considered is that the programs ex-

Column

- | | |
|---|---|
| 1 | Memory address at which the instruction will start. |
| 2 | The machine code instruction. |
| 3 | Line numbers, same as in Basic. (These are decimal.) |
| 4 | Labels (parts of the program are called by these labels). |
| 5 | The name of the instruction (OP-CODE). |
| 6 | Any argument that the instruction may need. |
| 7 | Comments. |

Table 1. Code for seven columns in Listing 2.

```
10 REM 12345678901234567890123456789012345678901234567890
12345678901234567890123456789012345678901234567890
100 LET S$="0123456789ABCDEF"
110 FOR X=16514 TO 16603
120 INPUT H$
130 LET D=0
140 FOR Y=0 TO 1
150 FOR Z=0 TO 15
160 IF H$(Y+1)<>S$(Z+1) THEN GOTO 180
170 LET D=Z*16***(1-Y)
180 NEXT Z
190 NEXT Y
200 POKE X,D
210 PRINT H$;" ";
220 NEXT X
```

Listing 1. Puts programs in Listings 2, 3 and 4 into memory.

Address correspondence to Alan Sehmer, 150A Lorretta Drive NW, Corrales, NM 87048.

pect the array to be first on the Basic variable stack.

What this means is that the DIM command for the array must be the first command executed (except for REM commands). Also, because it's impossible for two arrays to *both* be first on the variable stack, only one array may be read or written from a given Basic program. The array may

be either numeric or alphanumeric.

If it becomes necessary to store both numeric and alphanumeric arrays, there are two ways around the problem. You may convert the alpha characters to numbers using the code command and store everything as numeric, or you can convert numeric to alpha using the CHR\$ command and store everything as alphanumeric.

Using the Programs

To use the programs, they first must be put into memory. To do this, enter Listing 1. Note that line 10 has 90 characters after the REM; this is to reserve room for machine-language programs.

The rest of the program is a hexadecimal-to-decimal converter and a routine in which the machine-language code will be poked into the correct locations. Listing 2 is the machine-code program; most numbers in these programs are in hexadecimal. The seven columns across the page are explained in Table 1.

You need to worry only about column 2, which includes the numbers that must be entered. Now run Listing 1. You'll get a blank screen except for the L cursor and two quotes. Start entering the machine code two digits at a time (for example, CD E7 02 06), pressing Enter after each two-digit figure. The figures will be displayed for checking purposes as you enter them.

You should run out of numbers the same time the program ends. Go back and make sure you have entered everything correctly. (Machine code is very unforgiving about mistakes.)

When you are sure that there are no mistakes, ask for a program listing. Line 10 should now contain all sorts of strange words, graphics characters and symbols. Check that line 100 is intact. If not, start over.

If line 100 is OK, delete lines 100-220, leaving only line 10; save that on cassette. Line 10 is the starting point around which all your data handling programs will start.

Circle 145 on Reader Service card.

**SIMPL-SIMON
SOFTWARE**

**EXPLORING
CP/M**

Explore the mazes of the CP/M operating system with this menu-driven 8-inch disk which allows you to (1) look into every hidden cranny of a CP/M disk; (2) change any ASCII or hex byte; (3) recover erased files; (4) create "autoload" disks; (5) find and lock out bad sectors; (6) reconstruct files from crashed disks. And more! \$39.95.

Hard-copy instructions included. For recommended parallel reading: CP/M PRIMER by Murtha and Waite, \$14.95. Send check for prompt shipment. Add \$2.25 per order for shipping. Return for refund if not satisfied. CP/M is a registered trademark of Digital Research, Inc. Requires two drives, 32K.

TELEPRINT, INC.
P.O. Box 10A, Sylvania GA 30467

```

00100 ; SINCLAIR DATA TAPE PROGRAMS AL SEHMER 6/6/82
00110 ; WRITE DATA
40B2 00120 ORG 40B2H = 16514D
40B2 CDE702 00130 CALL 02E7H ;SET FAST MODE
40B5 040E 00140 LD B,0EH
40B7 2100FF 00150 DELAY2 LD HL,0FF00H ;DELAY FOR TAPE
40BA 2E 00160 DELAY1 DEC HL ; TO GET TO SPEED
40BB 7C 00170 LD A,H
40BC 85 00180 OR L
40BD 20FB 00190 JR NZ,DELAY1
40BF 10F6 00200 DJNZ DELAY2
40C1 2A1040 00210 LD HL,(4010H) ;LOAD HL WITH START
40C4 23 00220 INC HL ; ADDRESS OF OUTPUT
40C5 4E 00230 LD C,(HL) ; VARIABLE AND LOAD
40C6 23 00240 INC HL ; BC WITH LENGTH OF
40C7 46 00250 LD B,(HL) ; VARIABLE
40C8 23 00260 OUT INC HL
40C9 C5 00270 PUSH BC ;SAVE BYTE COUNTER
40CA 5E 00280 LD E,(HL) ;GET BYTE TO OUTPUT
40CB CD1F03 00290 CALL 031FH ;OUTPUT BYTE
40CC C1 00300 POP BC ;DEC BYTE COUNTER
40CD 0E 00310 DEC BC
40CE 78 00320 LD A,B
40CF B1 00330 OR C
40D0 20F4 00340 JR NZ,OUT ;DONE?
40D1 C9 00350 RET
00360 ;
00370 ; READ DATA 40A5H = 16549D
00380 ;
40A5 CDE702 00390 READ CALL 02E7H ;SET FAST MODE
40A8 2A1040 00400 LD HL,(4010H) ;SAME AS ABOVE
40AB 23 00410 INC HL
40AC 4E 00420 LD C,(HL)
40AD 23 00430 INC HL
40AE 46 00440 LD B,(HL)
40AF 23 00450 AGAIN INC HL
40B0 C5 00460 PUSH BC ;SAVE BYTE COUNTER
40B1 1E08 00470 LD E,08H ;LOAD BIT COUNTER
40B3 DEFE 00480 LOOP1 IN A,(0FEH) ;WAIT FOR PULSE
40B5 D3FF 00490 OUT (0FFH),A
40B7 17 00500 RLA
40B8 30F9 00510 JR NC,LOOP1
40BA 0E94 00520 LD C,94H
40BC 061A 00530 LOOP2 LD B,1AH
40BE 0D 00540 LOOP3 DEC C ;TIME PULSE
40BF DEFE 00550 IN A,(0FEH)
40C1 17 00560 RLA
40C2 CB79 00570 BIT 7,C
40C4 79 00580 LD A,C
40C5 38F5 00590 JR C,LOOP2
40C7 10F5 00600 DJNZ LOOP3
40C9 2004 00610 JR NZ,LOOP4
40CB FE56 00620 CP 56H
40CD 30E4 00630 JR NC,LOOP1
40CF 3F 00640 LOOP4 CCF
40D0 CB16 00650 RL (HL) ;COLLECT BITS INTO
40D2 1D 00660 DEC E ; A BYTE
40D3 20DE 00670 JR NZ,LOOP1 ;DONE WITH BYTE?
40D5 C1 00680 POP BC ;DEC BYTE COUNTER
40D6 08 00690 DEC BC
40D7 78 00700 LD A,B
40D8 B1 00710 OR C
40D9 C8 00720 RET Z ;DONE.
40DA 18D3 00730 JR AGAIN
0000 00740 END
00000 TOTAL ERRORS
LOOP4 40CF
LOOP3 40BE
LOOP2 40BC
LOOP1 40B3
AGAIN 40AF
READ 40A5
OUT 409B
DELAY1 408A
DELAY2 4087

```

Listing 2. Machine-code program.

brother HR-1 Daisy Wheel Printer

Parallel \$845
Serial \$920



Advanced Productivity System

Full screen editor, utilities \$150
Advanced editor, utils., browse \$300
Available for IBM-PC & TRS-80-II


Atari 400

48K Upgrade Kit \$99.95

Mail List & Label Control Program \$49.95

IBM-PC, menu-driven, user friendly

ALS trademark ARRIX LOGIC SYSTEMS, INC.
ATARI trademark, ATARI, Inc.
IBM Trademark of IBM, Inc.
TRS trademark of Tandy, Inc.



MSX

Micro Systems
Exchange
P.O. Box 4033
Concord, CA 94524
(415) 355-7130

E.G.

How to use the programs is best shown by examples. In Listing 3, which writes data to tape, line 10 is the machine-language program, line 20 sets up the array A that will be written to tape and lines 30-50 fill array A with numbers. Lines 50-60 prompt and then wait for you to start the tape, and line 80 writes the array on tape.

The variable X in line 80 is a dummy variable. It may be anything you want; however, it will be changed by the USR call, so don't use a variable you wish to save.

Listing 4 reads back the data saved with Listing 3. Line 10 once again should be the machine-program line, and line 20 sets up the array to be filled with data from tape.

```
10 REM
20 DIM A(200)
30 FOR X=1 TO 200
40 LET A(X)=X
50 NEXT X
60 PRINT "START TAPE"
70 INPUT D$
80 LET X=USR 16514
```

Listing 3. Program that writes data to tape.

Note that the array to be filled does not have the same name as the array that was written to tape. The machine programs do not check the array names; therefore, the array names don't have to match, although they must have the same dimensions.

Lines 30-40 wait for you to start the tape. Line 50 reads the data. Line 60 is needed because anytime either USR is used, the ZX-81 is put into the fast mode. Lines 70-90 display the data read.

One last note: the machine-language programs read and write data the same way the ZX-81 reads and writes Basic programs, so the same volume setting that works with Basic should work with these programs. ■

```
10 REM
20 DIM B(200)
30 PRINT "START TAPE"
40 INPUT D$
50 LET X=USR 16549
60 SLOW
70 FOR X=1 TO 200
80 PRINT B(X),
90 NEXT X
```

Listing 4. Program that reads back data saved with Listing 3.

Circle 298 on Reader Service card.

NO MORE BAD CASSETTE LOADS with THE Z-DUBBER

The frustration of trying to load a cassette program into your Sinclair ZX80/81 or Timex 1000, is this what you really bought your computer for? **Why put up with it? Now you don't have to.** The Z-Dubber is a small device which connects between your computer and cassette player, improving your loading ease 100%.



The Z-Dubber also allows you to connect two tape recorders together, to create perfect duplicates of your favorite cassette programs. The Z-Dubber can be yours for \$31.95 postage paid within the U.S., Canada & Mexico. Add \$2.50 additional for other postal areas. Visa & Mastercard welcome.

FOR CHARGE AND C.O.D. ORDERS

1-(800) 227-3000 TOLL FREE
1-(800) 792-0990 IN CALIFORNIA
ASK FOR OPERATOR 225



For additional information or service, call or write:


BYTESIZE MICRO TECH
PO BOX 21123-M ★ SEATTLE, WA 98111
(206) 236-BYTE

Dealer Inquiries Wanted.

Circle 60 on Reader Service card.

NEW VIC RABBIT CARTRIDGE AND CBM 64 RABBIT CARTRIDGE

"High-Speed
Cassette
Load and Save!"



\$39.95
(includes Cartridge
and Manual)

Expansion Connector
on the VIC Cartridge

"Don't waste your Life away waiting to LOAD and SAVE programs on Cassete Deck."

Load or Save 8K in approximately 30 seconds! Try it — your Un-Rabbitized VIC takes almost 3 minutes. It's not only Fast but VERY RELIABLE.

Almost as fast as VIC Disk Drive! Don't be foolish — Why buy the disk when you can get the VIC Rabbit for much, much less!

Easy to install — it just plugs in.

Expansion Connector on rear.

Works with or without Expansion Memory.

Works with VIC Cassette Deck.

12 Commands provide other neat features.

Also Available for 2001, 4001, and 8032

Eastern House

3239 Linda Dr
Winston-Salem, N.C. 27106
(919) 924-2889 (919) 748-8446

Franklin's ACE1000 Runs With The Best!

VisiCalc®, DB Master®, Desktop Plan®—they are all running on the Franklin ACE 1000. Cash flow, budgets, word processing or data base management, business or pleasure, the ACE 1000 runs with the best.

The Franklin ACE 1000 is hardware and software compatible with the Apple® II. Franklin users can choose from an enormous selection of programs—programs that run better on the ACE because it includes 64K of RAM, upper and lower case, VisiCalc keys, a numeric pad and an alpha lock key.

Run with the best. Call or write today for the name of your local authorized Franklin dealer.

Franklin ACE is a trademark of Franklin Computer Corporation.
Apple is a registered trademark of Apple Computer Inc.
VisiCalc and Desktop Plan are registered trademarks of Visi Corp.
DB Master is a registered trademark of Stoneware.



FRANKLIN
COMPUTER CORPORATION

2138 Route 38
Cherry Hill, NJ 08002
609-482-5900
Telex: 837-385



You Can Count on 1-2-3

Software users have never had it so good. This integrated package from Lotus adds up to value as a spreadsheet, graphics program and DBMS system. It's also capable of word processing.

By Thomas V. Bonoma

Thanks to full-page ads in *Business Week*, *Fortune* and other business publications, and thanks to a flood of peeks and previews in the trade press, Lotus Development Corp.'s 1-2-3 program is taking the IBM PC and Compaq software markets by storm.

Since true software integration so far has proven to be a myth (except, possibly, in the case of Apple's Lisa), managers, hobbyists and other computer users justifiably might be wary about plunking down \$500 for another package that might have two months' novelty value, and then will languish on the shelf—to be replaced by the next "major innovation."

1-2-3, an integrated spreadsheet and graphics and database management system with limited text-processing capabilities, is not in this category.

This article is one reviewer's "nickel tour" through 1-2-3. When you leave the bus, ladies and gentlemen, you should have a feel for what 1-2-3 will (and won't) do, just how innovative and integrated it is, how it stacks up with the other major contenders to the integration throne on the PC and whether you should get your own copy or commit your company to an order for 1000 units.

Packaging

1-2-3 is supplied on four disks in an IBM-like box-and-binder system. The package includes a hard plastic over-

lay for the ten IBM PC function keys, a quick reference guide and 356 pages of documentation laid out in a consistent and coherent format.

Protected from unauthorized copy-

Lotus Development Corp.'s
1-2-3 program
is taking
the IBM PC and Compaq
software markets
by storm.

ing, 1-2-3 runs under standard PC-DOS, and therefore can work with other applications programs that use this widely available operating system.

Only two disks actually are needed for operating 1-2-3 in everyday use. Thoughtfully, Lotus has supplied a preprepared program disk back-up and an extensive disk-based tutorial that can bring the learner up to speed with the rudiments of 1-2-3 operation.

The fourth disk is taken up by 1-2-3's Graph program, a necessary utility for transferring 1-2-3's graphics from screen to hard copy. (More on the Graph program below.)

The system is not delivered ready-to-use; it must be SYSGENed, or prepared, by transferring certain PC-DOS operating files from the system disk to the program disks.

Setup instructions are clear and easy to follow; you can even configure the

Lotus system for operation with a hard disk.

What You Need

The remainder of this article assumes you use a "standard" PC configuration. This includes 128K of memory (up to 544K is supported; I tested the system with 320K) and a monochrome and a color board with an RGB monitor (1-2-3 is not recommended for use with a color television, and won't give you any screen graphics at all without a color board, although it still will generate and print them).

Other 1-2-3 standards are two disk drives and an Epson MX-80 or MX-100 printer equipped with Grafrax chips.

I tested 1-2-3 mostly with the aforementioned hardware, which a recent *New York Times* advertisement suggests can be acquired, along with a copy of 1-2-3, for the meager sum of \$5700 (at Macy's!) if you're starting from scratch. However, I also put 1-2-3 through its paces with the two optional peripherals supported by the graphics programs—an IDS Color Prism printer and an HP7470A two-pen plotter. Examples of graphics from all three configurations accompany this review.

Programs and the Lotus Access System

Before discussing the specifics of 1-2-3's operation, it is important that you have a feel for the "operating shell" within which 1-2-3 operates. It is one of Lotus' major innovations and goes a long way toward adding credibility to the integration claim made for the software.

Thomas V. Bonoma, 45 Drum Hill Road, Concord, MA 01742, writes a monthly column—"What's New, Big Blue?"—for Microcomputing.

After booting the 1-2-3 disk, a main menu is displayed and you're offered several choices. You can enter:

1. The 1-2-3 program itself.
2. A file manager program, which sorts any disk's files in any way you'd like and allows you to archive (back up), erase, copy and do other manipulations on the files found there.
3. A disk manager program, which helps you prepare (format) new disks and create and verify copies of disks; it also lists disk usage statistics.
4. A set of "translation" routines, which helps you to import VisiCalc or other .DIF format files to 1-2-3 and to export 1-2-3's file format to the .DIF standard interchange format for use in other programs.
5. The Graph program, by which your saved picture files containing graphs can be printed or plotted.

All menus in the Access System itself and inside the applications run by the Access System have the same displays, keystroke requirements, prompts and even "beeps" for errors. This means that the 1-2-3 purchaser has the entire operation of his machine (including "administrative" details like file back-up and the deleting of unnecessary disk files) made marvelously easy. The 1-2-3 owner also has the process rationalized with similar keystrokes and prompts.

It's hard to overstate the importance of the Lotus Access System to professional and other nontechnical users. Lotus has increased the usefulness of its machines many times. This is even more important for the fact that the file management, disk management and other programs are useable apart from 1-2-3 itself, and thus can be employed in everyday use for all of the operator's management needs.

Inside 1-2-3

Within 1-2-3 itself, the user is faced with a constantly available set of menus, submenus, "suggested responses" and the like; this makes the 1-2-3 system a clear rival to spreadsheets like Multiplan for ease of use and clarity of expression.

Submenus are clear, and a constantly available on-line help feature keeps the operator on the right track. Again, this help facility is unique and useful; it allows the user to move both vertically and horizontally through help requests.

Most on-line help systems available today allow increasing specificity of requests for aid. If a user hits "help" (F1 on the IBM PC) at the main menu,

=====

In addition to all the usual financial and statistical spread sheet functions, good cursor movement and excellent on-line help, 1-2-3 has some special abilities for spreadsheet manipulation.

I'll illustrate three examples here. The first refers to Lotus' good date-arithmetic functions, not usually found in spreadsheets. The second refers to keyboard macros, and programming with 1-2-3.

The third refers to some "data" functions, like /Data Table, /Data Fill and /Data Distribution which formally are DBMS functions, but are most useful in spreadsheets too.

=====

1. DATE ARITHMETIC: Not Fancy But Functional

Write Today's Date: @TODAY fx.	A. As Internally Represented	30380
	B. Formatted to a Date	05-Mar
Analyze for @DAY, @MO, & @YR	A. Apply @DAY Function	5.00
	B. And @MONTH Function	3.00
	C. And @YEAR.	83.00
Then, perform manipulations.	A. If TODAY>Feb. 20 show pluses	+++++
	B. How Long to 1/1/84?	302
	C. How Long to 1/1/1999 in hours?	138744

=====

11. PROGRAMMING/MACROS: Fancy, and Requiring Thought

Step 1 Hate to type in the worksheet frame all the time? Let's define a macro to do it for us, to zero all numerals, to format as currency, and to jump to the beginning of the table!

Step 2 Name the Macro with a /Range Name command, using a \ and a letter.

Step 3 Invoke the macro by putting the cursor at the beginning of where you want the table to be, and hitting [Alt]-Letter. I'll put the cursor on cell C50 and do it now.

Want your macros to be interactive? They can...replace the zeroes above with (?), and the macro will stop at each question mark to get user-input before proceeding. Automatic spreadsheet!

Viola! Jan-Jun Jul-Dec
\$0.00 \$0.00

Menus/Programming There's even more. An /X command, which can be used in macros only, gives the user rudimentary, if, goto, and quit commands. In addition, an /IM command allows you to use your own user menu in place of 1-2-3's.

=====

111. /DATA COMMANDS: Quick, and Clean

/DATA TABLE 1	Substitutes a column of numbers, like interest rates, one at a time into a specified cell, and constructs a sensitivity analysis table.	Main Calculation	Inflation	Buying Power		
			3%	3.63		
		Sens. Table		3.63		
		Calculated	4%	4.84		
		Automatically w/	5%	6.05		
		/DATA TABLE 1	6%	7.26		
/DATA TABLE 2	Same as /DATA TABLE 1, except processes two what-if lists simultaneously	Main Table	Flavor	Jan	Feb	Mar
			Choc.	10.00	20.00	30.00
			Vanil.	20.00	20.00	20.00
			Straw.	10.00	5.00	99.00
			Mocha	3.00	5.00	2.00
		TOTALS	43.00	50.00	151.00	244.00
		DATA TAB	244.00	5.00	6.00	8.00
		Sens Auto	9.00	245.00	246.00	248.00
		Calculate	7.00	243.00	244.00	246.00
		w/DT2	4.00	240.00	241.00	243.00
/DATA DISTRIBUTION	Produces a frequency distribution of groups of numbers in "bins."	BINS	RESULTS	NUMBERS		
		Results	1.00	1.00	2.00	9.00
		Produced	3.00	4.00	11.00	0.30
		by /DD	5.00	1.00	4.00	6.00
			9.00	2.00	13.00	34.00
				4.00		2.00
DATA FILL	Enters a sequence of numbers into a range of cells, using a start, stop and step value, a la a "do loop."	Wos. from	0.00	0.80	1.60	
		0 to 2.2	0.20	1.00	1.80	
		by .2s	0.40	1.20	2.00	
			0.60	1.40	2.20	

=====

Table 1. An illustration of Lotus' special spreadsheet functions.

A "Plain Vanilla" Student x Grade Graph

(Except for This Title)




Fig. 1. A "Plain Vanilla" 1-2-3-generated graph, printed on an Epson MX-80 with Grafrax. Note how the necessity of using a separate Graph printing program, even one with a "preview" feature, meant that the missing final "h" on the title was not caught until the graph was printed. To fix it would require reloading 1-2-3, the worksheet, recalling and respecifying the graph and then reprinting the whole thing.

a listing of submenus and what they do is given. If he hits F1 at one of the submenus, a listing of its functions and operation is given.

The Lotus system has all of this, but also allows the user to move (with cursor control) horizontally, across related topics of interest. The system retains the most recently referenced 15 help pages in the computer's memory to avoid unnecessary disk waits, and it's indexed for rapid retrieval.

Another example of design excellence is that more than 200 help screens are available for review.

1-2-3 Intricacies

Well, we've seen the outside of the bus and even peeked at the upholstery. Now it's time to look at the engine and to take our tour.

I'm going to assume that you know what a spreadsheet program is and that you either own a popular spreadsheet or have access to one. I'll also

(Continued on p. 64)

1-2-3 vs MBA vs Multiplan

Lotus Development Corp.'s 1-2-3 combines spreadsheet, graphics, database management and text-processing capabilities into one of the most useful software packages on the market. And it compares favorably to other software packages.

To that end, I've prepared Table 1, which matches 1-2-3 on a number of important criteria to two vastly different programs.

The first is Context Management Systems' MBA, which, like 1-2-3, is an integrated spreadsheet, DBMS, graphics and text editing program and which includes (in release 2.0) telecommunications support and forms processing. The second is Multiplan, which is, in my humble opinion, the best pure spreadsheet program on the market.

This comparison might seem unfair to Multiplan, for it doesn't attempt to do nearly as much as 1-2-3 or the MBA. However, the best way to find out how well the "guts" of these two integrated programs work is to compare them to the best dedicated spreadsheet on the market.

The bottom line develops from these comparisons, and is given at the end of the table. But don't skip ahead; there are important details in between.

Functionality Factors

Note that in functionality, the most objective observer would have to say that the MBA is more complete than the 1-2-3, which in turn is more complete than Multiplan. No surprise here—the Context people have had a year in the market to improve their product, and neither 1-2-3 nor Multi-

plan was ever intended for heavy text editing and telecommunications.

Now look at the environment columns, where it's clear that 1-2-3 outshines the competition and that Multiplan would be rated second. MBA is a distant third, partly because it requires more memory than 1-2-3 to run.

My ranking assumes that you think HP plotter support and hard disk support are necessary. If you own an Anadex printer, you might lean toward the MBA.

A most revealing section is the one labeled "FX'ALITY" (functionality), for it refers to that peculiar mix of learning time, quality of output and breadth of usefulness that we have come to call necessary in top-quality software.

None of the packages are slouches at these items, although it is here where 1-2-3 really shines. The Lotus Access System, for example, requires less learning time than the MBA. The same is true of Lotus' disk tutorials and more extensive help functions. Multiplan has no tutorial, but it holds its own in this section.

Sundry

Let me explain a few of the more obscure entries.

In judging quality of text and graphics display, I rated the ability to highlight, manipulate or otherwise set off portions of text. Multiplan is the best at this, 1-2-3 is acceptable (I'm a tough grader) and the MBA is only adequate, because the color screen text display abilities, including scrolling, are weak on the PC and because you need to

use the color screen if you're going to employ MBA graphs.

In graphics, the MBA's graph commands are more flexible than the 1-2-3's, but its displays and prints are in monochrome, which doesn't use the unique capabilities of the PC. 1-2-3 additionally has a better "feel" on graphics display and a better menu-driven way of printing them.

For text printing, by the way, I judged whether the user could have headers, footers, borders, automatic sheet splitting and automatic page-numbering and dating. 1-2-3 really shines here, although Revision 2 of the MBA has all these functions as well, but it's hard to beat Multiplan at anything it was designed for.

In Macros, Range Memory, Cell Protection, Subsidiary Sheet definition and "operations shell," I refer to specialized functions and user-friendliness characteristics that are not necessary in a program, but that make its use easier and faster.

Range Memory refers to whether the program "remembers" the last range you used, and suggests it to you the next time the command is invoked. Cell Protection asks whether you can "lock" cells so that users can't change them. Subsidiary Sheets can contain parts of a spreadsheet, and depend on a "master" sheet, or vice versa.

Again, 1-2-3 wins in these categories, with Multiplan second and MBA third (although MBA's folders and documents storage system has the potential to be closer to what managers do than either of the other systems). Multiplan is the only true subsidiary sheet handler of the group.

(Continued on p.63)

(From p. 62)

Finally, on import/export and speed, we come to the heart of any system. What you can use the program with is an important consideration, because most users already have spreadsheets and won't want to rekey their data.

The table is clear on this; because 1-2-3 and Multiplan use PC-DOS, they're more broadly useful than the MBA at this point in time. However, if you use Versaform or one of the other Pascal-driven DBMS programs,

MBA probably can read it.

The "SYLK" label under Multiplan refers to Microsoft's attempt to define a file interchange standard, such as .DIF. It didn't work out.

Regarding speed, there is no contest. 1-2-3 is awesome, Multiplan is okay, and the MBA is slow. The MBA is nowhere nearly as slow as it used to be, but compared to 1-2-3, almost anything is slow.

The "Other" section of the table is self-explanatory, so let's turn to the "bottom line."

Table 1. Comparison of Lotus Development Corp.'s 1-2-3 to Context Management Systems' MBA and to Multiplan.

Characteristic	1-2-3	The MBA	Multiplan
VERSION	1.0	2.0	2.0
I. FUNCTIONS			
Spreadsheet	256 x 2,048	Depends	63 x 255
.	Two Windows	Four Windows	8 Windows
.	Good Edit/Cursor	Manual Recalc.	Exc. Edit/Cursor
.	Named Ranges	Box Markers	Named Ranges
.	44 Functions	36 Functions	41 Functions
Database	32 Retrieve Fields	20 Retrieve Fields	None.
.	240 chars./field	Indexed Data	
.	7 DBMS Funcs.	Foras Processing	
.	Table, Fill, Dist.		
Graphics	Pie, Bar, Line	Pie, Bar, Line,	None.
.	6 Ranges Max.	Scatter, Hi-Low	
.	Leg., Symb., Patt.	Area. Many ranges	
.	Named Graphs	Patterns, flex.	
Word Process.	None.		None.
.			
.			
Text Editing	Rudimentary.	Good.	None.
.	Heads, Page Nos.	Pascal text	
.	Suitable for	editor w/	
.	Short Docs.	enhancements.	
Telecomm.	None.	Acceptable.	None.
.		Good protocol	
.		control.	
.		Loses chars. during	
		saves.	
II. ENVIRONMENT			
256K	Uses to 544K	Uses to 544K	Not Required
128K	Required	256K required	Not Required
Color Board	Recommended	Required	Supported
Mono Board	Optional	Optional	Required
Epson	With Grafrax	With Grafrax	Required
IDS Prism	Supported	Supported	Supported
Anadex	Not Supported	Supported	Supported
HP7470A	Supported	Not Supported	Not Supported
Hard Disk	Supported	Not Supported	Supported
Okidata	Not Supported	Supported	Supported
(82A/83A)			
III. FI'ALITY			
Tutorial	Excellent-Disk	Good-Manual	Good-Manual
Time/Proficient	3-5 days	5 days	2 days
Text Display	Good	Acceptable	Excellent
Graph Display	Excellent	Acceptable	Not Applic.

More

I defined three typical users and three typical applications for each of the programs, and then subjectively rated them as to how they served each person and need.

The Audiences

1-2-3, in my opinion, because of its speed and graphics, is excellent for the hobbyist, "knowledge worker," or staff analyst in a corporation. These individuals seldom need to write lengthy documents incorporating spreadsheets, graphs or text, but they need an analysis tool.

For the manager who'd like to have all of 1-2-3's capabilities as well as an integrated professional word processor that can "gather up" graphs and put them into the memoranda, 1-2-3 leaves something to be desired on functions. MBA, which supplies all the functions, is less than satisfactory on speed.

A similar logic was used for the applications. Financial analyses and sensitivity analyses seldom require lengthy explanations, and it is on the analysis portions that 1-2-3 really shines. Strategy analyses, by contrast, require lengthy text explanations in addition to graphics and spreadsheets; 1-2-3 doesn't have extensive text processing capabilities.

The MBA was downrated for both hobbyists and managers because of its slow speed

(Continued on p. 64)

Learn how to Program and Use PERSONAL COMPUTERS



Now at Home in Spare Time, you can learn everything you always wanted to know about personal computers. How to program in BASIC. How to understand and use more than 80 BASIC commands and functions. How to write and run your own programs... for both personal and business applications. How to use pre-packaged software and change it to meet your special needs. How to make sense of the overwhelming maze of books, information and advice available at your local computer store.

More Than Just A Computer Manual

This is more than just another programming manual...it's an entire comprehensive course written by experts. Yet, because it was especially developed for home study, you learn everything right in your own home, without changing your job or lifestyle, without attending a single class.



Plus You Get Your Own Computer
To give you practical hands-on experience, this course includes your own personal computer—the Timex 1000 with 16K memory module—plus a cassette recorder that lets you save your programs on tape. **Get all the facts.**

MAIL COUPON TODAY!

ICS COMPUTER TRAINING, Dept. DL053
Scranton, PA 18515

Name _____ Age _____

Address _____

City/State/Zip _____

(From p. 62)

assume that you need to know what Lotus' 1-2-3 does differently or better than a standard VisiCalc.

I'll take you through three aspects of these differences as illustrations of 1-2-3's power in spreadsheet applications. Then we'll look at 1-2-3's graphics and DBMS capabilities.

Spreadsheet Capabilities

1-2-3 gives the user a 256x2048 (524, 288-cell) electronic worksheet on which to perform calculations, enter tables and record databases (the same sheet is used for everything). The spreadsheet supports two different windows so the user can work with two widely separated parts of the worksheet at the same time.

1-2-3 features 44 built-in functions, from the commonplace (such as @SUM and @AVG) to the esoteric (a full set of NPV functions, for instance, including date arithmetic). Operation is smooth, with easy cursor control, clever use of highlighting and the ability to name ranges on the sheet for in-

The nicest thing about 1-2-3's graphics commands is that they're fully integrated with the spreadsheet and DBMS functions. That means you don't have to do anything but select the graph menu, specify a data range and any options, and then call a graph menu like you would any other. The graphics routines are also very quick...1 or 2 seconds maximum to completed picture. And, if you have color and mono monitors, you can keep the data on mono and see the graphs on color simultaneously.

The negative about graphics is that to print them, you have to leave 1-2-3 (but not the Access Manager), call a program GRAPH and get your output. There is no convenience printing function for graphs in 1-2-3.

SAMPLE SPREADSHEET					
Grades	1	2	3	4	5
Student	9	8	10	7	9
Herbie	3	6	6	7	8
Mary	6	7	9	6	5
Sam	7	6	2	8	3
Phyllis	8	4	5	4	6

And, the accompanying figures show two graphs, one "plain vanilla" on the Epson, and one full blown on the IDS Prism Printer. I have printed them half-size (a legal option from GRAPH) to save space).

Table 2. Some notes on graphing, and a sample plot.

clusion in formulae or further manipulation.

Above all, operation is fast. Usually, you'll look twice or even three times to see that the sheet has been recalcu-

lated—the speed of computation is that great.

The standard operations available for spreadsheet control are done especially well in 1-2-3. A variety of

(Table 1 continued).

Characteristic	1-2-3	The MBA	Multiplan
Graph Print	Excellent	Excellent	Not Applic.
Macros	Yes	No	No
Range Memory	Yes	No	Yes
Cell Protect	Yes	No	Yes
Sub. Sheets	Yes	No	Yes
Ops. Shell	Excellent	Folder/Docs-Good	Good
Imports Fr:	DIF/VisiCalc	VisiCalc	DIF/VisiCalc
.	dBase (partial)		ASCII
.	ASCII		SYLK
Exports To:	dBase	None	SYLK
.	DIF		
Speed	Fast	Slow	Medium
=====			
IV. OTHER			
Price	495	695	400
Support	Unknown	Good	Good
Availability	Wide	Narrow	Wide
=====			
V. OVERALL			
Suitability for...			
Hobbyist	EXCELLENT	GOOD	EXCELLENT
Manager	GOOD	GOOD	EXCELLENT
Knowledge Worker	EXCELLENT	EXCELLENT	EXCELLENT
Suitability To...			
Fin. Analysis	EXCELLENT	GOOD	EXCELLENT
Strategy Analysis	GOOD	EXCELLENT	GOOD
Sensitivity Anal.	EXCELLENT	GOOD	GOOD

(From p. 63)

and because of its word processor, which was significantly improved in revision 2 but still is insufficient for most users.

Counterbalancing this, the MBA was upgraded for both these classes because it includes text formatting abilities, telecommunications features and complete forms functions. That left it with a good rating in both categories.

For knowledge users, who seem to require a little of everything, I rated the MBA excellent in spite of its speed.

And the Applications

Regarding applications, the MBA seems best-suited where 1-2-3 is weakest—for the application where text, graphics, spreadsheet, maybe DBMS and telecommunications may be involved.

Although the MBA's ability to put graphs and spreadsheets into memos is still first-generation, the ability is nonetheless there.

Regarding Multiplan, note that the ratings given implicitly include the aspirations of the program. Multiplan aspires to fewer functions but handles these functions better, and thus will be, in my opinion, more satisfying to more classes of users. When applications are considered, however, Multiplan is less general than the others, and so suffers.

Epilogue

One final note: I started out ambivalent—even somewhat skeptical—of 1-2-3. After all, I've worked with MBA for a year, and I like it. But I think I'm coming to love 1-2-3. ■

T. B.

LYNC

COMMUNICATIONS SOFTWARE

**WHY BUY 3 PROGRAMS?
LYNC HAS ALL 3 IN ONE!**

- 1) FILE TRANSFER 2) REMOTE OPERATION
- 3) COMMUNICATE WITH TIME-SHARE

*Easy set up on most systems.
Menu driven install program.
Command Mode of operation
Help Screen for Lync & Term*



Z80 based CP/M \$155
PC DOS \$155 TRSDOS \$75

We're Not the Biggest, Just the Best.

International Software Alliance (805) 966-3077

1835 Mission Ridge Santa Barbara, CA 93103

* DEALER AND OEM INQUIRIES INVITED *

FORMATS: 8" Standard; IBM PC DOS; TRS-80 Mod II with CP/M; VectorGraphic;
Cromemco; North Star; Osborne; Xerox 820 (8" or 5"); SuperBrain; NLS KayPro;
TeleVideo; TRS-80 Model I or III; Zenith; Heathkit; Victor 9000; Sanyo; Altos;
Fujitsu; Otrona.

CP/M is a trademark of DIGITAL RESEARCH. LYNC is a trademark of MIDNIGHT SOFTWARE.

Circle 105 on Reader Service card.


BYTEK'S SECOND GENERATION UNIVERSAL (E)PROM PROGRAMMER—SYSTEM 15

Features:

- Bipolar PROMs.
- Micros - (8748 & 8749)
- I/O - 6 baud rates, 13 formats including Intellec, Textronix and Motorola.
- EPROMs, (2708 - 27128)
- Gang option - programs eight at once.
- Remote control option.

**\$645
\$15-P**


**PROGRAMS
OVER 250
DEVICE TYPES**



FUNCTIONS:

DISPLAY DEVICE DATA
EDIT RAM DATA
DEVICE PROGRAM
TYPE SELECTION

CRC-RAM
LOAD DATA
COMPARE FIELDS
FILL MEMORY FIELD
BLOCK MOVE
DIAGNOSTICS
and more.



BYTEK

COMPUTER SYSTEMS CORP

2283 S. Federal Hwy.

Delray Beach, FL 33444

(305) 272-2052

PICK A SYSTEM!



SAVE \$1295

\$2495.

.5 MB STORAGE



**COMPLETE
WITH**

- ADDS A-2 TERMINAL
- CP/M OPERATING SYSTEM
- WordStar WORD PROCESSING SOFTWARE



SAVE \$1340

\$2995.

1.2 MB STORAGE

We're offering you our SB-80 system in either 5 1/4" or 8" disk drives, your choice. Either way your system comes with a full size (12" diagonal) non-glare tiltable green screen with 24 lines by 80 character format. Its multi-character set offers blinking cursor, underlining, reverse video, and half and zero intensity. The movable, detachable keyboard has a numeric pad with cursor control and function keys. Plus, we've included the CP/M® Operating System and WordStar®, the popular Word Processing software.


Nationwide on-site and depot repair service through the professionals at INDESERV.

*CP/M is a registered trademark of Digital Research, Inc.

*WordStar is a registered trademark of MicroPro.

- Single Board Technology ■ CP/M® Operating System
- 4 MHz Z80A CPU ■ 64K 200ns Main Memory
- 8-Inch Dual Density Floppy Drives
- 5 1/4-inch Dual Density Floppy Drives
- 2-Serial Ports ■ 2-Parallel Ports
- 4-Counter/Times ■ Expandable

For further information about this limited offer call or write:



Colonial Data

Colonial Data Services Corp., 105 Sanford Street, Hamden, Conn. 06514 • (203) 288-2524 • Telex: 956014

Microcomputing, May 1983 65

formatting operations, for instance, is available, allowing the operator to display a cell's contents using percentages, dollar figures with or without commas, and plus or minus signs.

On all the regular functions, as well as on built-in functions, formula manipulation, range-moving and erasing (including replication), the system is a joy to use. The editor is especially welcome to those of us who are not perfect and who must often go back and

make changes in long entries.

So far, so good. But what can this \$500 spreadsheet do that a \$40 one cannot?

Look at the first page of Table 1, which shows 1-2-3's text editing/justification abilities and some interesting facets about 1-2-3's date arithmetic functions.

Text is entered into any 1-2-3 cell—up to 256 characters—just by typing. A command to "/Right/Justify" the text

(the "/" is a 1-2-3 command character) is issued, and the operator can reform the text across any row/column combinations. You wouldn't want to use 1-2-3 to prepare a doctoral dissertation, but to add explanatory text to tables, it'll do.

The date manipulations I've included on the first page of Table 1 might not seem particularly valuable—until you start thinking about potential applications that this facility can open up. For instance, you can write invoices for clients whose bills are overdue, or you can include an automatically updated "Last Revised" cell on your spreadsheets, or you can do hundreds of functions with date arithmetic. And with the ability to split up days, months and years, other applications become possible.

A lot of unique and useful features in 1-2-3 can't be found on other spreadsheets. Look at the second page of Table 1; it explains 1-2-3's keyboard macro and programming capabilities.

Micro Macros

The word processor I use, PowerText, supports macros. If I'm writing an article on 1-2-3, for example, I certainly don't want to have to type "1-2-3" every time I need that phrase. Rather, I want to define function key number 1 on the PC to stand for 1-2-3, and just hit that key when I want the word or phrase.

Programming capability, which PowerText does not have but 1-2-3 does, refers to the additional capacity to process user inputs and to make different decisions depending on the character of that input.

As Table 1 shows, 1-2-3 lets you automate (Lotus calls it "Automatic Typing") any frequently used commands, phrases or even formulae that you use through a special vocabulary. Once a command is defined, hit the ALT key plus the letter you've designated as the procedure's name, and it is executed. (The small spreadsheet in Table 1 was formed with two keystrokes.)

The user's manual tries too hard to warn users from these advanced commands. If a "hidden" /X command (one that appears on no menus) is employed within the context of a macro, you'll have available some rudimentary, but functional, programming capabilities within your macros.

It's possible, for example, to create a full "turn-key" spreadsheet, which, when loaded, will show a customized




Fig. 2. A fancy grade graph. Note the overprinting of the data label on the third green bar of the second title line.




Fig. 3. This 1-2-3 graph was done on the HP-7470A Plotter.

menu of choices that replaces 1-2-3's own menu, executes tasks differently (based on user inputs) and saves the workfile and exits the system—with no possibility of being messed up by the user.

This feature, which will take some time to be understood and even more time to be usefully explored, turns out to be one of 1-2-3's most important benefits. It gives the 1-2-3 the same claim to useful generality that dBase II rightly has.

The last part of Table 1 illustrates some of 1-2-3's special data spreadsheet functions. These functions simplify some of the most commonly needed but misused applications that spreadsheets were intended to satisfy—such as sensitivity analysis and data aggregation.

If you're cooking a roast, for example, you might rotate that roast to brown it. Say you're the scientific type, and rotate the roast two times an hour; you might wonder what the effects of three, four or eight hourly rotations would be (all other factors equal). This is sensitivity analysis.

Or, you may run a restaurant and use up 431 pieces of roast beef a month. You might wish to know how many of those roasts were ten pounds and how many were five pounds. This is data aggregation.

As Table 1 shows, 1-2-3 provides two specialized functions to automate the sensitivity analysis task, and another one to help automate data aggregation by constructing frequency tables.

The final function, Data Fill, is useful for those times when you need to complete a table with increasing or decreasing numbers that change by a known interval each time.

These three functions are described in Table 1 and in the 1-2-3 manual.

Graphics

Graphics applications on the IBM PC have started to explode; users who are otherwise sane and serious are now going ga-ga over pictures.

There are two troubles with graphics applications in any automated environment: getting the darned things created in the first place, and then getting them off that electronic medium and onto the hard, cold world of paper. 1-2-3 excels at the first task and does a solid, but nonintegrated, job at the second. Table 2 and Figs. 1, 2 and 3 describe and exhibit 1-2-3's graphics abilities.

Graphs are generated by 1-2-3 on the color monitor. The nicest aspects

of the 1-2-3 graphics system are that it is menu driven (in a fashion similar to all other 1-2-3 menus) and that you can revise, change and otherwise play with the graphics until you think they're right.

In some ways, the graphics capabilities of 1-2-3 are limited, but other advantages make up for these limitations.

On the limits side, you can graph only six data ranges per picture; furthermore, you cannot adjust the patterns used to "fill in" bars, and you cannot "explode" pie charts to give a clearer picture of one segment. Other dedicated IBM PC graphics packages, such as the outstanding Chartman II,


offer these capabilities and more.

On the plus side, though, 1-2-3 graphics are generated *fast*—two seconds, on the average. You can name your graphs and switch between them instantaneously by using those names (which are saved with your workfile) to form the graphics menu.


By and large, 1-2-3 makes an intelligent choice for graph parameters—simply because it generates them, although it's not above letting you input titles too broad to print (see Fig. 1). 1-2-3 also isn't above dropping "Mongos" legend (Fig. 2).

Whether these problems are in graph generation, printing routines or


A FULL LINE OF SEMIDISKS



S-100



TRS 80 Model 2



IBM Personal Computer

Do you use your computer? Or does your computer "use" you? Face it, if you're using floppies, your time is being wasted. Because a floppy is an inefficient random access storage device. Each time the processor wants to transfer data, it has to wait an eternity for the disk to rotate and the head to move.

So what do you do? Get a SemiDisk, quick. It's a large capacity semiconductor memory board that is driven by software to operate like a disk drive. Without all the waiting. Do everything you'd do on a floppy or hard disk, with no modifications to your software or hardware. Two board sizes are available: 512K and 1 Megabyte. (the highest density microcomputer memory board in the world) And you can put up to 8 megabytes in a system by adding more storage boards.

What do you need to use it? Just an S-100 system with CP/M 2.2. Or a TRS-80 Model 2 system with CP/M 2.2. Or an IBM Personal Computer. That's it. No special processors, DMA, I/O, or disk controllers are required. Plug it in and run the installation program, and you're on your way. Fast! Even better, we supply full source code to the driver software, in case you'd like to do your own interfacing.

Best of all, the SemiDisk's price won't warp your wallet. Compare specs, cost/megabyte, storage capacity, and compatibility with the competition. You'll see that the SemiDisk is a disk emulator truly worthy of the name. SemiDisk has battery-backup capability, too.

Consider our limited warranty: A full year, covering all parts and labor. Consider our liberal 15 day return policy. Price? \$1995 for 512K byte SemiDisk. \$2995 for 1 Megabyte SemiDisk. Both from stock. \$10.00 for manual. VISA, Mastercard, COD orders accepted. Dealer and OEM inquiries welcomed. (Specify system type and disk format when ordering.)

Someday, you'll get a SemiDisk.

Until then, you'll just have to wait.

**SemiDisk
SYSTEMS**

P.O. Box GG
Beaverton, OR 97075

(503)-642-3100

Call (503)-646-5510 for CBBS™/NW, a Semi-Disk-equipped computer bulletin board.
SemiDisk trademark of SemiDisk Systems; TRS-80 trademark of Radio Shack

Circle 375 on Reader Service card.



TM

user error (I suspect the latter) isn't relevant. Overall, graph generation by 1-2-3 is outstanding.

Graph output to hard copy is outstanding if the operation of the program Graph is referred to. It has a beautiful main menu and prompt screens, and lets you switch among parallel and serial devices at will. It sets the baud rate to your specifications automatically and even lets you preview your graphs before printing.

Yet, to use it, you need to save your 1-2-3 graph in a "picture" file, leave 1-2-3 for the Lotus Access System, call Graph and then do the printing. This puts unnecessary distance between the manager and his output, and is less than satisfactory (although necessary, I suppose, for memory conservation reasons).

When you've messed up a title, as I did on Fig. 1, it's bothersome to end Graph, recall 1-2-3, reload your file, change the graph and cycle through Graph again. This is the only aspect of 1-2-3 that I find less than excellent, and that judgement is only for the degree of integration and ease of use presented.

Clearly, 1-2-3 works well with all the peripherals tested, and when it's teamed with quality equipment, like the HP or IDS, it performs nicely.

Database Operations

1-2-3 boasts an array of fine DBMS functions, which I've summarized in Table 3.

To understand 1-2-3 DBMS operations, you need to understand input range, criterion range and output range. The input range is the database itself; it's made up of the top six lines of Table 3, including the headings.

The criterion range is the piece of your worksheet on which you write the fields you are interested in searching (I have two: Last Name and Amount Owed) and what you want to know.

Although you'd think there is only one criterion on Table 3, there are two. The blank line under Last Name tells 1-2-3 that I'll take any name. The +E2>250 tells 1-2-3 to check the Owed column for deadbeats owing me more than \$250.

The output range is used only when you want to Extract records, as I have done. It's also possible just to find them, in which case 1-2-3 highlights the relevant records in the input range.

Note in Table 3 that I did a statistical analysis in the DBMS to show that it's possible to manipulate data as if it was

regular spreadsheet data—with the caveat that you must use one of 1-2-3's special DBMS functions to do so.

Putting Out Your Cat

All right, enough! So 1-2-3 does everything but put out the cat, wind your watch and wash the car... Is it good?

In comparison to Context Management Systems' MBA and to Multiplan,

1-2-3 holds its own (see sidebar). In fact, with all of its features, functions and benefits, 1-2-3 is nothing less than outstanding. It was carefully designed and even more carefully implemented, and it should qualify as a classic (perhaps *the* classic) of microcomputer software for a time to come.

If you do serious work with a microcomputer, or think you might, you'd be wise to acquire this package. ■

Last Name	First	Address	City,ST,Zip	Owed
Schultz	Klyman	1211 W. 110 Street	Biloxie, MI 02212	\$309.24
Androgeny	Getit	348 RR 2	Simpleton, OH 3332	\$121.11
Mosby	Moses	99 S. Court St.	Wing, VA 22111	\$993.11
Glork	Harold	44 W. Circle Square	North, NY 44993	\$22.15
Diamond	Sapphire	811 18th St.	Worth, TX 99222	\$1,111.33

OK, there's a little database. It is required that the top row of the worksheet be dedicated to field labels, but other than that, nothing special about it. All the worksheet commands, for instance, are legal.

DATA COMMAND SUMMARY

1. /Data Sort - Sort the DB on a key, primary or secondary, in ascending or descending order.
2. /Data Query - Find, Extract, Unique, or Delete records on certain criteria. In the partial "output range" below, we'll find everyone who owes us more than \$250.00 by name and amount owed.

CRITERION RANGE	OUTPUT RANGE	Here's what went on. The /DQ Find command makes the cursor jump to the data above, singling out Schmalts, \$309.24 Mosby and Diamond. The /DQ Extract command puts a \$993.11 copy of the fields indicated in the Output Range. The \$1,111.33 criterion range specifies the test (e.g., is E2 greater than \$250?). This test is repeated for all subsequent cells in the input range.
Last Name Owed +E2>250	Last Name Owed Schultz Mosby Diamond	

There's some other functions, though. The database statistical functions allow computations of sums, averages and the like with specified criteria. So, to find the statistics on these deadbeats owing more than \$250, here's what we'd do...

DEADBEATS OWING >\$250 And, by adjusting the 2413.68 criterion range (what you want to see), any kind of summary is possible.	
Sum	2413.68
Average	804.56
Std. Dev.	353.55378554
Variance	708.86333333
Maximum	1111.33
Minimum	309.24

There's no reason why we can't use other Data commands, either. For example, /Data Distribution, which produces a grouped frequency polygon.

BINS	Frequencies of Customers
50	1
150	1
250	0
350	1
450	0
550	0

-- 4 --

650	0
750	0
850	0
950	0
1050	1
1150	1
Sum	5

Table 3. A sampling of 1-2-3's DBMS functions.

CompuCoverSM



COVER YOUR INVESTMENT

- Static Free
- Cloth Backed Vinyl
- Custom Fitted
- Clear Plastic

WE COVER ALL SYSTEMS
FROM ADDS TO ZENITH

1-800-874-6391
ORDER LINE
Dealer Inquiries Invited

CompuCover
P.O. Box 324 Dept. A
Mary Esther, FL 32569

Customer Service
(904) 243-5793
Telex 469783

CALL TOLL FREE

Circle 66 on Reader Service card.

S-50C 64K DYNAMIC RAM

Can be partially populated in 16K increments.

Each 16K block is independently addressable to any 16K boundary in a 1 Megabyte address space.

Extended addressing feature is easily disabled.

Transparent, on-board refresh.

\$299 kit, A & T add \$40.

\$140 bare PC board + documentation.
(includes schematics)

MULKS MICRO
39 Webster Street
Framingham MA 01701
Phone (617) 872-0824

Terms: Check, Money Order, VISA, MC.
Add \$2 postage. Mass. residents add 5% sales tax. Foreign orders (except Canada) add 20% shipping and handling.

Circle 252 on Reader Service card.

POWER PROTECTION FOR YOUR SYSTEM



The Datasaver™ AC Power Backup fits most desktop and portable microcomputer systems. Call **Cuesta Systems, Inc.** at (805) 541-4160 for product information and application literature.

VISA/Mastercard orders call (800) 851-6055.

INSTANT POWER

BOOKKEEPING AND PAYROLL FOR SMALL BUSINESS

For CP/M and MS-DOS Systems. Source code provided.

	LIST	PLAN-A	PLAN-B	PLAN-C
Bookkeeping	\$300	\$279	\$252	\$225
Payroll	\$400	\$372	\$336	\$300

Other CP/M, MS-DOS, Apple and MDOS software available with same terms. Write or call for full spec sheets or further information.

PLANS:

A - Phone support, exchange privileges, 90 days
B - Phone support, exchange privileges, 30 days
C - Support limited to supplied documentation, no exchange except for bad disk replacement.

(Additional support available at \$20/hour.)

TERMS:
Prices include cash discount. Add 4% for charge or COD orders. Visa and Master Card accepted. Add \$4.00 for shipping and handling.

Suite 14
3322 Mem.
Pkwy., S.W.

daman (205) 883-8113
Huntsville, AL 35801

Circle 204 on Reader Service card.

SAVE 50% on Scotch Diskettes



Dealer Inquiries Invited

5 1/4" Specify Soft 10 or 16 Sector prices/10

744D 1 side/dbl dens.	\$22.30
745 2 sides/dbl dens.	\$31.00
746 1 side/quad 96 tpi.	\$33.80
747 2 sides/quad 96 tpi.	\$45.50

8" Specify Soft or 32 Sector

740 1 side sgl/dens.	\$23.60
741 1 side/dbl dens.	\$29.00
743 2 sides/dbl dens.	\$37.80

Checks-VISA-MC-C.O.D./Add \$2 Shipping
Call or write for our complete list.

LYBEN COMPUTER SYSTEMS
27204 Harper Ave., St. Clair Shores, MI 48081
Phone: (313) 777-7780

Authorized Distributor
Information Processing Products **3M**

Circle 172 on Reader Service card.

Maxell Floppy Disks


The Mini-Disks with maximum quality.



Dealer inquiries invited. C.O.D.'s accepted. Call FREE (800) 235-4137.

PACIFIC EXCHANGES
100 Foothill Blvd., San Luis
San Luis Obispo, CA 93401.
In Cal. call (800) 592-5935 or (805) 543-1037.

computer case company



• AP103



Attache-style cases for carrying and protecting your complete computer set-up. Accommodates equipment in a fully operational configuration. Never a need to remove equipment from case. Simply remove lid, connect power, and operate.

AP101	Apple II with Single Drive	\$109
AP102	Apple II with Two Disk Drives	119
AP103	Apple II, 9 Inch Monitor & Two Drives	129
AP104	Apple III, Two Drives & Silentype Printer	139
AP105	13" Monitor with Accessories	99
AP106	AMDEK Color Monitor	119
RS201	TRS-80 Model I, Expansion Unit & Drives	109
RS204	TRS-80 Model III	129
AT301	ATARI Computers with Peripherals	109
P402	Centronics 730/737 & Radio Shack Printer	89
P403	Epson MX70/80 or Microline 82A	89
P404	Epson MX100 Printer	99
P405	IDS 560 or Prism 132 Printer	109
P406	Starwriter/Printmaster F-10 Printer	119
P407	Okidata Microline 83A or 84 Printer	99
P408	Prowriter 2 Printer	99
P409	Prowriter (Apple Dot Matrix) Printer	89
IB501	IBM Personal Computer	129
IB502	IBM Monitor	99
HP601	HP41 with Accessories	99
CM703	Commodore Model 64 with Drives	119
CM704	Commodore Model 64 with Dataset	109
NS010	North Star Advantage	139
CC80	Matching Attache Case (5")	85
CC90	Matching Attache Case (3")	75
CC91	Matching Accessory Case	95
CC92	5.25" Diskette Case	49

computer case company

5650 Indian Mound Court
Columbus, Ohio 43213
(614) 868-9464

CALL TOLL FREE
800-848-7548


Blue-Collar Portable

The M6000P is a rugged industrial portable that works on the plant floor as well as in the office.

By Timothy Daniel



In its standard configuration, the M6000P has two 376K 5¼-inch disk drives. All units come with a detachable VT100-style keyboard.



The M6000P back panel can be removed by loosening four thumbscrews. This accesses to the ten STD bus slots. The large 50-pin connector is used with eight-inch disk drives and the two db25 connectors are for parallel printer and RS-232 interfaces. Empty slots are provided for the user who wants to customize the computer.

With a barrage of portable computers currently invading the microcomputing marketplace, the decision to buy a portable only leads to more decisions involving compatibility, size and software.

In this review, the portable computer to be examined is the M6000P from Micro Source, Inc. (PO Box 319, New Lebanon, OH 45345). I'll share some insights into that computer—insights that can't always be gained from a showroom demonstration.

To PC or Not to PC?

The M6000P is not compatible with the IBM Personal Computer. About 30 percent of the portables on the market claim to be. The M6000P, like most of the remaining 70 percent, uses the Z-80A microprocessor chip and is compatible with the CP/M operating system. Z-80A machines boast huge software support, thanks to the popularity of CP/M. Consider the question of compatibility carefully. You may decide that you can get more for your money by not jumping on a bandwagon.

Relatively Portable

It was a long way from the parking lot to the second-floor office where I demonstrated the M6000P to a friend. As I trudged up two flights of stairs, I decided that the phrase "portable computer" is a relative one. Weighing in at 35 pounds and taking up 2380 cubic inches (17×20×7), the M6000P is small enough to fit under many airliner seats and big enough to make you think twice about taking it on an extended trip.

Although your portable computer

Address correspondence to Timothy Daniel, 7 Peabody Drive, Oxford, OH 45056.


Expand your VIC® at affordable prices




A universal centronics parallel printer interface for the VIC-20 & C-64 computers. Obeys all standard VIC print commands.
Suggested Retail — \$79.95



A universal cassette interface for the VIC-20 & C-64 computers. Emulates all functions of the data cassette.
Suggested Retail — \$39.95



The CARDBOARD 3 is a fuse protected, economy expansion interface designed to allow the user to access more than one of the plug-in-type memory or utility cartridges now available. It will accept up to three cartridges at once. This product includes reset button and switches.
Suggested Retail — \$39.95



A light pen for the VIC-20 and C-64 computers with a switch on the barrel and 6 good programs.
Suggested Retail — \$39.95



The CARDBOARD 6 is a fuse protected expansion interface designed to allow the user to access more than one of the plug-in-type memory or utility cartridges now available. Additionally it allows switch selection of games and other programs now available in the cartridge format, without the necessity of turning the computer off and on again, thereby saving a great deal of stress on your VIC-20 and on your television or monitor.
Suggested Retail — \$99.95

All Cardco products are **Made in the U.S.A.** and are individually tested to ensure quality and reliability. Superior technological engineering optimizes the value/performance ratio of all of our products.



Specifications and prices subject to change.

Dealer inquiries invited.

United States: Cardco, Inc. • 313 Mathewson • Wichita, KS 67214 • (316) 267-6525

West Canada: LSI Distributing • Attn: Mr. Wong • 2091 W. 61st Avenue • Vancouver, BC, CA V6J 1Z2 • (604) 733-0211

England & Europe: Audiogenic • Martin Manary • 34-36 Crown St. • Reading, Berkshire England • (0734) 595647

East Canada: Hobby Craft Canada • 24 Ronson Drive • Rexdols Ontario M9W1B4 • (416) 241-2661

©VIC-20 is a registered trademark of Commodore




Fig. 1. Block diagram of the M6000P computer.

couldn't care less if it is traveling by car, plane or dug-out canoe, it will have to put up with rough treatment. I didn't drop the M6000P in front of a speeding truck or hand it over to a gorilla, but I did notice that it has an aluminum case with reinforced sides, where some portables use plastic, and that the keyboard acts as a cover, clamping securely over the CRT and disk drives. Even with this rugged construction, I would be reluctant to check it through to Des Moines (or anywhere else) without putting it into a shipping carton first.

Micro Source's packaging of the M6000P leaves two areas for improvement. First, the recessed back panel is vulnerable to protruding objects. Second, the computer lacks a handy way to store the power and keyboard cables. You could end up having your computer in L.A. with the critical cables back home in Boston.

What About Flexibility?

Portable computers, on the whole, are often integrated packages where modifications and upgrades become difficult, if not impossible, to achieve.

Micro Source claims that the M6000P can be configured for almost any application. As shown in Fig. 1, the central element is the STD bus. This standard, designed by industry heavyweights Mostek and Prolog, is geared towards the Z-80A microprocessor. An STD card has 56 pins and is typically 4.5×6 inches.

Although the STD bus is not popular among personal computer manufacturers, it is firmly entrenched in industrial applications, with more than 70 firms supplying hundreds of compatible boards.

A discussion of the M6000P's technical parameters is necessary to highlight one of the M6000P's strongest features—flexibility. If your requirements don't go beyond word processing and spreadsheet calculators, almost any portable will do. On the other hand, if you need a machine that works on the plant floor as well as in

A Capsule Look At Micro Source's M6000P

Manufacturer

Micro Source, Inc., 595 N. Clayton Road, New Lebanon, OH 45345; 513-687-1395.

Base List Price

\$3900.

Standard Features

Z-80A CPU; eight-slot STD card cage; 64K RAM; two 5¼-inch double-sided, double-density floppy disk drives, 386K each (formatted); rear external connection for eight-inch floppy disk; full travel VT100, standard keyboard (83 keys); nine-inch CRT with 80-character by 24-line video interface; CP/M 2.2 operating system; 120 VAC operation.

Proportions

Thirty-five pounds; 17×20×7 inches.

Documentation

Instruction manual and individual software documentation.

Popular Options and Accessories

Parallel peripheral interface; serial peripheral interface; five-inch Winchester disk drive; ten- or 12-slot STD card cage; M68000 upgrade with Unix operating system; special configurations (contact MSI); direct-connect modem 0–12,000 baud; acoustic coupled modem.

Software

WordStar with MailMerge and SpellStar; CalcStar with Superfile; transient CP/M system commands like PIP, SYSGENX and DDT, a demonstration package that includes graphics routines along with two games, and a utility program called A(rchivist).

the office, the choice is tougher. Hence the need to dig into details.

Tech Talk

The M6000P uses a switching power supply rated at 160 watts, providing +5, +12, –12 and +24 volts. The computer is kept cool by a large and somewhat noisy fan. In its standard configuration the M6000P includes a ten-slot card rack. Four slots are occupied by the CPU/RAM board, floppy-disk controller, video-display driver and multipurpose I/O card, respectively.

The CPU/RAM card features a Z-80A running at 4 MHz, on-board clock and reset circuits, 8K of PROM, and 64K of 200 ns dynamic RAM. The PROM acts as a "shadow" and, like the other memory, is under software control. Besides diagnostic and monitor routines, the PROM takes care of system reset. When the system locked up, I dutifully hit the reset button located on the keyboard and, in most cases, the system came to life immediately.

Occasionally it was necessary to power-down for a few seconds before the system would reset. Later I found out that my unit had a bad delay-line circuit, causing minor reset problems.

I didn't give the M6000P's monitor and diagnostic firmware much thought until I encountered mysterious BDOS errors, a sign that something is seriously wrong with a disk. Using the diagnostics, I was able to load selected sectors of disk data into the computer's memory. From there it was easy to examine the data using the monitor. It took a while, but I was able to verify exactly what was wrong with the disk and make the necessary corrections.

Residing next to the CPU/RAM card is the M6000P's I/O board. Besides providing two serial RS-232 ports and a Centronics-style parallel printer port, it contains a clock and a calendar. This circuit, which is accompanied by battery backup, provides month, date, day of week and 24-hour time, including seconds. The channel A RS-232 port is dedicated to the keyboard interface, leaving the second port available for asynchronous and bisynchronous communications. Rates of 50 to 19,200 baud are software selectable and full-interrupt capability is supported. Both the printer and RS-232 signals are brought out to db25 connectors on the rear panel. The only thing I found missing was a label showing which connector was



New!

Super-Advanced Portable Computer

Enables you to configure for almost any application

- More storage and flexibility (386K byte/drive)
- 8 slot *STD BUS Boards and modular design
- Large 9 inch green-phosphor CRT
- Standard keyboard — full Travel VT 100 style
- Uses single and double sided or density diskettes under †CP/M 2.2
- Rear connector for optional 8 inch disk


Before you buy, be sure to examine the new M6000P. Why not get the most in storage, flexibility and accessibility in your data system?

FREE Brochure

MICRO SOURCE INC.

P.O. Box 319 • New Lebanon, OH 45345
Phone 513-687-1395

SEE US AT NCC BOOTH 8225



* TM of Prolog

†CP/M is a trademark of Digital Research Corp.



Inside Apple

Apple Computer Inc., 20525 Mariani Avenue, Cupertino, California 95014

Vol. 1 No. 2

For the authorized Apple dealer nearest you, call 800-538-9696 (800-662-9238 in California.)

Fruitful Connections.

There are more people in more places making more accessories and peripherals for Apples than for any other personal computer in the world.

Thanks to those people — in hundreds of independent companies — you can make the humblest 1978 Apple II turn tricks that are still on IBM's Wish List for 1984.

But now we're coming out with our very own line of peripherals and accessories for Apple® Personal Computers.

For two very good reasons.

First, compatibility. We've created a totally kluge-free family of products designed to take full advantage of all the advantages built into every Apple.

Second, service and support.



Now the same kindly dealer who keeps your Apple PC in the pink can do the same competent job for your Apple hard-disk and your Apple daisywheel printer.

So if you're looking to expand the capabilities of your Apple II or III, remember:

Now you can add Apples to Apples.

A joy to behold.

The new Apple Joystick II is the ultimate hand control device for the Apple II.

Why is it such a joy to use?

With two firing buttons, it's the first ambidextrous joystick — just as comfortable for lefties as righties.

Of course, it gives you 360° cursor control (not just 8-way like some game-oriented devices) and full X/Y coordinate control.

And the Joystick II contains high-quality components and switches tested to over 1,000,000 life cycles.

Which makes it a thing of beauty. And a joystick forever.



Gutenberg would be proud.

Old Faithful Silentype® has now been joined by New Faithfuls, the Apple Dot Matrix Printer and the Apple Letter Quality Printer.

So now, whatever your budget and your needs, you can hook your Apple to a printer that's specifically designed to take advantage of all the features built into your Apple. With no compromises.

The 7x9 Apple Dot Matrix Printer is redefining "correspondence quality" with exceptional legibility. With 144x160 dots per square inch, it can also create high resolution graphics.

The Apple Letter Quality Printer, which gets the words out about 33% faster than other daisywheel printers in its price range, also offers graphics capabilities. See your authorized Apple dealer for more information and demonstrations. Because, unfortunately, all the news fit to print simply doesn't fit.





Up the creek without a paddle?

Or lost in space? Or down in the dungeons?

Whatever your games, you'll be happy to know that someone has finally come out with game paddles built to hold up under blistering fire. Without giving you blisters.

Apple Hand Controller II game paddles were designed with one recent discovery in mind:

People playing games get excited and can squeeze very, very hard.

So we made the cases extra rugged. We used switches tested to 3,000,000 life cycles. We shaped them for holding hands and placed the firing button on the right rear side for maximum comfort.

So you'll never miss a shot.

A storehouse of knowledge.

If you work with so much data or so many programs that you find yourself shuffling diskettes constantly, you should take a look at Apple's ProFile™, the personal mass storage system for the Apple III Personal Computer.

This Winchester-based 5-megabyte hard disk can handle as much data as 35 floppies. Even more important for some, it can access that data about 10-times faster than a standard floppy drive.

So now your Apple III can handle jobs once reserved for computers costing thousands more.

As for quality

and reliability, you need only store one word of wisdom:
Apple.



Launching pad for numeric data.

Good tidings for crunchers of numerous numbers:

Apple now offers a numeric keypad that's electronically and aesthetically compatible with the Apple II Personal Computer. So you can enter numeric data faster than ever before.

The Apple Numeric Keypad II has a standard calculator-style layout. Appropriate,

because unlike some other keypads, it can actually function as a calculator.

The four function keys to the left of the numeric pad should be of special interest to people who use VisiCalc®. Because they let you zip around your work sheet more easily than ever, adding and deleting entries.

With one hand tied behind your back.



VisiCalc is a registered trademark of VisiCorp, Inc.

How Much Memory Is Enough?

If 376K is good, 10,000K must be better—so goes the reasoning at Micro Source, Inc. After finishing the review of the M6000P, which in its standard configuration has two 376K disk drives, I had a chance to spend a few days tinkering with a unit that had a 10-megabyte Winchester hard disk option.

The two computers looked about the same, the only visual difference being a piece of plastic covering the hole where drive B usually resides. Of course, there are other differences—like price. The hard disk option boosts the price from \$3900 to \$5895.

The extra two grand gives you storage capacity that is about 30 times greater than the 5¼-inch disk drive that the Winchester replaces and about ten times what can be crammed onto a double-sided double-density eight-inch disk. You also gain speed.

My informal tests showed that the hard disk was two to three times faster for many operations. If those advantages aren't enough to justify the additional outlay, consider the fact that a hard disk is much quieter than a conventional drive and that you won't have to fuss with disks.

My efforts to reach the hard disk's capacity were about as successful as trying to fill a swimming pool with water—one cup at a time. After loading a word processor, dictionary, two database managers and a smattering of utility programs, I still had almost nine megabytes to go! However, it was not a futile exercise. I learned that managing the contents of a hard disk is a lot tougher than tending to the files on 5¼- or eight-inch media.

One problem stemmed from the inability to move large files from the 5¼ to hard format by way of the PIP command. I ended up PIP-ing the files to eight-inch disk, then onto the hard disk.

Once I had moved a few dozen files, another problem became apparent whenever I typed DIR. By the time I reached the bottom of the directory, I had usually forgotten what was at the top. This aggrava-

tion is relieved in part by the hard disk architecture; it is divided into logical five-megabyte units called F and G.

Further division can be obtained by the User command, which is present on version 2.2 of CP/M. User works at the directory level, flagging file names with a number 0 through 15. If you're logged on as user 3, entering DIR will return a listing of only those files designated by a 3. I stored my word processor under one user number, the spreadsheet program with a second, a database under another and so on. Once the confusion subsided I found the user command to be an easy way around some of the file management problems associated with a hard disk. My review period wasn't long enough to try out a utility like A(rchivist), but such programs would seem to be natural for working with extended storage.

Looking back at the original premise—"If 376K is good, 10,000K must be better"—I couldn't help but wonder what the limit for disk storage in portables is. Engineers at Micro Source stated matter-of-factly that they were only days away from releasing versions of the M6000P that had 20 and 27 megabyte hard disks and that a few customers had even gone so far as to request portable computers with 100 megabytes of storage!

In the 20 to 100 megabytes range, an operating system like CP/M is going to face some serious problems. So why not, as one engineer proposed, go to another operating system, maybe one like Unix? I immediately applied the brakes and pointed out that Unix was a 16-bit system and that the M6000P was an 8-bit machine. The reply was quick: "Just replace the Z-80A CPU board with an STD compatible 68000 card. And while you're at it, why not add 256K of virtual memory and some extra I/O?" Suddenly everything fit together. By making the appropriate upgrades, a computer like the M6000P could evolve into a sophisticated multi-user system. It makes me wonder about the definition, "portable computer." ■

T.D.

which. This quandary was cured by checking the connectors with a meter and adding a label made from tape.

There is not a lot that can be said about interface capability—either it exists or it doesn't. Despite what some salesmen may claim, a parallel or "Centronics" printer port is essential, if for no other reason than it allows you to get by with a cheaper printer.

One item on my wish list for portable computers is a built-in modem, one with both acoustic and direct coupling. For some reason most portable manufacturers have shied away from offering built-in modems. At least Micro Source offers a modem as an external option.

Before moving on, just a few words about clocks. They are not on my "essential" list, but I do like the kind in the M6000P. Thanks to battery backup, you set the clock once and then forget it. You don't have to enter the date and hour every time you turn the computer on.

The video board employs an 80-character by 24-line controller and uses its own memory and port mapping to minimize the load on the rest of the system. Although high-resolution graphics are not supported, 16 combinations of video attributes are available. These include underlining, half intensity, blinking and inverse video. Screen brightness can be controlled by software as well by a potentiometer on the back panel. The video board drives a nine-inch green P-31 monitor, with 253 characters. Resolution is surprisingly good, with each character using a 6×8 grid superimposed on an 8×10 field.

The fourth board in the standard M6000P is the floppy disk controller. Designed to handle a total of four drives, the controller will support any combination of eight-inch or 5¼-inch units.

Disk drives are a bit like tires on a car. You're bound to get some. The question is are they sport radials with raised lettering or retreads? Two 5¼-inch drives are built in and configured for double-sided, double-density service, each holding up to 376K of data. A rear panel connector provides both power supply and data signals for using eight-inch floppy disk drives.

When compared to the average 5¼-inch drive, the Micro Source floppies are standouts. Imagine being able to combine a sophisticated word processor, spelling checker and form-letter module on one disk, with room

\$450⁰⁰ WEEKLY
working one or two
hours a day with your
personal computer.
GUARANTEED. Simple
program process. No
special skills or
experience. Free
details/application.

BOND INDUSTRIES

7115 Blanco Road
Dept. 114-178
San Antonio, TX 78216

Circle 233 on Reader Service card.

**NEW VIC-20
VOICE
SYNTHESIZER**

\$79⁰⁰ sale price

Limited Quantities

VOTRAX based

Unlimited words

Adjustable volume and pitch

PROTECTO ENTERPRIZES

Box 550 • Barrington, IL 60010

Phone Orders: (312) 382-5244

Circle 342 on Reader Service card.

**J & L SOFTWARE
MEANS BUSINESS
FOR THE
COMMODORE 64
AND \$ SAVINGS FOR YOU!**

GENERAL LEDGER . . . \$ 64

- Audit Trails
- Financial Statements
- Reports
- Automatic Balancing

ACCOUNTS RECEIVABLE \$ 64

- Statements
- Invoicing
- Aging Reports
- Balancing Forwarding

DATA BASE MANAGER . . . \$ 64

- Variable Fields
- Arithmetic Operations
- Formatted Reports
- Sort/Search on all Fields

GET ALL 3 FOR . . . \$150

Send Check or Money Order to:

J&L SOFTWARE
P.O. BOX 171
STATE COLLEGE, PA.
PA. RESIDENTS INCLUDE 6% SALES TAX

Commodore 64 is a Trademark of Commodore
Business Machines, Inc.

These Programs also available
for Apple

Apple is a Trademark of the
Apple Corp.

Circle 366 on Reader Service card.

BOWLSTAT

A COMPLETE CP/M BOWLING LEAGUE
STATISTICS PACKAGE. EASY TO SET UP
FOR ALMOST ANY LEAGUE SITUATION.
ONCE SETUP IS ACCOMPLISHED, THE
OPERATOR NEED ONLY ENTER GAME
SCORES AS THEY HAPPEN. THE COMPUTER
DOES THE REST. ALL REPORTS ARE
SELECTED FROM A MENU AND THERE IS A
BATCH OPTION TO GENERATE SEVERAL
REPORTS IN ONE RUN. REQUIRES AN 80
COLUMN PRINTER. PACKAGE CONSISTS OF
FIVE PROGRAMS READY TO RUN ON THE
FOLLOWING COMPUTERS:

- KAYPRO II
- XEROX 820
- OSBORNE

ALSO DISTRIBUTED IN CP/M 8" SINGLE
DENSITY FORMAT WITH SYSTEM TERMINAL
DEFINITION PROGRAM TO CUSTOMIZE
BOWLSTAT TO A WIDE VARIETY OF
COMPUTERS. PLEASE SPECIFY SYSTEM
FORMAT WHEN ORDERING.

<<< \$ 4 9 . 9 5 >>>

R K S MARKETING
P.O. BOX 340
OXFORD, PA. 19363

Circle 275 on Reader Service card.

UNIPROM



THE VERSATILE EPROM HANDLER
• Reads programs 2704, 2708, 2758, 2508, 2516, 2716 (1supply)
2532, 2732, INTEL'S 2732A and the 8755A (INTEL/NEC).
• Reads/erases/programs Hitachi 48016 EEPROM'S
• No personality modules required.
• All signals are S-100 compatible (can adapt to most other buses)
• Port mapping occupies NO memory space.
• Bus clock rates exceeding 6mhz.
• All software is 8080/8085/Z80 compatible.
• Software "user" friendly.
• All software is fully CP/M & CDOS compatible.

Board (A&T) with extensive documentation . . . \$199.00
Disk software (8" or NORTHSTAR 5.25") . . . \$38.00
EPROM-based software with source listing . . . \$55.00
Expansion console, 24 pin . . . \$50.00


CDOS is a registered trademark of COMENCO
CP/M is a registered trademark of DIGITAL RESEARCH, INC.
NORTHSTAR is a registered trademark of NORTHSTAR COMPUTER, INC.
Featured in July/August '82 Microsystems

CER-TEK

6020 Doniphan (915) 581-6697 El Paso, TX 79932

Circle 359 on Reader Service card.

80 CHARACTER VIDEO BOARD — S-100



All This on ONE BOARD:

- Keyboard port with TYPE-AHEAD buffer
- 8275 CRT controller with light pen port
- Two 2716's — program & character rom's
- Optional 2716 for CHARACTER GRAPHICS
- All screen & keyboard ram
- SIMULTANEOUS I/O or Memory mapped
- Z-80 MPU — 2 or 4 Mhz system clock
- Easy to adapt Software
- Uses only EASY-TO-GET parts
- Use in any S-100 system
- 696 Bus Compliance: DB M16 I8 T200
- Build for less than \$200

Now includes crystal & heat sink.

Introducing The VDB-A

Bare board with Documentation \$49.50
+ \$2.50 S&H (Ill. res add 6% tax)
Add 3% for Mastercard and Visa

Simpliway PRODUCTS CO.

P.O. Box 601, Hoffman Estates, IL 60195
312/359-7337

Circle 274 on Reader Service card.

**ZENITH Z-100
SUPER
SYSTEM**

5199.⁰⁰ COMPLETE!

• **Z-100**
8-16 Bit,
128K Desk-
Top Computer

(with 2D.D. D.S. 320K Drives)

AND

• **DAISYWRITER**
Model 2000; Ltr.
Quality Printer with
Cable.

**FREE
BONUS**

8 BIT,
Software
Basic 85 CP/M 85 O.S.
16 BIT Software

- Z-Basic
- Z-D.O.S.
- Word Star W.P.
- Multi-Plan Electronic
Spread Sheet

ORDER INFORMATION:

Send Money Order, Cashiers Check or
bank wires welcome for quick delivery;
Personal and Company checks, allow 15
days for clearance.

HOURS ARE 9 to 6 EST

CALL COLLECT

(717) 737-1245

or write

HORIZONS UNLIMITED
Computer Services, Inc.
2120 Market Street,
Camp Hill, PA 17011

ZENITH

**data
systems**

THE QUALITY GOES IN BEFORE THE NAME GOES ON

left over! I learned the hard way that you can't use just any disk to do this. Plagued by inexplicable errors, I finally realized that my generic brand disks that work fine with an Apple disk drive wouldn't hack it in a 376K-per-drive environment. Once the change was made to high-quality disks my problems disappeared.

Look-Alike Keyboard

Rounding out the M6000P's hardware is its VT100-style keyboard. Copied from the layout used on Digital Equipment Corporation (DEC) terminals, the keyboard has 83 keys placed in a fashion similar to electric typewriters. Besides a sculptured shape, the keyboard features separate carriage return and line-feed keys, separate delete and backspace keys, a lighted caps-only key, auto repeat and a numeric keypad.

Also on the keyboard is the system-reset switch, bell-simulating audio tone generator and eight LEDs that act as auxiliary output indicators. The keyboard communicates with the computer serially, via an eight-conductor telephone-style cable. I found the keyboard very easy to use, with

Terminals are a subject
for debate rivaled only
by the merits of light beer...

the only drawback being the short and rather stiff cord.

A combination of the keyboard's specific function keys, the video display board, firmware and software allows the user to dictate the M6000P's terminal characteristics. By using the Set-up mode, the screen intensity, video and cursor attributes, clock/calendar display and key-click feature can be controlled. You can also use Set-up to make a screen dump to your printer or to disable the LED echo of the last character entered on the keyboard.

The M6000P offers further customization by its ability to emulate many of the features of three popular terminals. CP/M's Stat command lets the user change from the Adds Regent 40 mode, which is invoked upon power up, to emulators for the Lear Siegler ADM-31 or Televideo 910.

Terminals, and keyboards in particular, are a subject for debate rivaled only by the merits of light beer or defense spending. For my money I like a standard keyboard. I can take or leave the extra numeric keypad since most of my work is word processing rather than number crunching. One nice thing about the M6000P is that if you don't like the features of the terminal, you can always switch to another.

Operating System

In my opinion, CP/M is not well-oriented for end users, nor is it easy for moderately experienced computerists to master. But I also realize that Micro Source would have been crazy to select any other operating system. CP/M, despite all its faults, is generally acknowledged to be the standard of the industry, and the vast quantity of CP/M software ensures that the system will be around for years to come.

Theoretically, a CP/M program can be transferred from a TRS-80 to an Apple to the M6000P. In practice, however, this scenario of portability can be tarnished by incompatible disk formats and software that is keyed to the features of a particular terminal.

Micro Source alleviates some of the problems associated with terminal configuration by offering you a choice of three popular emulators. The headache associated with disk formats is dulled somewhat by the M6000P's ability to work with both 5¼- and eight-inch drives. Even with this much flexibility there can be disappointments. If you already have an Osborne 1 computer and want to upgrade to an M6000P, you won't be able to use your old disks in the new computer. The Osborne uses a different version of CP/M, one that is not compatible.

What About Software?

The M6000P comes with three software disks that include a word processor with form letter module, spelling checker, data retrieval program, electronic spreadsheet and a system utility.

If you were to buy the Micro Source software bundle at your local dealer you would spend more than \$1200. The software that comes with the computer looks and tastes just like the store-bought version. You become a licensed user and receive complete documentation.

As long as I'm being subjective, let

Circle 67 on Reader Service card.

Put your Micro on IBM's level

Now you can communicate with the IBM world with Innovative Data Technology's 1/2" magnetic tape peripherals.

Popular configurations and optimum performance for most small systems that feature industry-standard interfaces, rapid data transfer rates, full operating and command subsets and a wide selection of models and configurations, IDT's magnetic tape subsystems provide economical and reliable data/program interchange, 40M bytes of storage and disc back-up. All IDT subsystems come complete and include tape transport, formatter, intelligent controller, computer resident coupler, cables, documentation and software. But most importantly, they help put your system in touch with the IBM universe.

O.E.M., dealer/distributor discounts available.



4060 Morena Blvd. • San Diego, CA 92117
(619) 270-3990 • TWX: (910) 335-1610

Eastern Regional Office:
P.O. Box 1093 • McLean, VA 22101-1093
(703) 821-1101 • TWX: (710) 833-9888

IBM is a trademark of International Business Machines Corp.
Apple is a trademark of Apple Computer Inc.
TRS-80 is a trademark of the Tandy Corporation.



me put in two cents worth about the concept of bundled software. Deep down I like it. But don't feel obligated to buy a computer just because of the software that is included with it. You can always add software; you're pretty much stuck with the hardware.

Documentation

Given the opportunity, I would write a couple thousand words just about documentation. Luckily, editors intercede and readers are spared my diatribes about the missing index or the unlabeled diagram. The original M6000P documentation is not the best I've seen and certainly not the worst. The second version was infinitely better, but still not in the winner's circle.

My first criterion centers around accuracy. The original instruction manual had its share of bugs, most of which were addressed in an addendum. Under the completeness column I give the updated documentation a well-earned "B."

Realizing that the M6000P is a technical product aimed at hardware applications, Micro Source has thoughtfully included schematics for STD cards. There is still room for improve-

ment, though. I couldn't find any examples or hints about programming the keyboard LEDs, nor is the video board's character set fully documented.

Next on my documentation checklist is the overused, but still valid, idea of "user friendliness." Micro Source documentation does not tell you how to plug the computer in or what way to insert the disk. They assume that the user is familiar with basic microcomputer principles and that step-by-step instructions are not necessary.

Micro Source is aware that the typical M6000P user has a specialized industrial or military application in mind. Customer support represents this fact. Documentation has been upgraded to include details about adding an eight-inch disk drive. Also, the options focus on ways to make the hardware more powerful. For example, software for converting noncompatible disks doesn't have the priority that developing an STD-compatible 68000 CPU card does. The "typical" user has asked for the former, not the latter. As a small and relatively new company, Micro Source is eager to keep its customers happy. The tech-

nical staff is accessible. If you need help, it is there.

Parting Thoughts

The standard M6000P is not cheap. It retails for \$3900. You can buy two Osborne 1's for that price and have some change left over. In one respect the M6000P is just another portable, good for word processing and spreadsheets. There are, however, a few differences. You get a nine-inch, 80-column display. The disk drives hold almost 400K apiece, and the ability to change terminal characteristics is built in. Are these features worth the price? If all that you need is word processing and games then I don't think so.

On the other hand, the M6000P is an expandable STD industrial computer that just happens to come in a portable package. Admittedly, I don't have first-hand experience using the M6000P for process control in a chemical plant or as automated test equipment in an airplane hanger, but those kinds of applications are feasible. If you need the ability to upgrade or customize, then the M6000P represents a good value. ■

Circle 244 on Reader Service card.



Hello, Noah here. Recently I got a contract to build this fellow a large boat. It seems he wants to collect two of each animal and make a floating zoo of some sort. So, in order to keep track of all the building materials and converting everything to cubits like he said, I got a minicomputer. But, with all this rain we have had lately, the power to my computer has been terrible. Every day for the last 39 days I have lost data every time the light blinked. So I got a **MAYDAY** Uninterruptible Power Supply from SUN RESEARCH up there in New Hampshire. Takes all the surges and spikes out of the line and keeps me running during those blackouts. So now I can keep track of all the animals and how many of each I have (those rabbits will drive you foolish) and keep track of all the different supplies (those elephants will eat you out of house and home). I have also hooked my phone system into the **MAYDAY** so I can keep track of incoming calls during those blackouts. The Boss gets really angry when He can't get through...more lightning. I was building this boat in my cellar, but the wife got tired of moving it around and said, "Get that ark out of here." "Ark". I kind of like that name.

So get a **MAYDAY**...for Heavens sake!



SUN RESEARCH, INC.
Box 210
New Durham, NH 03855
603/859-7110
TWX 5102974444

CARDS ★ ★ ★ TEACHWARE ARE ELECTRONIC FLASH CARDS ★ ★ ★ TEACHWARE

Tutor

A No-Nonsense Flash Card Program To Help Anyone Learn Anything

Cassette Software For:
Apple, Radio Shack, Atari, VIC,
Sinclair/Timex (16K) & TI-99

You give **TUTOR** your list of questions & answers: **TUTOR** will teach them to you or your students by the old method of continuous repetition. **TUTOR** concentrates on the hard questions and touches lightly on the easy ones.

Add new questions, delete old ones, save them to tape for future use; all by single key commands. Up to 300 multi-line question/answer combinations on 16K machines (75 on unexpanded VIC). Joy Stick control on some machines for effortless interactions during long drill sessions.

TUTOR comes with States & Capitals preprogrammed (just for fun). From there, there is no limit to the subjects **TUTOR** can help you learn or teach. Send \$24.95 To:

Teachware
3277-B Roswell Rd., Suite 450
Atlanta, GA 30305
10% DISCOUNT WITH THE
NAME OF THIS MAGAZINE

Circle 166 on Reader Service card.

TRANSFER "BASIC DATA EXCHANGE" DISKETTES



**MAINFRAME
to/from
CBM/PET**

PEDISK Model 877 is an 8" SD floppy disk system that uses the IBM 3740 format. Using FILEX, a program by Wilserve, PEDISK 877 can read and write records on a "Basic Data Exchange" diskette. Routines read the table of contents. Records are read and converted from EBCDIC TO ASCII. Records can be converted from ASCII to EBCDIC and recorded. Multiple volume files can be handled and FILEX even has facilities to soft format a new diskette. The FILEX program resides on ROM.

8" PEDISK II floppy disk

877-1 Single drive system... \$ 995.00
877-2 Dual drive system... \$1695.00

PEDISK 877 also provides a high performance general floppy disk for any Commodore system. Its simple design gives greater reliability and it offers much faster performance than the IEEE type drives. A considerable amount of standard software is available. Eight inch SD CPM (trademark of Digital Research) diskettes can also be read/written with the 877 system. A complete CPM system using the Z-RAM (trademark of Madison Computer) can exchange standard CPM diskettes.

5" PEDISK II floppy disk

540-1 Single drive system... \$ 595.00
540-2 Dual drive system... \$ 895.00

SEE YOUR DEALER OR:

MICROTECH P.O. Box 102
Langhorne, Pa. 19047
215-757-0284

**PEDISK AVAILABLE for
40XX, 8032, C64**

DEALER INQUIRIES INVITED

ATTENTION

**FOREIGN COMPUTER
STORES
MAGAZINE DEALERS**

You have a large technical audience that speaks English and is in need of the kind of microcomputer information the Wayne Green Publications group provides.

Provide your audience with the magazine they need and make money at the same time. For details on selling *Microcomputing*, *80 MICRO*, *Desktop Computing*, *inCider*, *Hot CoCo*, *Instant Software* and *Wayne Green Books* contact:

**SANDRA JOSEPH
WORLD WIDE MEDIA
386 PARK AVE. SOUTH
NEW YORK, N.Y. 10016
PHONE—(212) 686-1520
TELEX—620430**

FREE SHIPPING

IBM® Personal Computer Products

Davong 5 MB Hard Disk System — \$1495.00 12 MB — \$1995.00
IBM PC-2 Drive System \$ CALL

Quadram — Quadboard with Parallel

Port, Serial-Port, Clock/Calendar, Expandable to 256K

64K on brd. — \$425.00 128K on brd. — \$539.00
192K on brd. — \$629.00 256K on brd. — \$719.00

Quadram Memory Expansion

192K Maximum
64K on brd. — \$230.00 128K on brd. — \$350.00
192K on brd. — \$490.00

Amdel Monitors

Mod 300 Phosphor — \$150.00 Composite Color III — \$345.00
IBM RGB Compatible Color II — \$650.00 Color I — \$300.00

IBM/TRS 80 Disk Drives/Cabinets

TM 100 Single 40 Track Drive — \$189.00
TM 100-2 Double 40 Track Drive — \$280.00

AST MEMORY EXPANSION PRODUCTS \$ CALL

VISA, MASTERCARD (\$100 Min., Add 2%)
Or Certified Check
90 Day Warranty (Parts & Labor)
TRS 80 is a Registered Trademark, Tandy Corp.
Prices Subject to Change Without Notice

Apple II® Computer Products

Syscom Apple Compatible System... \$695

Apple Compatible Controller Card... \$ 79.95
Apple Compatible Disk Drive w/Cabinet & Cable... \$249.00
w/Controller... \$315.00
Printer/Graphics Interface... \$99.95
Davong 5 MB Hard Disk System — \$1495.00 — 12 MB — \$1995.00
Apple Compatible Joysticks... \$29.95

Epson/Smith-Corona Printers

MX80 \$425.00 FX80 \$550.00 MX100 \$640.00

TRS 80 / Parallel Printer Cable \$20.00

IBM Parallel Printer Cable \$35.00

STAR MICRONICS GEMINI 10 \$ CALL

GEMINI 15 \$ CALL

Smith Corona TP-1 Letter Quality Daisy Wheel... \$575.00

TRS-80 MOD III

Drives w/RS 232... \$1650.00

TRS-80 MOD III Disk Controller Incl. Disk Controller, Power-Supply, Mounting Hardware, Cables & Instruction Manuals... \$239.00

Dual 8" Slim Line — \$180.00 — Dual 5 1/4" Slim Line — \$ 80.00
Single 5 1/4" Slim Line — \$ 80.00

JMR POWER SUPPLY
AND CABINETS

FREE SHIPPING IN CONTINENTAL U.S.
(TRS 80 MOD III EXCEPTED)

**(213) 993-4804
(IN CALIF.)**

DATA—MAIL
P.O. Box 818, Reseda, CA 91335
1-800-635-5555

Osborne Draws Another Line

The Executive is Adam Osborne's attempt to keep up with a field he helped to create. This 28-pound portable is a little heavier than the Osborne 1, but it features a seven-inch screen—an improvement on the single most-criticized aspect of the Osborne 1.

In the May 1981 issue of *Microcomputing*, Adam Osborne drew a line and dared hardware designers to cross it.

Osborne, a microcomputer columnist-turned-designer, had just released the epitome of a portable (at least up to that point): the Osborne 1.

"With the Osborne 1, I have laid down my challenge for the future," Osborne wrote (*Microcomputing*, May 1981, pp. 106-110).

He went on to prod manufacturers to try to outdo his Osborne 1. "The current microcomputer industry leaders—Radio Shack, Apple and Commodore—have lost their way. They've turned their backs on the strategies that made the industry successful," Osborne wrote.

He even predicted that, "By 1983, (the Osborne 1) will have a lot of company" in the portable market.

And it does. The Kaypro II, the Zorba, the Otrona, the M6000P and countless other machines have followed Osborne's lead. Now, with Osborne supposedly feeling the heat of the competition, he's striking back.

Osborne 1 Upgrade

Osborne's answer (for now) to his competitors is the Executive. Two versions of the Executive are available: the Executive I, which sells for \$2495, and the Executive II, which sells for \$3195. Both releases offer the same free software, including Wordstar, MailMerge and SuperCalc, that comes standard with the Osborne 1.

The Executive's most notable feature is its seven-inch, amber, easy-to-read, 24-line by 80-character screen. The enlarged display size should appease critics of the Osborne 1's five-inch screen.

Slightly larger than the Osborne 1, the Executive weighs 28 pounds and measures 20.5×13×9 inches (when closed). The case, which is weather-resistant, includes a leather handle for easy carrying, and the power cord is stowed inside.

Operating systems used with the Executive include CP/M+ (segmented version) and UCSD p-System. The microprocessor is a Z-80A, and memory capabilities are 128K of RAM, 4K of video refresh RAM, 8K EPROM, 4K character font RAM and 2K scratch pad RAM.

The Executive uses 5¼-inch, single-sided floppy disks; storage provides for a maximum of 15 disks. The keyboard is detachable and includes 69 keys.

The Executive II offers the same features as the Executive I, but with a

few extras. With its 8088 microprocessor, it's designed to be an IBM-compatible machine. Along with CP/M+ and UCSD p-System, the Executive II also runs on MS-DOS-2. Additional languages the Executive II offers are CP/M-86 and two versions of Basic.

The arrival of the Executive coincides with rumors of another new Osborne portable—a smaller one—scheduled for a late summer release.

Some of Osborne's competitors will keep pace with the Executive and the rumored follow-up, but they all won't be so fortunate.

"The Compaq will remain competitive," Osborne predicted, "but the Kaypro's gonna die." ■

Larry Canale
Microcomputing staff




The Executive is slightly bigger than the Osborne 1, but the screen is larger, too. The seven-inch amber screen presents a clear, sharp display.

The Computer That Roared

The Welsh Dragon is not a mythical figure; it's for real and presents a formidable opponent for the TRS-80 Color Computer on the British market.

By Fernleigh Edmondson



The Dragon uses the same 6809 CPU as the TRS-80 Color Computer, as well as many of the corresponding suite of support chips and Microsoft Basic. However, The Dragon offers twice as much RAM as the TRS-80 Color Computer.

In the past few months, several new microcomputers have been introduced in the U.K. Each has its strengths, but most are variations of standard Basic (usually color Basic) plus one of the well-tried veterans, the Z-80 or the 6502. Two recent exceptions, though, are the Jupiter Ace (which features Z-80 and Forth) and now the Dragon, which combines a 6809 CPU with color Basic.

As Dragon advertisements announce, the 6809 CPU is an up-to-date version of the 6502. The 6502, the ads point out, is still used by the Apple and the BBC Micro, along with a few other systems. But the Dragon is the first popular British-made micro to use the 6809, and it's a good value for the money.

The Dragon's Bytes

For slightly less than £200 (about \$400), the Dragon supplies a 16K ROM Basic with color, 32K of RAM, advanced graphics, sound through TV, automatic control of cassette recorder, full editing and the facilities for plugging in ROM-based game cartridges and/or two joysticks. The

Address correspondence to Fernleigh Edmondson, 59 Grange Road, Dorridge, Solihull, West Mid's B93 8QS, England.

"I built this 16-bit computer and saved money. Learned a lot, too."

Save now by building the Heathkit H-100 yourself. Save later because your computer investment won't become obsolete for many years to come.

Save by building it yourself. You can save hundreds of dollars over assembled prices when you choose the new H-100 16-Bit/8-Bit Computer Kit – money you can use to buy the peripherals and software of your choice.

H-100 SERIES COMPUTER SPECIFICATIONS:

USER MEMORY:
128K-768K bytes*

MICROPROCESSORS:
16-bit: 8088
8-bit: 8085

DISK STORAGE:
Built-in standard
5.25" disk drive,
320K bytes/disk

KEYBOARD:
Typewriter-style,
108 keys, 13
function keys,
18-key numeric pad

GRAPHICS:
Always in graphics mode.
640h/225v resolution;
up to eight colors
are available**

COMMUNICATIONS:
Two RS-232C Serial
Interface Ports and
one parallel port

DIAGNOSTICS:
Memory self-test
on power-up

AVAILABLE SOFTWARE:
Z-DOS (MS-DOS)
CP/M-85
Z-BASIC Language
Microsoft BASIC
Multiplan
SuperCalc
WordStar
MailMerge
Data Base
Manager
Most
standard
8-bit CP/M
Software

*128K bytes standard.
**Optional.

The H-100 is easy to build – the step-by-step Heathkit manual shows you how. And every step of the way, you have our pledge – "We won't let you fail." Help is as close as your phone, or the nearest Heathkit Electronic Center.†

And what better way to learn state-of-the-art computing techniques than to build the world's only 16-bit/8-bit computer kit? To run today's higher-speed, higher-performance 16-bit software, you need an H-100. It makes a big difference by processing more data faster.

Dual microprocessors for power and compatibility. The H-100 handles both high-performance 16-bit software and most current Heath/Zenith 8-bit software.

Want room to grow? The H-100's standard 128K byte Random Access Memory complement can be expanded to 768K bytes – compared to a 64K standard for many desktop computers.

And the industry-standard S-100 card slots support memory expansion and additional peripheral devices, increasing future upgradability of the H-100.

High-capacity disk storage, too. The H-100's 5.25" floppy disk drive can store 320K bytes on a single disk. The computer also supports an optional second 5.25" and external 8" floppy disk drives. And an optional internal Winchester disk drive will be available soon.

For more information, circle the reader service number below. Better yet, visit your Heathkit Electronic Center for a demonstration!

The H-100 gives me the most for my computer dollar!



Heathkit®
Heath
Company

Heathkit Electronic Centers are units of Veritechnology Electronics Corporation.
Heath Company and Veritechnology Electronics Corporation are subsidiaries of Zenith Radio Corporation.

Circle 236 on Reader Service card.

printer interface is parallel-Centronics-type, and not the RS-232 that is supplied with the Tandy Color Computer.

Although the models for sale in the

U.K. are intended for use with the European PAL TV system, the circuitry is probably more suitable for use with the U.S. color system, and this should speed up production of models adapt-

ed for sale in North America.

The Basic language used with the Dragon is the Microsoft 16K Color Basic. It appears to be identical with Tandy Color Computer's Extended Basic. The Dragon's Basic presumably is newly produced for the 6809, and has a wide range of useful commands. Among the additions to the expected range are RENUMBER, TRON and TROFF (for tracing the line-flow through a problem program). Another addition is SKIPF, a command for reading through a cassette tape and stopping at the end of the program in order to record a new program. Motor On and Motor Off switch the tape recorder (or similar item) on and off as required, and the machine obligingly does so at the end of recordings and readings.

On the other hand, the machine under test would not run the following set of instructions:

```
10 INPUT "C=";C;FOR I=C TO 10:
```


Most Basics will accept the use of a defined variable as a starting point, but for some reason the Dragon will not do so. Nor will the Tandy Color Basic Computer, which I checked in the local Tandy Store (although the black-and-white Level II machine ran the program). This is quite a disadvantage: many programs use variables as starting and ending points in For . . . Next loops. All three machines would accept a variable as the end-point of a loop. "FOR I=3 TO B" causes no trouble, providing that B had been defined earlier in the program.

I found the character set to be somewhat limited. The first half consists of the usual control characters and punctuation symbols, followed by figures and an all-caps alphabet. The keyboard also features a second capitals alphabet in reverse (white on black), but there is no lowercase alphabet for display on the screen. The second half of the character set is taken up by eight similar sets of graphics, each set differing only in background color.

The screen display consists of 16 lines of 32 characters each, which I find a little cramped—especially when combined with the lack of lowercase letters on the screen. When used with a printer, it is possible to switch into and out of lowercase by typing SHIFT/0:. The lowercase letters are shown on the monitor screen as reverse capitals; the results on the



The Dragon's keyboard and components are of high quality—and similar to those of Tandy machines. The only difference immediately apparent is the provision of a parallel printer output port rather than the RS-232 port.



Five levels of resolution and nine colors provide for flashy graphics from the Dragon.

screen are intelligible, but not pleasing.

It would appear that some changes will be necessary before the Dragon can be used as anything other than a home computer designed for lighter activities. Using it as a word processor, for example, would probably not be practical with the present character set.*

Slaying the Dragon's Graphics

The Dragon's graphics are comprehensive: five levels of resolution, along with nine colors, are available. The facilities for drawing lines, rectangles, boxes, circles and ellipses are effective and straightforward. The Paint command, however, may cause some difficulty; perhaps the instructions in the manual were at fault, because I've seen other reports of problems in this area.

On the whole, though, I liked the colors and graphics facilities. In particular, it's useful to be able to get hold of a particular rectangle on screen and put it elsewhere. This saves effort—and mental arithmetic—when parts of the screen are repeated. The actual colors on my TV aren't as bright as

those I get from my Spectrum, nor are they as true or intense.

The instructions for playing sound (through the TV speaker) are good, and it's easier to use sound on the Dragon than on other systems I have tried. The examples given in the manual are limited, but because the whole system is in line with musical notation and practice, this is no problem to the musically-oriented computer enthusiast. Notes may be indicated by the usual letters (or by figures), with sharps or flats, with note lengths and with octaves. And there are facilities for tempo, pauses, volume changes and for the execution of substrings.

The instructions consist of a book accompanied by a summary sheet. The sheet is useful for those who have some knowledge of computers and Basic while getting a feel for the machine, but it is soon necessary to consult the manual in order to get the best out of the system. The manual is, in general, well-written, and I found only one error; it involved the use of a variable in the starting-point of a For . . . Next loop. Unfortunately, little information about the hardware side of the machine is provided. For exam-

ple, no details were given about the connections to the tape recorder socket, and it was necessary to work these out (the lead is an "extra").

Plans for Dragon 64

The Dragon was the brainchild of Tony Clarke and Richard Wadman, who laid out the specifications on behalf of the Mettoy Co., which specializes in making toys. For financial reasons, the computer manufacturing has been directed to a new company, Dragon Data Ltd. (Queensway, Swansea Industrial Estate, Swansea, Glamorgan SA5 4EH). Plans are in progress to bring out a 64K machine, the Dragon 64, with enhanced graphics, and to produce a modestly-priced disk system for this machine.

The Dragon is being distributed through large retail chains in the U.K., such as Boots the Chemists, Dixon's camera/electronics shops and Curry's Electrical and Domestic Appliance chain, as well as directly from Dragon Data. Computers actually can be seen in these shops, so the queue situation may not be as desperate as in the case of Sinclair's innovations. ■

Circle 246 on Reader Service card.

DIABLO DAISY WHEEL PRINTER

\$795

- Standard Centronics Parallel or Serial RS232
- Compatible with most computers — **Ask About Yours!**
- High Speed Heavy Duty, Commercial Grade
- Full 132 Column Printout Capacity
- 2,000 Character Print Buffer — No waiting on Printer
- Tested and reconditioned by Johnson & Johnson
- Full parts and labor WARRANTY
- 375,000 Character Ribbon Included FREE
- Uses Metal Printwheel Included FREE!
- Friction Feed Standard
- Serial Baud Rates up to 19,200

USE ALL THESE FEATURES AND MORE!

- 10+12 Pitch and True Proportional Spacing
- Bi-Directional Printing
- Bold Printing
- Underline Words or Sentences
- Subscripts and Superscripts
- Multiple Tabs
- Graphics on 1/120 inch
- Communications commands with serial
- Built-in self tests and Diagnostics
- Strike through Printing



PRINTS AVERAGE LETTER FASTER THAN 80 CHARACTERS PER SECOND EPSON.

LIMITED QUANTITY!

TO ORDER CALL (817) 429-5131

JOHNSON & JOHNSON COMPUTER CORP.

2229 EAST LOOP 820 NORTH, FT. WORTH, TEXAS 76112

Vive la Difference! Valdoks

While the Epson QX-10 offers impressive features, it's the software—particularly the Valdoks operating system—that puts it a step ahead of its competitors.

By Jim Hansen



The Epson QX-10 and software documentation. The six-volume set of Peachtree software will be Epson's first applications software release. Also shown is the CP+ manual, CP/M Primer and the Microsoft Basic manual, part of the documentation supplied with the CP/M-based QX-10 system. (Photos by Jim Hansen.)



The HASCI keyboard used with Valdoks on the QX-10. Notice the Selectric-like keyboard layout in the typing section. The editing cluster and numeric pad are to the right. Above the typing section are the Valdoks function keys. The Valdoks QX-10 can also run TPM (a fast CP/M look-alike) or CP/M 2.2.

Last month we looked at the Epson QX-10 hardware. While the machine itself is impressive, it's the software—especially the Valdoks operating system—that sets the QX-10 apart from other micros.

QX-10 Essentials

The QX-10, a Z-80A-based computer, features two double-sided, double-density disk drives with a formatted capacity of about 380K each, a battery-backed-up calendar clock and 64K of RAM. It comes standard with an RS-232C serial interface and a Centronics-compatible parallel printer port.

The only optional feature offered for the QX-10 at this time is the Valdoks operating system. Valdoks is installed (by Epson) by plugging another 192K of 64K RAM chips into the motherboard, bringing the CRT controller memory up to 128K and changing the standard ASCII keyboard to the HASCI version.

The QX-10 is packaged in three components: a keyboard, the electronics case and the CRT display. The keyboard is attached to the computer with a coiled cable. The 11½-inch CRT display normally sits on top of the electronics enclosure. The display is formatted into 25 lines of 80 characters, and has a graphics resolution of 640×400.

The QX-10 hardware won my enthusiastic endorsement. I found the display and keyboard to be exceptionally well-designed, and although some people may like "heavier" keys, the

Address correspondence to Jim Hansen, PO Box 234, New Boston, NH 03070.

Z80 Software

SOFTWARE DESCRIPTIONS

TPM (TPM I) - \$80 A Z80 only operating system which is capable of running CP/M programs. Includes many features not found in CP/M such as independent disk directory partitioning for 255 user partitions, space, time and version commands, date and time, create FCB, chain program, direct disk I/O, abbreviated commands and more! Available for North Star (either single or double density), TRS-80 Model I (offset 4200H) or II, Versafloppy or Tarbell II.

TPM-II - \$125 An expanded version of TPM which is fully CP/M compatible but still retains the extra features our customers come to depend on. This version is super FAST. Extended disk capability allows over 600K per side on an 8" disk. Available preconfigured for Versafloppy II (8" or 5"), Epson QX-10, or II or TRS-80 Model II.

CONFIGURATOR I

This package provides all the necessary programs for customizing TPM for a floppy controller which we do not support. We suggest ordering this on single density (8SD).

Includes: TPM-II (\$125), Sample BIOS (BIOS) SOURCE (\$FREE), MACRO II (\$100), LINKER (\$80), DEBUG I (\$80), QED (\$150), ZEDIT (\$50), TOP I (\$80), BASIC I (\$50) and BASIC II (\$100)

\$815 Value **NOW \$250**

CONFIGURATOR II

Includes: TPM-II (\$125), Sample BIOS (BIOS) SOURCE (\$FREE), MACRO II (\$100), MACRO III (\$150), LINKER (\$80), DEBUG I (\$80), DEBUG II (\$100), QSAL (\$200), QED (\$150), ZTEL (\$80), TOP II (\$100), BUSINESS BASIC (\$200) and MODEM SOURCE (\$40) and DISASSEMBLER (\$80)

\$1485 Value **NOW \$400**

MODEL I PROGRAMMER

This package is only for the TRS-80 Model I. Note: These are the ONLY CDL programs available for the Model I. It includes: TPM I (\$80), BUSINESS BASIC (\$200), MACRO I (\$80), DEBUG I (\$80), ZDDT (\$40), ZTEL (\$80), TOP I (\$80) and MODEM (\$40)

\$680 Value **NOW \$175**

MODEL II PROGRAMMER

This package is only for the TRS-80 Model II. It includes: TPM-II (\$125), BUSINESS BASIC (\$200), MACRO II (\$100), MACRO III (\$150), LINKER (\$80), DEBUG I (\$80), DEBUG II (\$100), QED (\$150), ZTEL (\$80), TOP II (\$100), ZDDT (\$40), ZAPPLE SOURCE (\$80), MODEM (\$40), MODEM SOURCE (\$40) and DISASSEMBLER (\$80)

\$1445 Value **NOW \$375**

BASIC I - \$50. A 12K+ basic interpreter with 7 digit precision.

BASIC II - \$100. A 12 digit precision version of Basic I

BUSINESS BASIC - \$200. A full disk extended basic with random or sequential disk file handling and 12 digit precision (even for TRIG functions). Also includes PRIVACY command to protect source code, fixed and variable record lengths, simultaneous access to multiple disk files, global editing, and more!

ACCOUNTING PACKAGE - \$300. Written in Business Basic. Includes General Ledger, Accounts Receivable/Payable, and Payroll. Set up for Hazeltine 1500 terminal. Minor modifications needed for other terminals. Provided in unprotected source form.

MACRO I - \$80. A Z80/8080 assembler which uses CDL/TDL mnemonics. Handles MACROs and generates relocatable code. Includes 14 conditionals, 16 listing controls, 54 pseudo-ops, 11 arithmetic/logical ops, local and global symbols, linkable module generation, and more!

MACRO II - \$100. An improved version of Macro I with expanded linking capabilities and more listing options. Also internal code has been greatly improved for faster more reliable operation.

MACRO III - \$150. An enhanced version of Macro II. Internal buffers have been increased to achieve a significant improvement in speed of assembly. Additional features include line numbers, cross reference, compressed PRN files, form feeds, page parity, additional pseudo-ops, internal setting of time and date, and expanded assembly-time data entry.

DEVELOPER I

Includes: MACRO I (\$80), DEBUG I (\$80), ZEDIT (\$50), TOP I (\$80), BASIC I (\$50) and BASIC II (\$100)

\$440 Value **NOW \$150**

DEVELOPER II

Includes: MACRO II (\$100), MACRO III (\$150), LINKER (\$80), DEBUG I (\$80), DEBUG II (\$100), BUSINESS BASIC (\$200), QED (\$150), TOP II (\$100), ZDDT (\$40), ZAPPLE SOURCE (\$80), MODEM SOURCE (\$40), ZTEL (\$80), and DISASSEMBLER (\$80).

\$1280 Value **NOW \$350**

DEVELOPER III

Includes: QSAL (\$200), QED (\$150), BUSINESS BASIC (\$200), ZTEL (\$80) and TOP II (\$100)

\$730 Value **NOW \$300**

COMBO

Includes: DEVELOPER II (\$1280), ACCOUNTING PACKAGE (\$300), QSAL (\$200) and 6502X (\$150)

\$1930 Value **NOW \$500**

LINKER - \$80. A linking loader for handling the linkable modules created by the above assemblers.

DEBUG I - \$80. A tool for debugging Z80 or 8080 code. Disassembles to CDL/TDL mnemonics compatible with above assemblers. Traces code even through ROM. Commands include Calculate, Display, Examine, Fill, Goto, List, Mode, Open File, Put, Set Wait, Trace, and Search.

DEBUG II - \$100. A superset of Debug I. Adds Instruction Interpreter, Radix change, Set Trap/Conditional display, Trace options, and Zap FCB.

6502X - \$150. A 6502 cross assembler. Runs on the Z80 but assembles 6502 instructions into 6502 object code! Similar features as our Macro assemblers.

QSAL - \$200. A SUPER FAST Z80 assembler. Up to 10 times faster than conventional assemblers. Directly generates code into memory in one pass but also to offset for execution in its own memory space. Pascal-like structures repeat until if, then, else, while, do begin end case of. Multiple statements per line, special register handling expressions, long symbol names, auto and modular assembly, and more! This one uses ZILOG Mnemonics.

QED - \$150. A screen editor which is both FAST and easy to learn. Commands include block delete, copy, and move to a named file or within text, repeat previous command, change, locate, find at start of line, and numerous cursor and window movement functions. Works with any CRT having clear screen, addressable cursor, clear to end of line, clear to end of screen, and 80X24.

DISK FORMATS

When ordering software specify which disk format you would like.

CODE	DESCRIPTION
8SD	8" IBM 3740 Single Density (128 bytes/26 sectors/77 tracks)
8DD	8" Double Density (256 bytes/26 sectors/77 tracks)
8XD	8" CDL Extended Density (1024 bytes/8 sectors/77 tracks) 616K)

5SD	5 25" Single Density (TRS80 Model I, Versafloppy I, Tarbell I)
5EP	5 25" Epson Double Density
5PC	5 25" IBM PC Double Density
5XE	5 25" Xerox 820 Single Density
5OS	5 25" Osborne Single Density
5ZA	5 25" Z80 Apple (Softcard compatible)

TPM INFO When ordering TPM I or II, in addition to Disk Format, please specify one of the following codes

TPM I:	CODE	DESCRIPTION
	NSSD/H	North Star Single Density for Horizon I/O
	NSSD/Z	North Star Single Density for Zapple I/O
	NSDD/H	North Star Double Density for Horizon I/O
	NSDD/Z	North Star Double Density for Zapple I/O
	TRS80-I	TRS-80 Model I (4200H Offset)
	TRS80-II	TRS-80 Model II
	VI8	Versafloppy I 8"
	VI5	Versafloppy I 5 25"
	VI18	Versafloppy II 8" (XD)
	VI15	Versafloppy II 5 25"
	TRS80-II	TRS-80 Model II (XD)

Prices and Specifications subject to change without notice.
TPM, Z80, CP/M, TRS80 are trademarks of CDL, Zilog, DRI and Tandy respectively

ZTEL - \$80. An extensive text editing language and editor modelled after DEC's TECO

ZEDIT - \$50. A mini text editor. Character/line oriented. Works well with hardcopy terminals and is easy to use. Includes macro command capability.

TOP I - \$80. A Text Output Processor for formatting manuals, documents, etc. Interprets commands which are entered into the text by an editor. Commands include justify, page number, heading, subheading, centering, and more.

TOP II - \$100. A superset of TOP I. Adds embedded control characters in the file, page at a time printing, selected portion printing, include/merge files, form feed/CRLF option for paging, instant start up, and final page ejection.

ZDDT - \$40. This is the disk version of our famous Zapple monitor. It will also load hex and relocatable files.

ZAPPLE SOURCE - \$80. This is the source to the SMB ROM version of our famous Zapple monitor. It can be used to create your own custom version or as an example of the features of our assemblers. Must be assembled using one of our assemblers.

MODEM - A communication program for file transfer between systems or using a system as a terminal. Based on the user group version but modified to work with our SMB board or TRS-80 Models I or II. You must specify which version you want.

MODEM SOURCE - \$40. For making your own custom version. Requires one of our Macro Assemblers.

DISASSEMBLER - \$80. Does bulk disassembly of object files creating source files which can be assembled by one of our assemblers.

HARDWARE

S-100 — **SMB II Bare Board \$50**, "System Monitor Board" for S-100 systems. 2 serial ports, 2 parallel ports, cassette interface, 4K memory (ROM, 2708 EPROM, 2114 RAM), and power on jump. When used with Zapple ROM below, it makes putting a S-100 system together a snap.

Zapple ROM \$35. Properly initializes SMB I/II hardware, provides a powerful debug monitor.

IBM PC — **Big Blue Z80 board \$595**. Add Z80 capability to your IBM Personal Computer. Runs CP/M programs but does not require CP/M or TPM. Complete with Z80 CPU, 64K add on memory, serial port, parallel port, time and date clock with battery backup, hard disk interface, and software to attach to PC DOS and transfer programs. Mir'd by OCS.

50% Discount on all CDL software ordered at the same time as a Big Blue (and for the Big Blue).

APPLE II — **Chairman Z80 \$345**. Add Z80 capability to your Apple II/II Plus computer. Runs CP/M programs with our more powerful TPM. Includes 64K memory add on (unlike the competition this is also useable by the 6502/DOS as well as the Z80). TPM, QSAL assembler, QED Screen Editor, and Business Basic. Mir'd by AMT Research.

Apple Special \$175. Buy the Apple Z80 Developer at the same time as the "Chairman" and pay only \$175 instead of \$325.

APPLE Z80 DEVELOPER

Includes: 6502X (\$150), MACRO II (\$100), MACRO III (\$150), QSAL (\$200), QED (\$150), LINKER (\$80), DEBUG I (\$80), DEBUG II (\$100), ZDDT (\$40) and BUSINESS BASIC (\$200)

VALUE: \$1250 **NOW \$325**

\$175 when purchased with AMT "Chairman" Board

ORDERING INFORMATION:

VISA/MasterCard/C.O.D.
Call or Write With Ordering Information....



OEMS:

Many CDL products are available for licensing to OEM's. Write to Carl Galletti with your requirements.

Dealer Inquiries Invited.

For Phone Orders ONLY Call Toll Free...

1-(800) 458-3491 (Except Pa.)

Ask For Extension #15

For information and Tech Queries call
(609) 599-2146



Computer Design Labs

342 Columbus Avenue/Trenton, NJ 08629

keyboard is one of the best I have used.

Confessions of a Reviewer

Before continuing with the review of the software for the QX-10, I would like to make a personal statement to both you, the reader, and to Epson America. My general preference in writing reviews is to open the box the buyer will get, and to comment on exactly what I find. My reason for this approach is that I want to let you know what you're in for after plunking down your money.

Unfortunately, I am not able to give a direct report on the final documentation or software that you'll find when you open up a new QX-10 computer.

The reason is that, as I am writing this review, the manuals (while nearly complete) are still being revised. Even the BIOS for CP/M is under revision.

I'm writing this review, then, without having had a chance to use the final versions of any of the software supplied with the QX-10 computer system.

The Epson people have been gracious in getting me the latest they could rip away from their software development department. (All the QX-10 software is American-made.)

The fact that they were willing to let me see their "dirty underwear" while they're still getting the final bugs out of the system is incredible for two

reasons. First, when the push is on to put the final touches on a new system, the last thing any engineer needs is a request from his marketing people to get "the latest version, no matter what the condition." Second, I'm writing for a publication that has the ability to influence sales, so it took some visceral fortitude for Epson to let me see, use and report on a product that wasn't ready for the marketplace.

With that in mind, here is what I found.

The QX-10 with CP/M—Documentation

The QX-10 is delivered with its own version of CP/M 2.2, CP+ (from Taurus Software) and Microsoft Basic, Release 5. The documentation shipped with the QX-10 consists of an operations manual, a copy of *CP/M Primer* (written by Stephen Murtha and Mitchell Waite) and a paperback copy of the Microsoft Basic manual.

The QX-10 operations manual is a 35-page booklet that describes the basic features of the system. The four chapters explain how to hook up the system and describe some of the features of the QX-10 in terms of memory, the operating system and the keyboard.


The manual also tells how to install option cards in the system expansion area (there are no expansion cards available at this time). The final section covers troubleshooting procedures.

The operations manual is nontechnical and well-written, and it should be easy to understand by the first-time user.


The 92-page *CP/M Primer*, published by Howard W. Sams & Co., is a competent introduction to the CP/M system. Eight chapters are used to describe, in elementary terms, operating system basics, memory usage and organization, system initialization, STAT and PIP and the CP/M editor, assembler and dynamic debugging tool (DDT). Three appendixes describe the internal structure of CP/M and compatible software, and a detachable CP/M reference card is provided.

The Microsoft Basic manual (titled *Microsoft Basic for the QX-10*) is actually the Microsoft user's guide and Basic reference manual combined into a single 6×9 paperback.

I presume that this manual is a preliminary offering that will be edited to better reflect the QX-10 computer. Right now, it could be accused of carrying excess baggage and of lacking some pieces.



One of the many Valdocs features is the "soft" character font. This photograph, taken directly from the screen of the QX-10, shows normal and italic characters as well as bold equivalents, selected as desired by the touch of a button in the typesyles cluster. This text can be stored as a normal text file, and can be printed just as you see it here on Epson's new FX-80 printer.



Valdocs allows impressive graphics charts to be made just by answering a few questions. This pie chart took less than a minute to design. Four questions—name, density, value and normal or "pulled-out" position—for each of the five slices must be answered. Pie, bar, line and scientific charts can all be made and stored for inclusion with text to be printed on the FX-80 printer.

Now for Concurrent CP/M-86

VEDIT - The Clear Choice for Programmers

Plus Features for Fast & Efficient Word Processing

Increasing your productivity is what a good text editor is all about. VEDIT excels by giving you a unique combination of extensive and easy to use editing features, customizability and complete hardware support. So compare VEDIT. You'll find everything you expect in a good editor plus a variety of time saving features which only VEDIT offers.

VEDIT is fully user oriented. You can use the function keys on any keyboard, or a layout you are already familiar



with - simplifying your usage and easing your learning. While most editors lose text if you run out of disk space, VEDIT lets you delete files or change disks. VEDIT is the

result of continuous enhancement and feedback from our nearly four thousand licensed users.

For program development it surpasses any other editor - with more extensive file handling, important command macro capability and special features for Pascal, PL/1, 'C', Cobol, Assembler and others. With VEDIT you will reduce your program editing time by 30% as compared to the best word processor.

For word processing, VEDIT has word wrap, adjustable margins, reformatting of paragraphs, word and paragraph functions and simple printing with imbedded printer control characters.

Command macros let you perform editing tasks you might otherwise not even attempt. Time consuming tasks for other editors (such as translations or extensive search/replace on many files), can be done by VEDIT without your intervention, even overnight if you choose.

VEDIT supports all of the new CRT terminals, video boards and 8080, Z80 and 8086 computers. We have been consistently first to support new computers - first for CP/M-86, first for MSDOS. And we will support you with any technical assistance you may need.

For the full story, purchase VEDIT risk free. Evaluate the 125 page manual and if you are not satisfied, return the package (disk unopened) for a courteous refund.

CP/M and MP/M are registered trademarks of Digital Research Inc. WordStar and WordMaster are registered trademarks of MicroPro International Corporation. Apple II is a registered trademark of Apple Computer, Inc. MS-DOS and Softcard are trademarks of Microsoft. TRS-80 is a trademark of Tandy Corporation. IBM is a trademark of International Business Machines.

Circle 49 on Reader Service card.

COMPARE VEDIT

Feature	VEDIT	WordMaster	WordStar
True Full Screen Editing	Yes	Yes	Yes
Edit files one disk in length	Yes	Yes	Yes
Compact and fast	Yes	Yes	No
Display of line and column #	Yes	No	Yes
Set/Goto text markers	Yes	No	Yes
'Undo' key to restore line	Yes	No	No
Automatic Indent/Undent	Yes	No	No
Adjustable tab positions	Yes	No	Yes
Repeat function key	Yes	Yes	No
Text move and copy	Yes	Yes	Yes
Scratchpad buffers	10	Only 1	No
Load/Save buffers on disk	Yes	No	No
Flexible command mode	Yes	Yes	No
Multiple command macros	Yes	No	No
Directory display	Yes	No	Yes
Edit additional (small) files simultaneously	Yes	No	No
Insert another disk file	Yes	Yes	Yes
Unlimited file handling	Yes	No	No
Automatic disk buffering	Yes	Yes	Yes
Recovery from 'Full Disk'	Yes	No	Some
Change disks while editing	Yes	No	No
Startup command file	Yes	No	No
Program CRT function keys	Yes	No	No
Word Wrap and reformatting	Yes	No	Yes
Printing	Simple	No	Extensive
Print formatting	No	No	Yes
Menu driven installation	Yes	No	Yes
Support newest CRT terminals	Yes	No	No
Support smart CRT functions	Yes	No	Some
Customizable keyboard layout	Yes	No	No
Available for CP/M-86	Since 1981	?	?
Available for MSDOS	Since 1981	?	Yes

Please specify your microcomputer, video board or the CRT terminal version, 8080, Z80, or 8086 code, operating system and disk format.

VISA & MasterCard

VEDIT - Disk and Manual

For 8080, Z80 or IBM PC\$150
For CP/M-86 or MSDOS\$195
Manual only\$18

Zenith Z100 and Z89 • DEC VT180 • Televideo 802
TRS-80 I, II and 16 • Xerox 820 • Apple II Softcard
SuperBrain • NorthStar • Cromemco • Altos • Vector
MP/M • CP/M-86 • MP/M-86 • MSDOS • PCDOS

IBM Personal Computer and IBM Displaywriter

CompuView

PRODUCTS, INC.

1955 Pauline Blvd., Suite 200 • Ann Arbor, Michigan 48103 • (313) 996-1299

IN AUSTRALIA DISTRIBUTED BY SOFTWARE SOURCE PTY. LTD.
89 OXFORD ST., BONDI JUNCTION, SYDNEY - (02) 389-6388

For example, the manual covers Cload and CSave, but the QX-10 does not support these cassette commands, since it has no cassette interface. (The lack of a cassette interface probably marks a mature computer design these days.)

Another example: one command apparently lacking in this Basic is one that could communicate to the serial port. No mention of it was made anywhere in the Microsoft manual.

The CP+ software documentation is bound in a wine-colored ring binder of a size I have never seen before (ten inches high by 11 inches wide). Whether Epson will distribute the documentation in this form or in something less wildy is not clear. What is clear is that CP+ makes CP/M more user-friendly, especially to someone new to computers.

CP+ basically makes CP/M into a screen-driven operating system. I counted 18 different screens, each of which controls a specific function, such as copying or erasing files, controlling a printer, setting up a printer queue, examining disk directories, and selecting and running a program from the disk.

I didn't have an opportunity to actually use CP+ on the QX-10, since it is still being configured for the system and was not operational in time for this review. Epson plans to have it installed so that, instead of the system coming up directly into CP/M, the CP+ will be the default-user interface.

Barking Up the Right Peachtree

Epson is distributing Peachtree Software as the main applications software base for the QX-10. This package includes the Electronic Spreadsheet (a VisiCalc-like electronic spreadsheet program capable of driving 253 rows of 63 columns), the Calendar Management System (a menu-driven facility-or time-scheduling system that can also provide audit trails of any given function) and Telecommunications (which allows two CP/M-based computers to send files to each other, as well as to timesharing systems).

The Peachtree Mailing List Manager can prepare labels and lists for bulk mailing, but can also serve as a reference aid to hold parts lists or bibliographies, for example.

Peachtext, which I used to prepare the QX-10 reviews, comes with a the-

sauros (which I haven't used yet) on a separate disk. When combined with the Spelling Proofreader, Peachtext makes an excellent text-processing system—especially when the merits of the QX-10 screen and keyboard are considered.

I've been using the QX-10 CP/M-based system for about six weeks. I still find minor bugs here and there, but they're rapidly being cleaned up.


Epson apparently wasn't happy with the BIOS, the computer-independent section of CP/M; the company is busily rewriting a large part of it.

I applaud the use of CP+, but don't like some of the controls it uses. If you want to go to another screen menu, for example, you must type "+" or "-" (depending on the direction). Since the "+" requires that you hit a shift and the key, and the "-" is a rather obscure key on most terminals, I would probably choose a return key for forward and maybe the backspace for reverse—these keys are large and easy to use on most terminals.

Other signs of the software not being totally integrated include the edit keys, which don't work in CP/M (I've fallen into the habit of using the edit

Circle 198 on Reader Service card.

COMPUTER KITS – FROM \$69.95



LNW SEMI-KITS can save you hundreds of dollars. By obtaining your own parts at the lowest possible cost and assembling the **LNW SEMI-KITS**, you can have the most highly acclaimed microcomputer in the industry – the **LNW80**. The **LNW SEMI-KITS** are affordable modules. You can start with a modest cassette system and expand to a full 4Mhz TRS-80 compatible system with 5 or 8 inch double density disks and color at any time.

A. LNW80 CPU – Made of high quality FR4 glass epoxy double sided circuit material, with plated-through holes and gold edge connector. It is fully solder-masked and silk screened. Here are just some of the outstanding features you will have when your **LNW80** CPU board is fully assembled: • 16K RAM • Color and black and white video • 480 x 192 high resolution graphics • 64 and 80 column video • 4 Mhz Z80A CPU • Upper and lower case display • 500 and 1000 baud cassette I/O – **\$89.95**

B. SYSTEM EXPANSION – Expand the **LNW80** computer board, **TRS-80** and **PMC-80** computer with the following features: • 32K memory • Serial RS232C and 20Ma port • Real time clock • Parallel printer port • 5 inch single density disk controller • Expansion bus (screen printer port) • Onboard power supply • Solder-masked and silk screened legend – **\$69.95** (tin plated contacts) – **\$84.95** (gold plated contacts)

C. KEYBOARD – 74 key expanded professional keyboard – includes 12 key numeric keypad. Fully assembled and tested. – **\$99.95**

D. COMPUTER CASE – This stylish instrument-quality solid steel case and hardware kit gives your **LNW80** that professional factory-built appearance. – **\$84.95** Add \$12.00 for shipping.

E. SYSTEM EXPANSION CASE – This stylish instrument-quality solid steel case and hardware kit gives your **SYSTEM EXPANSION** interface that professional factory-built appearance. – **\$59.95** Add \$10.00 for shipping.

F. LNW80 CPU – HARD TO FIND PARTS KIT – \$82.00

G. LNW80 VIDEO – HARD TO FIND PARTS KIT – \$31.00

H. SYSTEM EXPANSION – HARD TO FIND PARTS KIT – \$27.50

I. LEVEL II ROM set. (6 chip set) – \$120.00

VISA and MasterCard accepted. Add \$3.00 for shipping plus \$1.00 for each additional item. All shipments via UPS surface. Add \$2.00 for U.S. Mail. Shipments outside continental U.S.: funds must be U.S. dollars. Sufficient shipping costs must be included with payment.

ORDERS & INFORMATION – (714) 544-5744
SERVICE – (714) 641-8850

LNW Research Corp.

2620 WALNUT Tustin, CA. 92680

The Automatic Ribbon Re-Inker

Re-ink any type of ribbon (except carbon) for less than 5 cents.


Extremely simple operation. 1) Load cartridge or spool. 2) Add ink to reservoir. 3) Start motor.

We have a MAC INKER for any printer—many MAC INKER units support multiple printers.

Ink contains lubricant for safe dot matrix printhead operation. Multicolored inks available. Ask for brochure.

Computer Friends

100 Northwest 86th Avenue
Portland, Oregon 97229
(503) 297-2321



Price **\$54.95**
plus **\$3.00** S&H.
Prices slightly
higher for some
printers. Total
satisfaction or
full refund.

US Patent Pending
Dealer inquiries
welcome

MacInker

EXPAND YOUR HORIZONS
&
KISS OUR LINE NUMBERS HELLO !



YOUR LINE NUMBERS RUNNETH OVER WITH
-CLOUD NINE-
RENUMBER PROGRAM FOR YOUR 16K TIMEX/SINCLAIR 1000

SEND \$7.95 TO:

MCM ENTERPRISES · 547 JEAN STREET · SUITE · A
OAKLAND, CALIF. 94610

Add .50 for shipping and handling. California residence add 6.5 sales tax

Fly Instant Software

FLIGHT PATH

Three tantalizing flight
games that will whet your appetite
for aviation:

Mountain Pilot—Fly through treacherous Eagle Pass
loaded with supplies for the miners of Goldtown. Then RE-
TURN with a heavier load of gold bullion. Only the best pilots
can do it.

Precision Approach Radar—As air traffic controller for a fogged-in
airport, you become the eyes of the pilots too close to turn back. Only
you can get them down safely... if you don't crack under the pressure.

O'Hare—You're in charge of the control tower of a busy airport. Direct the speed
and approach of 20 planes... if you can. The safety of each person on board is in your
hands.

*TRS-80 Tape, Model I & III 16K #0171R \$14.95

SKYBOMBERS II

Air warfare becomes vivid reality as you and an opponent command fighter bombers against
each other. You must first fly over the treacherous mountain that separates your countries before
you bomb the enemy blockhouse into oblivion—that is if you're pilot enough to escape enemy
fire along the way. Game paddles required. Arcade. Sound.

**Apple II Tape Applesoft and Integer 32K 0183A \$14.95
Apple II Disk Applesoft and Integer 32K 0271AD \$24.95

NIGHT FLIGHT

Dangerous photo-recon missions await as you wing your way through the murky night with only
your instrument panel to guide you. This program lets you takeoff, land, and fly in a simulation
so real we've included the basic principles of flight in the instructions.

TRS-80 Tape Mod I and Mod III 16K 0117R \$14.95
Apple Disk Applesoft 32K 0304AD \$24.95

*TRS-80 is a trademark of the Radio Shack divi-
sion of Tandy Corporation.

**Apple is a registered trademark of Apple Com-
puter, Inc.

Instant Software

To order, use the coupon below or call toll free

1-800-258-5473

Instant Software

The best software under the sun.

Send me the following Instant Software programs:

___ copies of 0171R @ \$14.95
___ copies of 0183A @ \$14.95
___ copies of 0271AD @ \$24.95
___ copies of 0117R @ \$14.95
___ copies of 0304AD @ \$24.95

Please add \$2.50 for postage and handling

___ VISA ___ MC ___ AMEX ___ CHECK/MO

Name _____

Address _____


City _____ State _____ Zip _____

Card# _____

Interbank# _____ Exp. Date _____

Signature _____

Instant Software, Rte 101 & Elm Street, Peterborough, N.H. 03458 335B7F



pad back-arrow key to backspace, and CP/M doesn't like that). In fact, even Peachtext rejects its own editing keys when you input the name of the file to edit.

These details are being worked on and will be taken care of by the time the QX-10 is ready for market.

QX-10 with Valdoks

When you buy a QX-10 with Valdoks, you're buying a totally integrated workstation that is ready to use as soon as it is turned on.

Valdoks, which stands for "Valuable Documents," is an operating system written in a version of Forth. Underneath Valdoks is a CP/M-like operating system called TPM. Written by Technical Design Labs, TPM is much faster than CP/M—yet compatible with CP/M 2.2.

The Valdoks version of the QX-10 is menu-driven and uses a HASCI keyboard (Human Applications Standard Computer Interface), which has a Selectric-like typing area, an editing cluster, a numeric keypad and four clusters of predefined function keys.

The function keys call up operating

system features and programs normally typed into CP/M. These are grouped in two functional areas—System Controls and File Controls.

Systems Controls has keys for Stop, Help, Copy Disk and Undo. The help key can be used any time, regardless of what you are doing. Stop and Copy Disk are pretty much self-explanatory. Undo is used right after you make a blooper and want out of it.

The File Controls section has Store, Retrieve and Index for menu-driven save, load and directory commands. Additionally, Print causes text files of your choice to be formatted and sent to the printer.

The print mode uses a printer spooler so printing takes place in the background with the rest of Valdoks available. (In fact, a list of files to be printed is maintained by Valdoks. The list can be edited at any time to either add or cancel files to the printer queue.)

The mail key allows any file stored on disk to be sent (via D.C. Hayes Smartmodems or Epson modems that will be made available later) over telephone lines to other computer systems.

The mail system maintains a tele-

phone directory of your contacts, and saves both voice and data numbers. When you wish to send information, the system automatically dials and establishes contact, transfers the file and hangs up.

Other options let you see the messages that have come in for you, as well as the ones still waiting to be sent. Since the QX-10 has a calendar-clock, it is possible to automatically send mail at night, on weekends or whenever you choose.

The applications section has four functions. MENU allows the user to leave Valdoks and enter the TPM operating system. CALC allows immediate use of a basic four-function calculator (with memory) on the screen. The calculator can be used at any time; it even allows a cursor to be positioned around the screen to check numbers (or enter them) in a document that is being prepared.

SCHED is a scheduler that allows you to make appointments. It's much like an electronic desk calendar; each day has one page for appointments and one for notes. Options allow time to be reserved, an itinerary for any given date to be printed, and time events, such as meetings and phone calls, to be entered.

The draw key allows you to make pie, bar, line and scientific charts. These charts are made by answering a list of questions on a menu. When completed, they can be displayed on the screen, printed, stored as a document or trashed. If you're using an Epson printer, these charts can be inserted into text documents and printed along with the text.

The charts are of high quality. A piece of the pie, for example, can be pulled out from the center of a pie chart for emphasis. Each piece can be independently shaded and assigned its own label.

The final functional cluster of keys (Typestyles) allows the selection of the font or character design. The characters may be printed in bold or italics or both. The remaining keys—size and style—are reserved functions that will be available in later editions of the Valdoks system.

Something New

In this brief overview, I hope you've picked up the impression that Valdoks is something new.

Except for the spreadsheet, thesaurus and spellchecker, Valdoks is an integrated system that is essentially

Circle 376 on Reader Service card.

INCREDIBLE SAVINGS...

NOW

\$111.97

(Frt. Add.)

WAS 159.95


on computer furniture designed for the computer user.

Ask for free color brochure on all models discounted 30% thru July 31, 1983. Also available FREE color full-line supplies catalog.



AMPERSAND, INC.

1340 WEST BAYAUD
DENVER, COLORADO 80223
1 (303) 698-0797



THE CT709
Professional Computer
Table Model

**CALL TOLL FREE
1 (800) 525-8391**

Circle 341 on Reader Service card.

H-1000


A Z80/8086 UPGRADE FOR THE H89/Z89

HARDWARE

- plug-in replacement for the H89/Z89 CPU board; no modifications required
- dual CPUs: Z80 and 8086
- 128K RAM standard; sockets for 256K, memory expansion bus for up to 1 megabyte RAM
- 5 I/O slots
- faster program execution: 2/4 MHz for Z80, 8MHz for 8086
- fully compatible with all Heath/Zenith peripherals

SOFTWARE

- runs all Heath/Zenith software without modification
- compatible with Zenith Z 100 and IBM PC
- choice of MSDOS or CP/M-86 for the 8086
- supplied with diagnostic software package
- "ghost disk" feature: copies an entire disk in RAM for instant disk access
- supports multi-user and multi-task operating systems



Technical Micro Systems Inc.

(313) 994-0784

P.O. Box 7227, Dept. H • 336 Cloverdale • Ann Arbor, Michigan 48107

the equivalent of CP+ and the Peachtree applications software available for the CP/M version of the QX-10. Even so, Valdocs is something more.

When running, the QX-10 is no longer a computer running a text processor. It is an integrated workstation with operating features (normally available only in bits and dabs from a smattering of other software houses) that have been collected together into a cohesive unit and married to a computer system of unusual integrity.

One of the nice aspects of Valdocs is that any of the functions on the keyboard can be invoked at any time. It doesn't matter if you're in the middle of a large editing job or if you're using the mail system; you can still use the on-screen calculator or check your schedule. Another automatic feature of Valdocs is that files being edited are periodically backed up, protecting your work if power should fail.

But there is a price to pay for all this complexity and convenience. Since the screen is "soft" (meaning it is actually being used as a graphics tablet on which characters are graphed), and the editor and whole Valdocs system are written in a high-level language,

there is a perceptible delay in keyboard-to-screen operation. The delay isn't terribly objectionable, but it is there. However, with the 32-byte buffer built into the keyboard, it is unlikely that you'll ever "out-type" the QX-10 and drop characters.

Disk operation sometimes takes a little longer than you might like (this will probably change in the operational software), but at least Valdocs tells you what's going on. And the time is always printed at the bottom of the screen. The editor digitally displays the name of the file, page and line number, and the cursor position at the bottom of every page. This system talks to you, keeping you advised in a polite and friendly way about what is happening.

I haven't seen an entire operating Valdocs system run at one time, but I have seen most of the pieces working in various states of repair. The system is coming together fast, and will be on the market, I would guess, by early summer.

The Valdocs manual is written so simply that nearly anyone can use it. Perhaps the best thing that can be said for Valdocs is that the manual is not

necessary; the operating system is totally self-documenting.

Beating Up Shorelines

I'm in a real quandary. I have found the combination of the Peachtext text-processing system (even though not fully installed on my QX-10) and the QX-10 to be such a joy to use that I'm almost afraid to switch over to the Valdocs system. (I did just enough to get Peachtext operational; production systems sold by Epson will be completely adapted and installed, ready to use out of the box.) Yet, because of the price (about \$500) and the system integrity, I plan to change as soon as I can.

Valdocs and the QX-10 together make a tool for people who want to use an integrated workstation, rather than a computer that is adapted for one or more applications. Valdocs may well be the prototype of user-friendly and truly "user-useable" software of the next decade.

If Valdocs isn't the wave of the future, at least it's going to beat up a lot of shoreline. ■

Next month, Jim Hansen takes a look at how the QX-10 is used with the latest in Epson's line of printers, the FX-80.

Circle 189 on Reader Service card.

TRS-80*


100% Radio Shack Equipment

SAVE A BUNDLE

Order Toll Free 1-800-874-1551

FLA Residents 904-438-6507 collect

EPSON, OKIDATA, CITOH, TABCO Printer Switches



SALES CO.

704 W Michigan Ave; P.O. Box 8098
Pensacola, FLA 32505

*TRS-80 is a trademark of Tandy Corporation.

Micro Software Digest

Compiled by Swain Pratt

Micro Software Digest presents capsulized software reviews from various computer-related publications.

Energy Czar

System Requirements: Atari 400 or 800 with a minimum of 16K RAM

Manufacturer: Atari, Inc., 1265 Borregas Ave., Sunnyvale, CA 94086

Price: \$15

Comments: "Anyone who plays Energy Czar," says the review, "will quickly realize that even the most honorable energy decisions can have disastrous consequences." In this game, you, as America's energy czar, must make legislative decisions based on various data, and your decisions must confront public-opinion polls.

"Once you learn the ropes of Energy Czar," concludes the review, "you'll find it's no longer a game about energy but a game about economics, using energy as a backdrop." Reader Service Number 419

(Reviewed in Popular Computing, February 1983)

LogOn

System Requirements: IBM PC, Apple II or TRS-80 Model II; UCSD p-System; 64K RAM; one disk drive

Manufacturer: Ferox Microsystems, 1701 N. Fort Myer Drive, Arlington, VA 22209

Price: \$150

Comments: "LogOn," says the review, is "a smart-terminal package written in UCSD Pascal. . . LogOn is easy to use and has some valuable features, but its price is at the high end of the smart-terminal scale."

"If you are a Pascal person," concludes the review, "you may enjoy some of the benefits of LogOn and the ability it provides to keep an all-Pascal system." Reader Service Number 420

(Reviewed in InfoWorld, February 14, 1983)

The Word Processor

System Requirements: Apple II with 48K RAM or IBM PC; dual disk drives

Manufacturer: Bible Research Systems, 8804 Wildridge Drive, Austin, TX 78759

Price: \$160

Comments: The Word Processor, according to the review, "works as a Bible-study tool. . . it lets you connect any single phrase or string of characters within the Bible to all its precise reference points." The program has both Old and New Testaments in their entirety on eight double-sided floppy disks.

"The package is very user-friendly," states the review, and "stands as a monument that programmers planning to condense other massive literary works onto disk form will want to emulate." Reader Service Number 417

(Reviewed in Popular Computing, February 1983)

Word-Index II

System Requirements: 8080 or Z80-based computer; CP/M 2.2; 48K RAM; 5¼-inch or eight-inch floppy or hard disk drive

Manufacturer: Borland, Ltd., 69 Upper Georges St., Dun Laoghaire, Dublin, Republic of Ireland

Price: \$195

Comments: The review states that this is "an exceptional program . . . which operates in conjunction with WordStar to produce an outstanding table of contents and index for reports." You must possess WordStar to use it.

The review gives the program excellent ratings in all respects, and concludes: "This product is well written and a valuable addition to your software library." Reader Service Number 421

(Reviewed in InfoWorld, February 14, 1983)

Microsoft Flight Simulator

System Requirements: IBM PC; PC-DOS; 64K RAM; one disk drive; color/graphics adapter, or, better, composite color monitor

Manufacturer: Microsoft, 10700 Northup Way, Bellevue, WA 98004

Price: \$49.95

Comments: This program, says the review, is "the most sophisticated flight simulator program ever implemented for a microcomputer. 'Sophisticated' means realistic, big and challenging." There are different levels of flight difficulty, varying weather conditions and emergencies that pop up as you fly cross-country.

"In some ways," states the review, "using Flight Simulator is harder than flying a real plane. The graphics are very smooth. . . this is a helluva program. The Personal Computer is finally attracting people who can use it to its full potential." Reader Service Number 416

(Reviewed in Softalk for the IBM Personal Computer, February 1983)

Tricky Tutorials

System Requirements: Atari 400 or 800; disk drive or cassette player

Manufacturer: Educational Software, Inc., 4565 Cherry Vale Ave., Soquel, CA 95073

Price: \$99.95 for all six tutorials; \$19.95 to \$29.95 singly

Comments: Tricky Tutorials, according to the review, provides the beginner with "an easy entry into Atari's wonderful worlds of color, design and music."

"The six installments," concludes the review, "are written in an energetic, easy-to-understand style. . . It's a first-rate package that uses luxurious living color to entice you to learn more about your Atari home computer. No tricks, just treats." Reader Service Number 418

(Reviewed in Popular Computing, February 1983)

TURN YOUR BILLABLE TIME INTO RECEIVABLE CASH FASTER, MORE EFFECTIVELY WITH DATA-TIMER TIME ANALYSIS AND BILLING.

Data-Timer is the brand new computer program that manages your billable time and resources more accurately and more profitably. And it's so simple to use. Used in conjunction with your Day-Timer™ Diary, Data-Timer is the ideal package for:

business executives	physicians (either
consultants	individual or
accountants	group practice)
attorneys	medical therapists or
engineers	anyone who bills on
architects	an hourly basis
advertising execs	

What your Data-Timer will do for you!

***SAVE TIME**—free your computer for other uses—You or your secretary can enter all the required information from your Day-Timer™ Diary in real time or in just a few minutes at the end of the day.

***KEEP FAST AND ACCURATE RECORDS**—Data-Timer allows you to increase the speed, accuracy, and efficiency of your client time-accounting and billing procedures.

***GIVE INSTANT ACCESS TO CLIENT FILES**—Data-Timer displays or prints out a detail and/or summary report of all services performed for clients; also gives project status reports.

***PROVIDE PASSWORD PROTECTION**—Data-Timers built-in security system is designed to prohibit unauthorized access to the information stored on the program.

***PROVIDE DATA SELECTION BY JOB OR CLIENT**—With status reports on ACTIVE, COMPLETED, and NON-BILLABLE groups. Information can be accessed in detail or summary form. And Data-Timer offers a special Personalized Disk System, providing up to ten automatically applied job-rate codes, capacity of up to 99,999 jobs and clients and up to 17 separate time accounting entries for each day's files. The Multi-Disk feature of Data-Timer allows each user to define as many unique disks as required for his or her specified volume of work. And you can start with any month and run for one full year! Data-Timer was developed by Data-Systems Company and Day-Timer Corp., a division of Beatrice Foods, "the leader in time management systems".

Each Data-Timer Package comes complete with a Program Diskette; easy-to-follow Program Document, Day-Timer™ one full year desk scheduler, and User's Manual; a



Quick Reference Guide; and a pad of 350 Data Entry forms. And Data-Timers works on your Radio Shack™ TRS-80 Models II, 12 and 16; IBM™ Personal Computer and System 23 Datamaster; and CP/M. Minimum requirements: 64K of memory, 225K of disk storage total. And every Data-Timer Package is backed by our 100% Guarantee of Satisfaction.

SO DON'T STRUGGLE WITH YOUR BILLABLE TIME— MANAGE IT MORE EFFEC- TIVELY WITH DATA-TIMER.

Data-Timer is marketed nationally thru Day-Timer Corporation a division of Beatrice Foods, Wayne Green, Inc., and Data Systems Company. Regional Customizing Centers are available for unique personalized requirements. To order your Data-Timer Package, simply use the coupon below or call toll free 1-800-258-5473 and use your Master Card, Visa, or American Express. For additional information on what Data-Timer can do for you, check the appropriate box on the coupon. See your local dealer.

Data-Timer—It'll turn your billable time into receivable cash faster, more effectively than you ever thought possible. Dealer inquiries invited.



WAYNE GREEN INC.
PETERBOROUGH, NEW HAMPSHIRE 03458 USA

DATA SYSTEMS COMPANY
HARRISBURG, PA. 17105



Copyright 1982
DAY-TIMERS, INC.
Subsidiary of BEATRICE FOODS CO.
ALLENTOWN, PA 18001

☐ Please send me

Data-Timers

@ \$295.00

for my _____ computer.

Company _____

Name _____

Address _____

State _____

Zip _____

☐ Please send me additional information

WAYNE GREEN INC.

ATTN: SOFTWARE SALES • ELM ST. PETERBOROUGH NH 03458

Home Clock Family Bulletins

System Requirements: Timex/Sinclair 1000 or Sinclair ZX-81; 16K RAM; cassette-tape player; TV

Manufacturer: King Software, 85 Myrtle St., Lowell, MA 08150
Price: \$20

Comments: "This program," says the review, "makes of the Timex/Sinclair 1000 a combination alarm clock and bulletin board... if you spend too much time looking at [TV], Home Clock Family Bulletins will let you communicate with each other via the tube."

The program, concludes the review, "does what its title proclaims. To that extent, this is a good program." Reader Service Number 413

(Reviewed in InfoWorld, February 21, 1983)

valFORTH

System Requirements: Atari 400/800; 24K RAM; disk drive

Manufacturer: Valpar Corp., 3801 East 34 St., Suite 105, Tucson, AZ 85713

Price: \$45

Comments: valFORTH is a program which can bring the FORTH computer language to your Atari. "valFORTH," says the review, "is based on the standard model of the FORTH Interest Group (fig), with most of the core words coded in Machine Language for extra speed. It is a straightforward implementation, with very thorough documentation."

valFORTH succeeds, according to the review, "to the degree that anybody who feels confident programming in BASIC and wants to develop higher-performance type programs should certainly investigate this alternative." Reader Service Number 414

(Reviewed in Softside, issue #36)

Type Right

System Requirements: Commodore PET, 64 or 8032 machines; 8K RAM; 4040 disk drive

Manufacturer: Barron Enterprises, 714 Willow Glen Road, Santa Barbara, CA 93105

Price: \$29.95

Comments: Type Right, according to the review, "is a complete typing tutorial in 22 lesson-programs" which "provide a self-paced course of study." There are drills that are scored and games that are fun.

"The program," concludes the review, "apparently was written for tape and was merely dubbed onto disk without considering the peculiar conditions of a disk environment. These problems could be remedied by improved documentation." Reader Service Number 415

(Reviewed in InfoWorld, January 3, 1983)

Micro Barmate

System Requirements: Apple II or II Plus; 48K RAM; ROM Applesoft; one disk drive

Manufacturer: Virtual Combinatics, Box 755, Rockport, MA 01966

Price: \$30

Comments: "This unique program," says the review, "steps through the entire preparation of more than 220 popular and diverse drinks." You can also give Micro Barmate a list of the ingredients you have on hand, and the program will search out and tell you what drinks you can make.

Other features are information on alcohol-related subjects and helpful hints on planning a party. There are also, according to the review, "hints on bartending, suggestions for stocking your home bar, recipes for making your own liquors and even a calorie chart." Reader Service Number 407

(Reviewed in Softalk, March 1983)

Bug Byter

System Requirements: Apple II or II Plus; 48K RAM; ROM Applesoft; one disk drive

Manufacturer: Computer Advanced Ideas, 1442A Walnut St., Suite 341, Berkeley, CA 94709

Price: \$39.95

Comments: Bug Byter is a program to monitor your machine-language programs, states the review, by acting as an interpreter. "At the same time," says the review, "it updates the screen display of the lines being executed, the status of the stack, the values of all the registers, each flag in the status register, and user-selected memory locations."

Because of all it does, it slows up the program, but "the reduced speed is important for debugging," states the review, "because normally, when a machine-language program does something unexpected, it's moving so fast that it's in the next state before you can stop it." Reader Service Number 408

(Reviewed in Softalk, March 1983)

Cdex Training for VisiCalc

System Requirements: Apple II or II Plus; 48K RAM; ROM Applesoft; one disk drive

Manufacturer: Cdex Corp., 5050 El Camino Real, Suite 200, Los Altos, CA 94022

Price: \$49.95

Comments: This program is a quick way of training people to use the basics of VisiCalc, according to the review. "Just put the first disk into the drive... What unfolds is a graphic, interactive explanation of VisiCalc's most basic commands."

"It doesn't give in-depth coverage," concludes the review, but "for a time-short individual who wishes to learn or teach VisiCalc's basics in a hurry, quickly and painlessly, this is a good approach, well executed." Reader Service Number 411

(Reviewed in Softalk, March 1983)

Edix

System Requirements: IBM PC; PC-DOS; 96K RAM; at least one disk drive

Manufacturer: Emerging Technology Consultants, Inc., 2031 Broadway, Boulder, CO 80302

Price: \$195

Comments: Edix, according to the review, is a very useful word processor and text editor for editing programs on the IBM PC. It is not, however, suitable if you're going to write a novel.

"This editor," says the review, "includes one particularly innovative feature: the ability to edit and view more than one file at a time. If you use Edix with Wordix (also by ETC), you get text editing capabilities previously available only on large computers." Reader Service Number 402

(Reviewed in InfoWorld, March 7, 1983)

Helpware

System Requirements: IBM PC; DOS 1.1; 64K RAM; one or two disk drives

Manufacturer: Softwrights, 12606 Greenville Ave., Suite 100, Dallas, TX 75243

Price: Unavailable

Comments: "Helpware," says the review, "does for data files what a word processor does for text. It allows you to move, manipulate, save and rename pieces of data." A prime aim of Helpware, however, is to simplify the use of PC-DOS.

Aside from documentation which may give novices trouble, the review concludes that "Helpware is a fine program for people who want an easier-to-use DOS." Reader Service Number 404

(Reviewed in InfoWorld, February 21, 1983)

Verbatim® Diskettes



Top-quality Verbatim® Diskettes from **Tech•Data**, your complete word and data processing supply center. Dealer inquiries invited.


Call Toll Free
1-800-237-8931.
 In Florida, call
813-577-2794.



Tech•Data Corporation
 3251 Tech Drive North
 St. Petersburg, FL 33702

MEMOREX FLEXIBLE DISCS

WE WILL NOT BE UNDER-SOLD!! Call Free **(800)235-4137** for prices and information. Dealer inquiries invited and C.O.D.'s accepted.



PACIFIC EXCHANGES
 100 Foothill Blvd.
 San Luis Obispo, CA
 93401. In Cal. call
 (800)592-5935 or
 (805)543-1037

Basic Compiler For CP/M® Only \$99.

Assembler and link editor included.
 Requires CP/M® 2.0+ and 32k+
 3740 8" or Apple® 5" 16-sector
 disk formats only.

Send your check or money order to

JV Software
 P.O. Box 684
 Newton, MA 02162

Mass. shipments add 5% sales tax
 Free brochure available

Manual only — \$15 Refundable with
 software purchase.

CP/M is a trademark of Digital Research, Inc.
 Apple is a trademark of Apple Computer, Inc.

Free

Microprocessor Catalog
 42 page catalog of 6800-family single-board computers, interface modules and development systems. Also, resident and cross software including assemblers, compilers, BASIC interpreters and operating systems. To qualify for your free copy, call or write on your letterhead to:

WINTERK
 Wintek Corporation
 1801 South Street
 Lafayette, IN 47904
 (317) 742-8428

YORK 10 MICRO CASSETTES



**MC-10
 MC-20
 MC-30**

NEW!

From the Leading Suppliers of Computer Grade Cassettes
MICRO CASSETTES IN CONVENIENT SHORT LENGTHS
 Precision shell with leader.
 Compatible with Epson and Sharp micro cassette drives.

• SATISFACTION GUARANTEED OR MONEY BACK •

ITEM	1002	2002
MC 10	20.00	36.00
MC 20	21.50	38.00
MC 30	22.50	39.50

Price includes box and shipping in U.S.A. (Outside U.S.A. add \$1 per dozen shipping.)
 Calif. residents add sales tax

FOR IMMEDIATE SHIPMENT.
 USE YOUR VISA OR MASTERCARD CALL 213/710-1430

YORK 10 Computerware
 24573 Kittridge St., #M. Canoga Park, CA 91307

Call Us Last For The Best Price

ON TRS-80™ Computers
1-800-762-6661

RAND'S

2185 E. FRY BLVD.

and

101 W. FRY BLVD.

SIERRA VISTA, AZ 85635

PConnection

Three functions in one card slot—
 Modem, Calendar clock, Serial port!

The PConnection is a premium telecommunications card for the IBM PC with a direct connect Bell 103/113 modem, a real time clock, and a serial I/O port for expanded communications capabilities. The PConnection gives you all three functions in a single card slot!

The PConnection has autodial (Touch Tone or pulse) and autoanswer, plus a built-in speaker for line status monitoring. Software selectable protocol and modes.

The real time clock can be used to auto-dial predetermined phone numbers at preset times. Excellent for polling and remote monitoring applications.

PConnection (plug-in modem) - \$275. Enhanced PConnection with real time clock and additional RS-232 - \$375. Another quality modem from

the microperipheral corporation

2565 152nd Avenue NE
 Redmond, WA 98052
 (206) 881-7544

IBM is a registered trademark of International Business Machine Corporation

DISKETTES maxell. VERBATIM

100% ERROR FREE
 5% SS/DD

28.95
 (BOX 10)

100% ERROR FREE
 5% SS/DD

21.95
 (BOX 10)



CAPTAINS SPECIAL

RIBBONS

MX - 80

CARTRIDGE

4.95 EA.

MIN. 3

ADD 2.00 SHIP
 5% TAX IN FLA.
800-327-1013



CAPTAINS SPECIAL

VERBATIM

HEAD

CLEANING

KIT

8.95

WITH ORDER OF DISKS

M.C. VISA C.O.D.

MEGA-BYTE

Div. OF WESTWORLD


4699 S.W. 45th St.

Dept. MC

FORT LAUD., FLA 33314

305-587-1130

FEEL TRAPPED BETWEEN CAPACITY AND COST?



Processor Interface introduces the Cartridge Disk Controller for the S-100 bus. Configurable for 12 sector 2315 and 5440 type disk drives (1.25 - 10 Mbytes per drive) Complete with CPM® CBIOS, disk formatter diagnostics and technical manual low cost \$495.00

Manual only \$25.00

The performance you need at a cost you can afford



Processor Interfaces, Inc. P.O. Box 154A Elm Grove, WI 53122
 414-785-1245

Wordix

System Requirements: IBM PC; PC-DOS; 128K RAM; two disk drives; printer

Manufacturer: Emerging Technology Consultants, Inc., 2031 Broadway, Boulder, CO 80302

Price: \$195

Comments: "Wordix is an advanced text formatter," states the review, "intended to be a companion product to the editor Edix. In fact, the two programs work well independently." Edix is more appropriate for program development, while Wordix is better for manuscript writing.

The review says that you can "easily customize Wordix to perform complicated or unusual tasks." Besides long text formatting, it is good for creating manuals, reports, form letters and for address labels. Reader Service Number 403

(Reviewed in InfoWorld, March 7, 1983)

Know Your Apple

System Requirements: Apple II or II Plus; 48K RAM; ROM Applesoft; one disk drive

Manufacturer: Muse Software, 347 North Charles St., Baltimore, MD 21201

Price: \$29.95

Comments: "This program," says the review, "takes much of the mystique from the workings of the Apple." It presumes the user knows nothing about a computer, and it details the Apple's workings using hi-res pictures of the parts.

"For new users of the Apple," the review concludes, "Know Your Apple is an outstandingly worthwhile program. People learn much more easily with visual instruction than by trudging through weighty manuals." Reader Service Number 405

(Reviewed in Softalk, March 1983)

Metatrak II

System Requirements: Apple II or II Plus; 48K RAM; ROM Applesoft; one disk drive

Manufacturer: Syntauri, 3506 Waverly St., Palo Alto, CA 94306

Price: \$275

Comments: "The Syntauri people," says the review, "have created the Metatrak software to bring the basic concepts of multi-track recording to their famous AlphaSyntauri digital synthesizer." Metatrak produces tone colors through using the AlphaPlus operating system.

According to the review, "A musician may build a piece of music one track at a time, assigning any of the tone colors to any of 16 tracks. . . [Metatrak's] range of tone colors and accuracy of recording make it useful for serious production of recorded electronic music." Reader Service Number 409

(Reviewed in Softalk, March 1983)

Pandemonium

System Requirements: Apple II or II Plus; 48K RAM; ROM Applesoft; one disk drive

Manufacturer: Soft Images, 200 Route 17, Mahwah, NJ 07430

Price: \$39.95

Comments: Pandemonium, according to the review, is a game depending on solid thinking rather than flashy graphics and quick reflexes. "Pandemonium," says the review, "challenges you to form words horizontally, vertically and from top to bottom on the two diagonals of a five-box-by-five-box grid."

"The program runs quickly and smoothly," concludes the review. "Very few details have been overlooked. But watch out; this game is hard. It really makes you think." Reader Service Number 406

(Reviewed in Softalk, March 1983)

Versa-File

System Requirements: Z80-based microcomputer; CP/M and MP/M; 48K RAM; 5¼-inch or eight-inch disk; a CRT terminal with cursor positioning

Manufacturer: Analytic Management Systems, 247 High St., Palo Alto, CA 94301

Price: \$69

Comments: "Versa-File," says the review, "is a low-cost, indexed, file-management system . . . it has selection and sorting features as well as a convenient interface with WordStar." To use this program, however, you must know how to use a text editor to create files.

"Initially this package is frustrating," concludes the review, "due to the mandatory text editor and screen documentation that is not thorough. However, after you have designed the screens and formatted the reports, Versa-File is easy to use. . . At \$69, this program is well worth the price!" Reader Service Number 412

(Reviewed in InfoWorld, February 21, 1983)

Time Accountant

System Requirements: Commodore CBM 8032; 32K RAM; 8050 disk preferred; wide-carriage printer

Manufacturer: Image Software, 3678 Nicole, Las Vegas, NV 89120

Price: \$425

Comments: The Time Accountant, the review states, "provides lawyers, accountants and other professionals with a convenient and accurate hourly-rate billing system. . . with the one-megabyte floppy-disk drive, it can accommodate 800 clients and 13,060 billable transactions."

"The complex chain of menu selections," says the review, "is well-documented and self-evident to users familiar with law-office practice." The review concludes that "this is a smooth-running and fast time-accounting system." Reader Service Number 401

(Reviewed in InfoWorld, March 7, 1983)

Sherwood Forest

System Requirements: Apple II or II Plus; 48K RAM; ROM Applesoft; one disk drive

Manufacturer: Phoenix Software, 64 Lake Zurich Drive, Lake Zurich, IL 60047

Price: \$34.95

Comments: In Sherwood Forest, an adventure with excellent graphics, according to the review, "the player gets to be Robin Hood—only he's been away and none of his friends recognize him." Robin has to get back with his friends, win Maid Marian and outwit the sheriff.

"The puzzles are fun and mostly logical," concludes the review. "The story hasn't great depth, but it's light, humorous and enjoyable to play." Reader Service Number 410

(Reviewed in Softalk, March 1983)

InfoWorld, published by Popular Computing, Inc., 375 Cochituate Road, Box 880, Framingham, MA 01701.

Popular Computing, published by BYTE Publications, Inc., 70 Main St., Peterborough, NH 03458.

Softalk, 11160 McCormick St., North Hollywood, CA 91601.

Softalk for the IBM Personal Computer, published by Softalk Publishing Company, 11160 McCormick St., North Hollywood, CA 91601.

Softside, 6 South Stret, Milford, NH 03055.

Table. Addresses of the magazines publishing the software reviews digested in this department.

MAKE IT EASY TO SAVE your copies of MICROCOMPUTING

Your magazine library is your prime reference source—keep it handy and keep it neat with these strong library shelf boxes. They are made of white corrugated cardboard and are dust resistant. Use them to keep *all* your magazines orderly yet available for constant reference.

Self-sticking labels are available for the following:

80 Micro	73 Magazine	Radio Electronics
Microcomputing	QST	Personal Computing
inCider	CQ	Byte
Desktop Computing	Ham Radio	Interface Age

One box (BX1000) is \$2.00, 2-7 boxes (BX1001) are \$1.50 each, and 8 or more boxes (BX1002) are \$1.25 each. Be sure to specify which labels we should send.

Call TOLL-FREE for credit card orders:
1-800-258-5473

Or use the order form in this magazine and mail to:

MICROCOMPUTING

Attn: Book Sales, Peterborough, NH 03458

☐ SHIPPING AND HANDLING CHARGES \$2.00 per order ☐

FREE ESTIMATES COST MONEY

GROUT & ASSOCIATES

EXBIDITE
COST ESTIMATES
CONTRACT BIDDING



If you give estimates in order to secure business for your company, you know they take time and cost you MONEY!

TO CUT THE COST OF ESTIMATING AND PROMOTE YOUR BUSINESS, YOU NEED EXBIDITE

Compiling cost estimates or contract bids becomes easy with **EXBIDITE**. The **EXBIDITE SOFTWARE PACKAGE** enables salesmen to quickly and efficiently create itemized estimates based upon inventory items and services requested by a customer.

The estimate lists items or services, quantities, price, totals, as well as information identifying the company, customer, annotations, terms and type of project.

Once created, the estimate can be printed for the customer and stored on disk for easy reference or updating later, alleviating the need for long recalculations should the details of the client's request change.

EXBIDITE is ideal for businesses like the retail lumber industry which routinely create bids from long lists of materials requested by customers. Prices can be easily updated, and the margin of profit for each estimate can be adjusted according to individual items or across the entire estimate. **EXBIDITE** can handle an unlimited number of inventory items. Included is a program which creates inventory tables, simplifying the initial creation of an inventory data base.

EXBIDITE is a basic software package available for the TRS-80 MODEL I and III. One disk drive, a printer, and 48k of memory are required. Documentation is clearly written and includes an easy to follow tutorial enabling the user to quickly learn the programs.

AND THE IBM PC!

PRICE: \$39.95

EXBIDITE is available from
GROUT & ASSOCIATES
26324 Edgewater Blvd. N.W.
Poulsbo, Washington 98370
415 - 472-7183

- Professional Appearance
- Minimize Errors
- Save Time
- Pinpoint Profits
- Maximize Business

NANO
SYSTEMS CORP.

SYSTEM REFERENCE CARDS

"This is a quality document and is beautifully conceived and produced. . . I am in awe of your magnificent document."
H.W.W., Dayton, Ohio

Send Check or Money Order

CARD	ORDER NO.	PRICE
MODEL I: BASIC & Assembler	FC1002	\$4.95
MODEL I: BASIC Only	FC1001	2.95
MODEL II: BASIC & Assembler	FC1005	5.95
MODEL III: BASIC & Assembler	FC1003	5.95
MODEL III: BASIC Only	FC1004	3.95
COLOR: BASIC & Extended	FC1006	4.95
POCKET: BASIC	FC1009	2.95
APPLE II + II PLUS: BASIC & 6502	FC1008	4.95
APPLE II + II PLUS: BASIC Only	FC1007	3.95

NEW!




NEW!
Heath/Zenith
HDOS 2.0
FC1014 \$5.95

Z80
MICROPROCESSOR
FC1011 \$4.95

ZX80, ZX81 and
Timex Sinclair
1000
FC1012 \$5.95

Call TOLL-FREE for Credit Card Orders **1-800-258-5473**. Or, send your order with payment or complete credit card information to:

WAYNE GREEN BOOKS • Retail Sales • Peterborough, NH 03458
Enclose \$1.00 per order for shipping and handling



*TRS-80 is a Registered Trademark of Tandy Corp.
APPLE is a Registered Trademark of APPLE COMPUTER, INC.
*Z80 is a Registered Trademark of Zilog, Inc.

Introductory Special Interests

M
I
C
R
O
C
O
M
P
U
T
I
N
G
B
O
O
K
S



THE 8086/8088 PRIMER—An Introduction to their Architecture, System Design and Programming, Second Edition by Stephen P. Morse. This is written by the man responsible for the design of the 8086 microprocessor and provides novices and professionals alike with a thorough Introduction to Intel's 8086 and 8088 microprocessors. The book discusses architecture—the machine organization of the 8086/8088, covering register and memory structure, addressing modes and the 8086/8088 instruction set. Chapters on programming include a low level programming language, ASM-86, and a high level language, PL/M-86, plus the PASCAL language. BK1274 \$10.95

MICROCOMPUTER DATA COMMUNICATIONS SYSTEMS by Frank J. Derfler. This text has a lot of good information on message systems and information utilities; the fundamentals of data communications, modems, terminals, and software for specific microcomputers. Interesting and informative for the beginner, yet a good reference for the experienced data communications user. BK1243 \$12.95

MASTERING CP/M—by Alan R. Miller. For advanced CP/M users or systems programmers who want maximum use of the CP/M operating system, this book takes up where the *CP/M Handbook* leaves off. It will give you an in-depth understanding of the CP/M modules such as CCP (Console Command Processor), BIOS (Basic Input/Output System), and BDOS (Basic Disk Operating System). It explains the incorporation of additional peripherals to the system, console I/O, the use of the file control block and much more. It also includes a library of useful macros and a comprehensive set of appendices. BK1263 \$15.95

DON'T (or How to Care for Your Computer)—by Rodnay Zaks. In plain language, with numerous illustrations, this book tells all the do's and don't's of the care, preservation and correct operation of the small computer system. Specific chapters cover each piece of hardware and software, as well as safety and security precautions and help for problem situations. Have your computer work right the first time and keep it working. No technical background required. For all computer users. BK1237 \$11.95.

YOUR FIRST COMPUTER—by Rodnay Zaks. Whether you are using a computer, thinking about using one or considering purchasing one, this book is indispensable. It explains what a computer system is, what it can do, how it works and how to select various components and peripheral units. It is written in everyday language and contains invaluable information for the novice and the experienced programmer. (The first edition of this book was published under the title "An Introduction to Personal and Business Computing") BK1191 \$8.95*

MICROPROCESSOR INTERFACING TECHNIQUES—by Austin Lesca & Rodnay Zaks—will teach you how to interconnect a complete system and interface it to all the usual peripherals. It covers hardware and software skills and techniques, including the use and design of model buses such as the IEEE 488 or S-100. BK1037 \$17.95.*

THE CP/M HANDBOOK (with MP/M)—by Rodnay Zaks. A complete guide and reference handbook for CP/M—the industry standard in operating systems. Step-by-step instruction for everything from turning on the system and inserting the diskette to correct user discipline and remedial action for problem situations. This also includes a complete discussion of all versions of CP/M up to and including 2.2, MP/M and CDOS. BK1187 \$14.95.*



HOW TO MAKE MONEY WITH COMPUTERS—In 10 information-packed chapters, Jerry Felsen describes more than 30 computer-related, money-making, high profit, low capital investment opportunities. BK1003 \$15.00.*

A USER GUIDE TO THE UNIX SYSTEM by Jean Yates and Rebecca Thomas. Here at last is a clearly written book that allows you to use the Unix operating system easily, and at a fraction of the time it previously took. If you're using, evaluating or simply curious about this system, this is your book. BK1242 \$15.99

WORDSTAR MADE EASY by Walter A. Ettlin. Now WordStar is as simple to learn as it is easy to use. This book teaches WordStar in 14 easy lessons, saving hours of hard work. It comes with a convenient pull-out Command Card. BK1239 \$11.95

INTRODUCTION TO WORD PROCESSING by Hal Glatzer. This book explains in plain language what a word processor can do, how to use one, how it improves productivity—especially in businesses that handle lots of words—and how to buy one wisely. No technical knowledge required, for all first-time users and those considering purchasing a word processor. BK1238 \$12.95

WAYNE GREEN BOOKS



TEXTEDIT—A Complete Word Processing System in Kit Form—by Irwin Rappaport. TEXTEDIT is an inexpensive word processor that you can adapt to suit your differing needs—from form letters to lengthy texts. Written in TRS-80 Disk BASIC, the system consists of several modules, permitting the loading and use of only those portions needed. A disk is also available which provides the direct loading of the modules, however, the book is required for documentation. For Model I and III with TRSDOS CONVERT, one disk drive (2 disk drives or copy utility needed to transfer to system disk). Runs under TRSDOS 2.2/2.3. May not function under other systems. BK7387 \$9.97 Disk DS7387 \$19.97

THE SELECTRIC INTERFACE—by George Young. You need the quality print that a daisy wheel printer provides but the thought of buying one makes your wallet wilt. **SELECTRIC™ INTERFACE**, a step-by-step guide to interfacing an IBM Selectric I/O Writer to your microcomputer, will give you that quality at a fraction of the price. George Young, co-author of *Kilobaud Microcomputing* magazine's popular "Kilobaud Klassroom" series, offers a low-cost alternative to buying a daisy wheel printer. **SELECTRIC INTERFACE** includes: step-by-step instructions, tips on purchasing a used Selectric, information on various Selectric models, including the 2740, 2980, and Dura 1041, driver software for 280, 8080, and 6502 chips, tips on interfacing techniques. With **SELECTRIC INTERFACE** and some background in electronics, you can have a high-quality, low-cost, letter-quality printer. Petals not included. BK7388 (125 pages) \$12.97

COMPUTER CARNIVAL—by Richard Ramella. Your child can become a crackjack computerist with the sixty TRS-80 Level II programs in **COMPUTER CARNIVAL**. This large-type, spiral bound book for beginners is a veritable funhouse of games, graphics, quizzes and puzzles. Written by 80 Micro columnist Richard Ramella, the programs are challenging enough to ensure continued learning, yet short enough to provide your child with the immediate delight and reward of mastering basic computing skills. And for even greater enjoyment, get the **CARNIVAL COMPANION**, a 30-minute cassette containing all the programs in the book. Eliminates tiresome typing and lets your child spend more time enjoying the programs. BK7389 \$16.97 CD7389 Book and Cassette \$24.97

THE NEW WEATHER SATELLITE HANDBOOK—by Dr. Ralph E. Taggart WB8DQT. Here is the completely updated and revised edition containing all the information on the most sophisticated and effective spacecraft now in orbit. This book serves both the experienced amateur satellite enthusiast and the newcomer. It is an introduction to satellite watching, providing all the information required to construct a complete and highly effective ground station. Solid hardware designs and all the instructions necessary to operate the equipment are included. For experimenters who are operating stations, the book details all procedures necessary to modify equipment for the new series of spacecraft. Amateur weather satellite activity represents a unique blend of interests encompassing electronics, meteorology and astronautics. Join the privileged few in watching the spectacle of earth as seen from space on your own monitoring equipment. BK7383 \$8.95.*

KILOBAUD KLASROOM—by George Young and Peter Stark. Learning electronics theory without practice isn't easy. And it's no fun to build an electronics project that you can't use. *Kilobaud Klassroom* the popular series first published in *Kilobaud Microcomputing*, combines theory with practice. This is a practical course in digital electronics. It starts out with very simple electronics projects, and by the end of the course you'll construct your own working microcomputer!

Authors Young and Stark are experienced teachers, and their approach is simple and direct. Whether you're learning at home or in the classroom, this book provides you with a solid background in electronics—and you'll own a computer that you built yourself! BK7386 \$14.95

ANNOTATED BASIC A New Technique for Neophytes—Put your BASIC knowledge to work for you with this 2-volume set of TRS-80 Level II BASIC programs. Gain a better understanding of the elements and techniques involved in programming. *Annotated BASIC's* uniquely designed format breaks each program down for you to include: initial documentation and instruction, definitions of New BASIC Concepts, flowchart, annotations of sections, showing how each part fits into the whole, and explaining why certain BASIC commands are chosen over similar ones. Using the programs as they are or modifying them to sharpen your programming skills, *Annotated BASIC* is a helpful tool for any BASIC programmer. BK7384 (Vol. 1, 152 pages) \$10.95 BK7385 (Vol. 2, 136 pages) \$10.95

*Use the order card in this magazine or itemize your order on a separate piece of paper and mail to *Microcomputing Book Department* • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. All orders add \$1.50 for the first book, \$1.00 each additional book for U.S. and foreign surface. \$10.00 per book foreign airmail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the above address.

FOR TOLL FREE ORDERING CALL 1-800-258-5473

Programming/Languages

6502/Apple/Vic

ASSEMBLY LANGUAGE PROGRAMMING FOR THE APPLE II—by Robert Mottolz. This comprehensive, easy to understand introduction provides solid groundwork for getting started in assembly language programming on the Apple II.® Many subroutines written in assembly language are provided, and most explanations are shown with equivalent examples in BASIC. There's an excellent section on hexadecimal arithmetic included, as well as appendices for further study. BK1249 \$12.95

APPLE MACHINE LANGUAGE—by Don Inman and Kurt Inman. APPLE MACHINE LANGUAGE builds upon your previous knowledge of BASIC, and teaches you the machine language in small, easy, completely illustrated steps. Following this guide, you will be able to write machine language programs directly, using the Apple System Monitor. Each new program is thoroughly presented in functional blocks, with sketches of how each step will actually appear on the video screen. Soon you will be entering and executing your own machine language programs, with predictable results! BK1248 \$14.95

APPLE BASIC FOR BUSINESS: for the Apple II—by Alan J. Parker and John Stewart. Unlike most introductory BASIC books, this book uses files extensively. It is written specifically for the Apple II microcomputer with DOS Version 3.2. All programs presented are compatible with DOS Version 3.3. With the emphasis on problem-solving, the focus of this book is the point at which problem elements meet language capabilities. BK1247 \$15.95




THE CUSTOM APPLE AND OTHER MYSTERIES—by Winifred Hofacker and Ekkehard Floegel. This is the guide to customizing Apple software and hardware, published by the folks at IJ6. It contains such hands on information such as: data acquisition and control applications, Programming the 6522 Internal timer, Constructing the 6522 I/O board, An Eeprom Burner for the Apple Computer, An Eeprom/RAM board, The Apple Slot Repeater, and much, much more. BK1246 \$24.95.

THE APPLE II USER'S GUIDE—By Lon Poole, Martin McNiff, and Steven Cook This guide is the key to unlocking the full power of your Apple II or Apple II Plus. Topics include: "Applesoft and Integer BASIC Programming"—especially how to make the best use of Apple's sound, color and graphics capabilities, "Machine Level Programming," "Hardware Features"—which covers the disk drive and printer, and "Advanced Programming"—describing high resolution graphics techniques and other advanced applications. Well organized and easy to use. BK1220 \$16.95

SOME COMMON BASIC PROGRAMS, APPLE II EDITION—by Lon Poole et al. A powerful collection of financial, statistical, home management and mathematics programs—76 in all—Each program is presented with BASIC source code, operating instructions and descriptions. If you're a beginning programmer you can learn from this book what well designed and documented programs look like. BK1232 \$14.95

PROGRAMMING THE 6502 (Third Edition) By Rodney Zaks—Has designed a self-contained text to learn programming, using the 6502. It can be used by a person who has never programmed before, and should be of value to anyone using the 6502. The many exercises will allow you to test yourself and practice the concepts presented. BK1005 \$13.95

COMPUTE!'S 1ST BOOK OF VIC—Compiled by the Editor of *COMPUTE!* Magazine. This book is a selection of some of the finest articles on the Vic 20 that have appeared in *COMPUTE!* Magazine, and a collection of previously unpublished material. Whether you are just starting out with your Vic, or are already an advanced user, you'll quickly discover that this book is a valuable addition to your computer library. Easy to use, spiral bound. BK1255 \$12.95



LEARNING IBM BASIC FOR THE PERSONAL COMPUTER—by David A. Lien This is a comprehensive how-to book that will help you get the most for your IBM-PC. A complete BASIC tutorial, it puts your PC to work while you learn BASIC. This has been written with the beginner in mind and encourages learning in a relaxed and enjoyable manner with its easy step-by-step instructions. It's also an excellent text for the classroom. BK1273 \$19.95

Basic/Pascal

THE BASIC HANDBOOK—SECOND EDITION—by David Lien. This book is unique. It is a virtual ENCYCLOPEDIA of BASIC. While not favoring one computer over another, it explains over 250 BASIC words, how to use them and alternate strategies. If a computer does not possess the capabilities of a needed or specified word, there are often ways to accomplish the same function by using another word or combination of words. That's where the HANDBOOK comes in. It helps you get the most from your computer, be it a "bottom-of-the-line" micro or an oversized monster. BK1174 \$19.95.

INTRODUCTION TO PASCAL—by Rodney Zaks. A step-by-step introduction for anyone wanting to learn the language quickly and completely. Each concept is explained simply and in a logical order. All features of the language are presented in a clear, easy-to-understand format with exercises to test the reader at the end of each chapter. It describes both standard PASCAL and UCSD PASCAL—the most widely used dialect for small computers. No computer or programming experience is necessary. BK1189 \$14.95.

PROGRAMMING IN PASCAL—by Peter Grogono. A NEW REVISED EDITION. The computer programming language PASCAL was the first language to embody in a coherent way the concepts of structured programming, which has been defined by Edsger Dijkstra and C.A.R. Hoare. As such, it is a landmark in the development of programming languages. PASCAL was developed by Niklaus Wirth in Zurich; it is derived from the language ALGOL 60 but is more powerful and easier to use. PASCAL is now widely accepted as a useful language that can be efficiently implemented, and as an excellent teaching tool. It does not assume knowledge of any other programming language; it is therefore suitable for an introductory course. BK1140 \$12.95.

MICROBOOK: DATA BASE MANAGEMENT FOR THE APPLE II—by Ted Lewis This book provides you with an affordable data base management system for your Apple II. These programs turn your Apple II into a combination filing cabinet, information gathering/retrieval system and data processing engine. Written in Pascal, the program simulate a library. Information is maintained and broken down into books, chapters and pages and index to pages. Photographs of the Apple II screen are abundant, and they show you step-by-step the effect of each of your entries. Microbook can be used for almost any application involving the storage and retrieval of information. BK1261 \$19.95

APPLE GRAPHICS AND ARCADE GAME DESIGN—by Jeffrey Stanton The only book available that explains how to design arcade games from start to finish through the use of text, flow charts and working examples. Learn how to speed up your graphics, and the theory of how to design a playable game. This book requires a solid foundation in BASIC programming on the Apple II. BK1259 \$19.95

THE APPLE CONNECTION—by James W. Coffron Connect your Apple to household appliances for greater control. With this book you will learn about elementary interfacing and about BASIC programming, including input/output techniques and devices, building real systems, and even analog to digital and digital to analog conversion. All programs are written in BASIC and no prior electronic knowledge is required. BK1262 \$12.95

INSIDE LEVEL II—For machine language programmers. This is a comprehensive reference guide to the Level II ROMs, allowing easy utilization of the sophisticated routines they contain. It concisely explains set-ups, calling sequences, variable passage and I/O routines. Part II presents an entirely new composite program structure which unloads under the SYSTEM command and executes in both BASIC and machine code with the speed and efficiency of a compiler. Special consideration is given to disk systems. BK1183 \$15.95.

PROGRAMMING THE Z-80—by Rodney Zaks. Here is assembly language programming for the Z-80 presented as a progressive, step-by-step course. This book is both an educational text and a self-contained reference book, useful to both the beginning and the experienced programmer who wish to learn about the Z-80. Exercises to test the reader are included. BK1122 \$15.95.

Z-80 ASSEMBLY LANGUAGE PROGRAMMING—by Lance A. Leventhal. This book thoroughly covers the Z-80 instruction set, abounding in simple programming examples illustrating software development concepts and actual assembly language usage. Features include Z-80 I/O devices and interfacing methods, assembler conventions, and comparisons with 8080A/8085 instruction sets and interrupt structure. BK1177 \$16.99.

68000 MICROPROCESSOR HANDBOOK—By Gerry Kane. Whether you're currently using the 68000, planning to use it, or simply curious about one of the newest and most powerful microprocessors, this handbook has all the answers. A clear presentation of signal conversions, timing diagram conventions, functional logic, three different instruction set tables, exception processing, and family support devices provides more information about the 68000 than the manufacturer's data sheets. A stand alone reference book which can also be used as a supplement to *An Introduction to Microcomputers: Vol. 2—Some Real Microprocessors*. BK1216 \$9.95

68000 ASSEMBLY LANGUAGE PROGRAMMING—by Gerry Kane, et al. A straightforward self teaching text book on assembly language programming for the 68000 microprocessor. This book contains the entire instruction set, describes the function of assemblers and assembly instructions and discusses basic software development concepts. A large number of practical programming examples are included. BK1233 \$16.99

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

FOR TOLL FREE ORDERING CALL 1-800-258-5473

MICROCOMPUTING BOOKS

Z-80

68000/6809

4164

**64K DYNAMIC
200 NS**

\$595

TMM2016

**2KX8 STATIC
200 NS**

\$415

STATIC RAMS

2101	256 x 4 (450ns)	1.95
5101	256 x 4 (450ns) (cmos)	3.95
2102-1	1024 x 1 (450ns)	.89
2102L-4	1024 x 1 (450ns) (LP)	.99
2102L-2	1024 x 1 (250ns) (LP)	1.49
2111	256 x 4 (450ns)	2.49
2112	256 x 4 (450ns)	2.99
2114	1024 x 4 (450ns)	8/9.95
2114L-4	1024 x 4 (450ns) (LP)	8/12.95
2114L-3	1024 x 4 (300ns) (LP)	8/13.45
2114L-2	1024 x 4 (200ns) (LP)	8/13.95
2147	4096 x 1 (55ns)	4.95
TMS4044-4	4096 x 1 (450ns)	3.49
TMS4044-3	4096 x 1 (300ns)	3.99
TMS4044-2	4096 x 1 (200ns)	4.49
MK4118	1024 x 8 (250ns)	9.95
TMM2016-200	2048 x 8 (200ns)	4.15
TMM2016-150	2048 x 8 (150ns)	4.95
TMM2016-100	2048 x 8 (100ns)	6.15
HM6116-4	2048 x 8 (200ns) (cmos)	4.75
HM6116-3	2048 x 8 (150ns) (cmos)	4.95
HM6116-2	2048 x 8 (120ns) (cmos)	4.95
HM6116LP-4	2048 x 8 (200ns) (cmos) (LP)	5.95
HM6116LP-3	2048 x 8 (150ns) (cmos) (LP)	6.95
HM6116LP-2	2048 x 8 (120ns) (cmos) (LP)	10.95
Z-6132	4096 x 8 (300ns) (Qstat)	34.95

LP = Low Power Qstat = Quasi-Static

DYNAMIC RAMS

TMS4027	4096 x 1 (250ns)	1.99
UPD411	4096 x 1 (300ns)	3.00
MM5280	4096 x 1 (300ns)	3.00
MK4108	8192 x 1 (200ns)	1.95
MM5298	8192 x 1 (250ns)	1.85
4116-300	16384 x 1 (300ns)	8/11.75
4116-250	16384 x 1 (250ns)	8/11.95
4116-200	16384 x 1 (200ns)	8/12.95
4116-150	16384 x 1 (150ns)	8/14.95
4116-120	16384 x 1 (120ns)	8/29.95
2118	16384 x 1 (150ns) (5v)	4.95
4164-200	65536 x 1 (200ns) (5v)	5.95
4164-150	65536 x 1 (150ns) (5v)	6.95

5V = single 5 volt supply

EPROMS

1702	256 x 8 (1us)	4.50
2708	1024 x 8 (450ns)	3.95
2758	1024 x 8 (450ns) (5v)	5.95
2716	2048 x 8 (450ns) (5v)	3.95
2716-1	2048 x 8 (350ns) (5v)	5.95
TMS2516	2048 x 8 (450ns) (5v)	5.50
TMS2716	2048 x 8 (450ns) (5v)	7.95
TMS2532	4096 x 8 (450ns) (5v)	5.95
2732	4096 x 8 (450ns) (5v)	4.95
2732-250	4096 x 8 (250ns) (5v)	8.95
2732-200	4096 x 8 (200ns) (5v)	11.95
2764	8192 x 8 (450ns) (5v)	9.95
2764-250	8192 x 8 (250ns) (5v)	14.95
2764-200	8192 x 8 (200ns) (5v)	24.95
TMS2564	8192 x 8 (450ns) (5v)	17.95
MC68764	8192 x 8 (450ns) (5v) (24 pin)	39.95

5v = Single 5 Volt Supply

EPROM ERASERS

	Timer	Capacity Chip	Intensity (uW/Cm ²)	
PE-14		6	5,200	83.00
PE-14T	X	6	5,200	119.00
PE-24T	X	9	6,700	175.00
PL-265T	X	20	6,700	255.00
PR-125T	X	16	15,000	349.00
PR-320	X	32	15,000	595.00

Z-80

2.5 Mhz	
Z80-CPU	3.95
Z80-CTC	4.49
Z80-DART	10.95
Z80-DMA	14.95
Z80-PIO	4.49
Z80-SIO/0	16.95
Z80-SIO/1	16.95
Z80-SIO/2	16.95
Z80-SIO/9	16.95

4.0 Mhz	
Z80A-CPU	4.95
Z80A-CTC	4.95
Z80A-DART	11.95
Z80A-DMA	16.95
Z80A-PIO	4.95
Z80A-SIO/0	16.95
Z80A-SIO/1	16.95
Z80A-SIO/2	16.95
Z80A-SIO/9	16.95

6.0 Mhz	
Z80B-CPU	11.95
Z80B-CTC	13.95
Z80B-PIO	13.95
Z80B-DART	19.95

ZILOG	
Z6132	34.95
Z8671	39.95

CRYSTALS

32.768 khz	1.95
1.0 mhz	4.95
1.8432	4.95
2.0	3.95
2.097152	3.95
2.4576	3.95
3.2768	3.95
3.579535	3.95
4.0	3.95
5.0	3.95
5.0688	3.95
5.185	3.95
5.7143	3.95
6.0	3.95
6.144	3.95
6.5536	3.95
8.0	3.95
10.738635	3.95
14.31818	3.95
15.0	3.95
16.0	3.95
17.430	3.95
18.0	3.95
18.432	3.95
20.0	3.95
22.1184	3.95
32.0	3.95

CRT CONTROLLERS

6845	14.95
68B45	35.95
HD46505SP	15.95
6847	12.25
MC1372	6.95
68047	24.95
8275	29.95
7220	99.95
CRT5027	39.95
CRT5037	49.95
TMS9918A	39.95
DP8350	49.95

KEYBOARD CHIPS

AY5-2376	11.95
AY5-3600	11.95

8000

8035	5.95
8039	6.95
INS-8060	17.95
INS-8073	24.95
8080	3.95
8085	5.95
8085A-2	11.95
8086	29.95
8087	CALL
8088	39.95
8089	89.95
8155	6.95
8155-2	7.95
8156	6.95
8185	29.95
8185-2	39.95
8741	39.95
8748	24.95
8755	24.95

8200

8202	24.95
8203	39.95
8205	3.50
8212	1.80
8214	3.85
8216	1.75
8224	2.25
8226	1.80
8228	3.49
8231	call
8237	19.95
8237-5	21.95
8238	4.49
8243	4.45
8250	10.95
8251	4.49
8253	6.95
8253-5	7.95
8255	4.49
8255-5	5.25
8257	7.95
8257-5	8.95
8259	6.90
8259-5	7.50
8271	39.95
8272	39.95
8275	29.95
8279	8.95
8279-5	10.00
8282	6.50
8283	6.50
8284	5.50
8286	6.50
8287	6.50
8288	25.00
8289	49.95

DISC CONTROLLERS

1771	16.95
1791	24.95
1793	26.95
1795	49.95
1797	49.95
2791	54.95
2793	54.95
2795	59.95
2797	59.95
6843	34.95
8272	39.95
UPD765	39.95
1691	17.95
2143	18.95

CONNECTORS

RS232 MALE	2.50
RS232 FEMALE	3.25
RS232 HOOD	1.25
S-100 ST	3.95

6800

68000	59.95
6800	3.95
6802	7.95
6808	13.90
6809E	19.95
6809	11.95
6810	2.95
6820	4.35
6821	3.25
6828	14.95
6840	12.95
6843	34.95
6844	25.95
6845	14.95
6847	11.95
6850	3.25
6852	5.75
6860	9.95
6862	11.95
6875	6.95
6880	2.25
6883	22.95
68047	24.95
68488	19.95
6800 = 1MHZ	
68B00	10.95
68B02	22.25
68B09E	29.95
68B09	29.95
68B10	6.95
68B21	6.95
68B45	19.95
68B50	5.95
6800 = 2 MHZ	

6500

6502	4.95
6504	6.95
6505	8.95
6507	9.95
6520	4.35
6522	7.95
6532	9.95
6545	22.50
6551	11.85
2 MHZ	
6502A	6.95
6522A	9.95
6532A	11.95
6545A	27.95
6551A	11.95
3 MHZ	
6502B	14.95

UARTS

AY3-1014	6.95
AY5-1013	3.95
AY3-1015	6.95
PT1472	9.95
TR1602	3.95
2350	9.95
2651	8.95
TMS6011	5.95
IM6402	7.95
IM6403	8.95
INS8250	10.95

GENERATORS BIT-RATE

MC14411	11.95
BR1941	11.95
4702	12.95
COM5016	16.95
COM8116	10.95
MM5307	10.95
FUNCTION	
MC4024	3.95
LM566	1.49
XR2206	3.75
8038	3.95

74LS00

74LS00	.24	74LS173	
74LS01	.25	74LS174	
74LS02	.25	74LS175	
74LS03	.25	74LS181	2.95
74LS04	.24	74LS189	8.95
74LS05	.25	74LS190	
74LS08	.28	74LS191	
74LS09	.29	74LS192	
74LS10	.25	74LS193	
74LS11	.35	74LS194	
74LS12	.35	74LS195	
74LS13	.45	74LS196	
74LS14	.59	74LS197	
74LS15	.35	74LS221	
74LS20	.25	74LS240	
74LS21	.29	74LS241	
74LS22	.25	74LS242	
74LS26	.29	74LS243	
74LS27	.29	74LS244	
74LS28	.35	74LS245	1.49
74LS30	.25	74LS247	
74LS32	.29	74LS248	
74LS33	.55	74LS249	
74LS37	.35	74LS251	
74LS38	.35	74LS253	
74LS40	.25	74LS257	
74LS42	.49	74LS258	
74LS47	.75	74LS259	2.75
74LS48	.75	74LS260	
74LS49	.75	74LS266	
74LS51	.25	74LS273	1.49
74LS54	.29	74LS275	3.35
74LS55	.29	74LS279	.49
74LS63	1.25	74LS280	1.95
74LS73	.39	74LS283	.65
74LS74	.35	74LS290	.85
74LS75	.39	74LS293	.85
74LS76	.39	74LS295	.95
74LS78	.49	74LS298	.85
74LS83	.60	74LS299	1.75
74LS85	.69	74LS323	3.55
74LS86	.39	74LS324	1.75
74LS90	.55	74LS352	1.25
74LS91	.89	74LS353	1.25
74LS92	.55	74LS363	1.35
74LS93	.55	74LS364	1.95
74LS95	.75	74LS365	.45
74LS96	.89	74LS366	.45
74LS107	.39	74LS367	.45
74LS109	.39	74LS368	.45
74LS112	.39	74LS373	.95
74LS113	.39	74LS374	.95
74LS114	.39	74LS377	1.35
74LS122	.45	74LS378	1.15
74LS123	.79	74LS379	1.35
74LS124	2.90	74LS385	1.90
74LS125	.49	74LS386	.45
74LS126	.49	74LS390	1.19
74LS132	.59	74LS393	1.19
74LS133	.59	74LS395	1.19
74LS136	.39	74LS399	1.49
74LS137	.99	74LS424	2.95
74LS138	.55	74LS447	.37
74LS139	.55	74LS490	1.95
74LS145	1.20	74LS624	3.99
74LS147	2.49	74LS640	2.20
74LS148	1.35	74LS645	2.20
74LS151	.55	74LS668	1.69
74LS153	.55	74LS669	1.89
74LS154	1.90	74LS670	1.49
74LS155	.69	74LS674	9.65
74LS156	.69	74LS682	3.20
74LS157	.65	74LS683	3.20
74LS158	.59	74LS684	3.20
74LS160	.69	74LS685	3.20
74LS161	.65	74LS688	2.40
74LS162	.69	74LS689	3.20
74LS163	.65	74LS783	24.95
74LS164	.69	81LS95	1.49
74LS165	.95	81LS96	1.49
74LS166	1.95	81LS97	1.49
74LS168	1.75	81LS98	1.49
74LS169	1.75	25LS2521	2.20
74LS170	1.49	25LS2569	4.20

2114

450 NS

8/\$995

2114

250 NS

8/\$1095

7400

000	.19	74132	.45
001	.19	74136	.50
002	.19	74141	.65
003	.19	74142	2.95
004	.19	74143	2.95
005	.25	74145	.60
006	.29	74147	1.75
007	.29	74148	1.20
008	.24	74150	1.35
009	.19	74151	.55
010	.19	74152	.65
011	.25	74153	.55
012	.30	74154	1.25
013	.35	74155	.75
014	.49	74156	.65
016	.25	74157	.55
017	.25	74159	1.65
020	.19	74160	.85
021	.35	74161	.69
022	.35	74162	.85
023	.29	74163	.69
025	.29	74164	.85
026	.29	74165	.85
027	.29	74166	1.00
028	.45	74167	2.95
030	.19	74170	1.65
032	.29	74172	5.95
033	.45	74173	.75
037	.29	74174	.89
038	.29	74175	.89
040	.19	74176	.89
042	.49	74177	.75
043	.65	74178	1.15
044	.69	74179	1.75
045	.69	74180	.75
046	.69	74181	2.25
047	.69	74182	.75
048	.69	74184	2.00
050	.19	74185	2.00
051	.23	74190	1.15
053	.23	74191	1.15
054	.23	74192	.79
060	.23	74193	.79
070	.35	74194	.85
072	.29	74195	.85
073	.34	74196	.79
074	.33	74197	.75
075	.45	74198	1.35
076	.35	74199	1.35
080	.59	74221	1.35
081	1.10	74246	1.35
082	.95	74247	1.25
083	.50	74248	1.85
085	.59	74249	1.95
086	.35	74251	.75
089	2.15	74259	2.25
090	.35	74265	1.35
091	.40	74273	1.95
092	.50	74276	1.25
093	.35	74279	.75
094	.65	74283	2.00
095	.55	74284	3.75
096	.70	74285	3.75
097	2.75	74290	.95
100	1.75	74293	.75
107	.30	74298	.85
109	.45	74351	2.25
110	.45	74365	.65
111	.55	74366	.65
116	1.55	74367	.65
120	1.20	74368	.65
121	.29	74376	2.20
122	.45	74390	1.75
123	.49	74393	1.35
125	.45	74425	3.15
126	.45	74426	.85
128	.55	74490	2.55

LINEAR

LM301	.34	LM340 (see 7800)	
LM301H	.79	LM348	.99
LM307	.45	LM350K	4.95
LM308	.69	LM350T	4.60
LM308H	1.15	LM358	.69
LM309H	1.95	LM359	1.79
LM309K	1.25	LM376	3.75
LM310	1.75	LM377	1.95
LM311	.64	LM378	2.50
LM311H	.89	LM379	4.50
LM312H	1.75	LM380	.89
LM317K	3.95	LM380N-8	1.10
LM317T	1.19	LM381	1.60
LM318	1.49	LM382	1.60
LM318H	1.59	LM383	1.95
LM319H	1.90	LM384	1.95
LM319	1.25	LM386	.89
LM320 (see 7900)		LM387	1.40
LM322	1.65	LM389	1.35
LM323K	4.95	LM390	1.95
LM324	.59	LM392	.69
LM329	.65	LM394H	4.60
LM331	3.95	LM399H	5.00
LM334	1.19	NE531	2.95
LM335	1.40	NE555	.34
LM336	1.75	NE556	.65
LM337K	3.95	NE558	1.50
LM337T	1.95	NE561	24.95
LM338K	6.95	NE564	2.95
LM339	.99	LM565	.99

H = TO-5 CAN

T = TO-220

K = TO-3

RCA

CA 3023	2.75	CA 3082	1.65
CA 3039	1.29	CA 3083	1.55
CA 3046	1.25	CA 3086	.80
CA 3059	2.90	CA 3089	2.99
CA 3060	2.90	CA 3096	3.49
CA 3065	1.75	CA 3130	1.30
CA 3080	1.10	CA 3140	1.15
CA 3081	1.65	CA 3146	1.85
CA 3160	1.19		

TI

TL494	4.20	75365	1.95
TL496	1.65	75450	.59
TL497	3.25	75451	.39
75107	1.49	75452	.39
75110	1.95	75453	.39
75150	1.95	75454	.39
75154	1.95	75491	.79
75188	1.25	75492	.79
75189	1.25	75493	.89
75494	.89		

BI FET

TL071	.79	TL084	2.19
TL072	1.19	LF347	2.19
TL074	2.19	LF351	.60
TL081	.79	LF353	1.00
TL082	1.19	LF355	1.10
TL083	1.19	LF356	1.10
LF357	1.40		

74S00

74S00	.32	74S163	1.95
74S02	.35	74S168	3.95
74S03	.35	74S169	3.95
74S04	.35	74S174	.95
74S05	.35	74S175	.95
74S08	.35	74S181	3.95
74S09	.40	74S182	2.95
74S10	.35	74S188	1.95
74S11	.35	74S189	6.95
74S15	.35	74S194	1.49
74S20	.35	74S195	1.49
74S22	.35	74S196	1.49
74S30	.35	74S197	1.49
74S32	.40	74S201	6.95
74S37	.88	74S225	7.95
74S38	.85	74S240	2.20
74S40	.35	74S241	2.20
74S51	.35	74S244	2.20
74S64	.40	74S251	.95
74S65	.40	74S253	.95
74S74	.50	74S257	.95
74S85	1.99	74S258	.95
74S86	.50	74S260	.79
74S112	.50	74S274	19.95
74S113	.50	74S275	19.95
74S114	.55	74S280	1.95
74S124	2.75	74S287	1.90
74S132	1.24	74S288	1.90
74S133	.45	74S289	6.89
74S134	.50	74S301	6.95
74S135	.89	74S373	2.45
74S138	.85	74S374	2.45
74S139	.85	74S381	7.95
74S140	.55	74S387	1.95
74S151	.95	74S412	2.98
74S153	.95	74S471	4.95
74S157	.95	74S472	4.95
74S158	.95	74S474	4.95
74S161	1.95	74S482	15.25
74S162	1.95	74S570	2.95
		74S571	2.95

INTERFACE

8T26	1.59
8T28	1.89
8T95	.89
8T96	.89
8T97	.89
8T98	.89
DM8131	2.95
DP8304	2.29
DS8835	1.99
DS8836	.99

MISC.

ULN2003	2.49
3242	7.95
3341	4.95
MC3470	4.95
MC3480	9.00
11C90	13.95
95H90	7.95
2513-001 UP	9.95
2513-002 LOW	9.95

VOLTAGE REGULATORS

7805T	.75	7905T	.85
7808T	.75	7908T	.85
7812T	.75	7912T	.85
7815T	.75	7915T	.85
7824T	.75	7924T	.85
7805K	1.39	7905K	1.49
7812K	1.39	7912K	1.49
7815K	1.39	7915K	1.49
7824K	1.39	7924K	1.49
78L05	.69	79L05	.79
78L12	.69	79L12	.79
78L15	.69	79L15	.79
78H05K	9.95	LM323K	4.95
78H12K	9.95	UA78S40	1.95

T = TO-220

K = TO-3

L = TO-92

IF YOU CAN FIND A PRICE LOWER ELSEWHERE, LET US KNOW AND WE WILL MEET OR BEAT THEIR PRICE! (SEE TERMS BELOW)

- * Computer managed Inventory — virtually no back orders!
- * Very competitive prices!
- * Friendly staff!
- * Fast service — most orders shipped within 24 hours!



CLOCK CIRCUITS

MM5314	4.95
MM5369	3.95
MM5375	4.95
MM58167	8.95
MM58174	11.95
MSM5832	6.95

INTERFIL

ICL7103	9.50
ICL7106	9.95
ICL7107	12.95
ICL7660	2.95
ICL8038	3.95
ICM7207A	5.59
ICM7208	15.95

9000

9316	1.00
9334	2.50
9368	3.95
9401	9.95
9601	.75
9602	1.50
96S02	1.95

EXAR

XR 2206	3.75
XR 2207	3.75
XR 2208	3.75
XR 2211	5.25
XR 2240	3.25

DATA ACQUISITION

ADC0800	15.55	DAC0808	2.95
ADC0804	3.49	DAC1020	8.25
ADC0809	4.49	DAC1022	5.95
ADC0817	9.95	MC1408L6	1.95
DAC0800	4.95	MC1408L8	2.95

SOUND CHIPS

76477	3.95
76489	8.95
AY3-8910	12.95
AY3-8912	12.95
MC3340	1.49

ORDER TOLL FREE

800-538-5000

800-662-6279

(CALIFORNIA RESIDENTS)

ALL MERCHANDISE 100% GUARANTEED

CALL US FOR VOLUME QUOTES

2732 32K EPROM

\$495

2764 64K EPROM

\$995

CAPACITORS

TANTALUM

6V	10V	15V	20V	25V	35V	50V
.22uf					.40	
.27					.40	
.33					.40	.45
.47			.35		.50	
.68				.45	.50	
1.0		.40	.40	.45	.45	
1.5			.45	.50	.60	
1.8				.75		
2.2	.35	.40	.45	.65	.85	
2.7	.40	.45			.90	
3.3	.45	.50	.55	.60	.65	.90
3.9	.45					
4.7	.45	.55	.60	.65	.85	.90
6.0		.60				
6.8		.70	.75			
8.2						1.00
10	.55	.65	.80	.85	.90	1.00
12	.65		.85	.90		
15	.75	.85	.90			
18		1.25				
22		1.00	1.35			
27			2.25			
39		1.50				
47	1.35					
56	1.75					
100		3.25				
270	3.75					

DISC

10pf	50V	.05	470	50V	.05
22	50V	.05	560	50V	.05
25	50V	.05	680	50V	.05
27	50V	.05	820	50V	.05
33	50V	.05	.001uf	50V	.05
47	50V	.05	.0015	50V	.05
56	50V	.05	.0022	50V	.05
68	50V	.05	.005	50V	.05
82	50V	.05	.01	50V	.07
100	50V	.05	.02	50V	.07
220	50V	.05	.05	50V	.07
330	50V	.05	.1	12V	.10
			.1	50V	.12

MONOLITHIC

1uf-mono	50V	.18	.47uf-mono	50V	.25
----------	-----	-----	------------	-----	-----

ELECTROLYTIC

RADIAL			AXIAL		
.47uf	50V	.14	1uf	50V	.14
1	25V	.14	4.7	16V	.14
2.2	35V	.15	10	16V	.14
4.7	50V	.15	10	50V	.16
10	50V	.15	22	16V	.14
47	35V	.18	47	50V	.20
100	16V	.18	100	15V	.20
220	35V	.20	100	35V	.25
470	25V	.30	150	25V	.25
2200	16V	.60	220	25V	.30
			330	16V	.40
			500	16V	.42
			1000	16V	.60
			1500	16V	.70
			6000	16V	.85

COMPUTER GRADE

26,000uf	30V	3.95
----------	-----	------

WIREWRAP CARDS

FR-4 Epoxy Glass Laminate
With Gold-Plated Contact Fingers

S-100 BUSS

P100-1	Bare — No Foil Pads	15.95
P100-2	Horizontal BUSS	22.95
P100-3	Vertical BUSS	22.95
P100-4	Single Foil Pads Per Hole	23.95

APPLE

P500-1	Bare — No Foil Pads	15.95
P500-3	Horizontal BUSS	22.95
P500-4	Single Foil Pads Per Hole	23.95

IBM

IBM-PR	BUSS Lines + Pads	55.00
--------	-------------------	-------

GENERAL PURPOSE

22/44 PIN (.156" SPACING)

P441-3	Vertical BUSS, 4.5" x 6"	13.95
P442-3	Vertical BUSS, 4.5" x 9"	14.95

36/72 PIN (.1" SPACING)

P721-3	Vertical BUSS, 4.5" x 6"	13.95
P722-3	Vertical BUSS, 4.5" x 9"	14.95

IF YOU CAN FIND A PRICE LOWER ELSEWHERE, LET US KNOW AND WE WILL MEET OR BEAT THEIR PRICE! (SEE TERMS BELOW)

OPTO-ISOLATORS

4N26	1.00	MCA-7	1.50
4N27	1.10	MCA-255	1.75
4N28	.69	IL-1	1.25
4N33	1.75	ILA-30	1.25
4N35	1.25	ILQ-74	2.75
4N37	1.25	H11C5	1.25
MCT-2	1.00	TIL-111	1.00
MCT-6	1.50	TIL-113	1.75

DIODES

1N751	5.1 volt zener	.25
1N759	12.0 volt zener	.25
1N4148	(1N914) switching	25/1.00
1N4004	400PIV rectifier	10/1.00
KBP02	200PIV 1.5amp bridge	.45
KBP04	400PIV 1.5amp bridge	.55

MUFFIN FANS NEW UN-USED

4.68" Square	14.95
3.125" Square	14.95

SWITCHES

SPDT mini-toggle	1.25
DPDT mini-toggle	1.50
SPDT push-button	1.49

TRANSISTORS

2N918	.50	MPS3706	.15
MPS918	.25	2N3772	1.85
2N2102	.50	2N3903	.25
2N2218	.50	2N3904	.10
2N2218A	.50	2N3906	.10
2N2219	.50	2N4122	.25
2N2219A	.50	2N4123	.25
2N2222	.25	2N4249	.25
PN2222	.10	2N4304	.75
MPS2369	.25	2N4401	.25
2N2484	.25	2N4402	.25
2N2905	.50	2N4403	.25
2N2907	.25	2N4857	1.00
PN2907	.125	PN4916	.25
2N3055	.79	2N5086	.25
3055T	.69	PN5129	.25
2N3393	.30	PN5139	.25
2N3414	.25	2N5209	.25
2N3563	.40	2N6028	.35
2N3565	.40	2N6043	1.75
PN3565	.25	2N6045	1.75
MPS3638	.25	MPS-A05	.25
MPS3640	.25	MPS-A06	.25
PN3643	.25	MPS-A55	.25
PN3644	.25	TIP29	.65
MPS3704	.15	TIP31	.75
		TIP32	.79

HEAT-SINKS

TO-3 style	.95
TO-220 style	.35

IC SOCKETS

	1-99	100
8 pin ST	.13	.11
14 pin ST	.15	.12
16 pin ST	.17	.08
18 pin ST	.20	.18
20 pin ST	.29	.27
22 pin ST	.30	.27
24 pin ST	.30	.27
28 pin ST	.40	.32
40 pin ST	.49	.39
64 pin ST	4.25	call
ST = SOLDER TAIL		
8 pin WW	.59	.49
14 pin WW	.69	.52
16 pin WW	.49	.49
18 pin WW	.99	.90
20 pin WW	1.09	.98
22 pin WW	1.39	1.28
24 pin WW	1.49	1.35
28 pin WW	1.69	1.49
40 pin WW	1.99	1.80
WW = WIREWRAP		
16 pin ZIF	6.75	call
24 pin ZIF	9.95	call
28 pin ZIF	10.95	call
ZIF = TEXT TOOL (Zero Insertion Force)		

DIP SWITCHES

4 POSITION	.85
5 POSITION	.90
6 POSITION	.90
7 POSITION	.95
8 POSITION	.95



LED LAMPS

	1-99	100-up
Jumbo Red	.10	.09
Jumbo Green	.18	.15
Jumbo Yellow	.18	.15

LED DISPLAYS

HP 5082-7760	.6"	CC	1.29
MAN 72	.3"	CA	.99
MAN 74	.3"	CC	.99
FND-357 (359)	.375"	CC	1.25
FND-500 (503)	.5"	CC	1.49
FND-507 (510)	.5"	CA	1.49

BYPASS CAPS

.01 UF DISC	100/6.00
.1 UF DISC	100/8.00
.1 UF MONOLITHIC	100/15.00


RESISTORS

1/4 WATT 5% CARBON FILM ALL STANDARD VALUES	
FROM 1 OHM TO 10 MEG OHM	
50 PCS. SAME VALUE	.025
100 PCS. SAME VALUE	.02
1000 PCS. SAME VALUE	.015

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5 T-Th., 9-9 Sat. 11-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING
TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles Counties add 6 1/2% Sales Tax. Other California residents add 6% Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or beat any competitor's price provided it is not below our cost.

 **JDR Microdevices**

1224 S. Bascom Avenue

San Jose, CA 95128

800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110

1983 JDR MICRODEVICES, INC.

2716 16K EPROM**\$3⁹⁵****TMS2532** 32K EPROM**\$5⁹⁵****MICROCOMPUTER
HARDWARE HANDBOOK**

FROM ELCOMP — \$14.95
 over 800 pages of manufacturers data
 sheets on most commonly used IC's.
 Includes:
 TTL — 74/74LS and 74F
 CMOS
 Voltage Regulators
 Memory — RAM, ROM, EPROM
 CPU's — 6800, 6500, Z80, 8080,
 8085, 8086/8
 MPU support & interface — 6800,
 6500, Z80, 8200, etc.

**BEST SELLING
BOOKS**

OSBORNE/MC GRAW-HILL
 Apple II User's Guide 16.95
 CRT Controller's Handbook 9.95
 68000 Assembly Language
 Programming 16.99
 CBASIC User Guide 15.00

SYBEX

Your First Computer 8.95
 The CP/M Handbook 14.95
 The PASCAL Handbook 18.95
 Microprocessor Interfacing
 Techniques 17.95

TRANSFORMERS**FRAME STYLE**

2.6VAC	2amp	4.95
2.6VAC CT	2amp	5.95
2.6VAC CT	4amp	7.95
2.6VAC CT	8amp	10.95
2.6VAC CT	2amp	7.95

PLUG CASE STYLE

2VAC	250ma	3.95
2VAC	500ma	4.95
2VAC	1amp	5.95
2VAC	2amp	6.95

DC ADAPTER

9, 12 VDC selectable with universal adapter
 8.95

NOTE: Please include sufficient amount for
 shipping on above items.

**DISK DRIVES
TANDON**

TM100-1 5 1/4" (FOR IBM) SS/DD **229.00**

TM100-2 5 1/4" (FOR IBM) DS/DD **295.00**

SHUGART

SA 400L 5 1/4" (40 TRACK) SS/DD **199.95**

SA 400 5 1/4" (35 TRACK) SS/DD **189.95**

SIEMENS

FD100-8 8" SS/DD
 (801 REPLACEMENT) **259.00**

PERTEC

FD-200 5 1/4" SS/DD **179.95**

FD-250 5 1/4" DS/DD **199.95**

MPI

MP-52 5 1/4" (FOR IBM) DS/DD **295.00**

NOTE: Please include sufficient amount for
 shipping on above items.

**CABINETS FOR 5 1/4"
DISK DRIVES****CABINET #1 \$29.95**

- * DIMENSIONS 8 1/2" x 5 1/2" x 3 1/2"
- * COLOR MATCHES APPLE
- * FITS STANDARD 5 1/4" DRIVES,
INCL. SHUGART
- * INCLUDES MOUNTING
HARDWARE AND FEET

CABINET #2 \$79.00

- * COMPLETE WITH POWER
SUPPLY, SWITCH, LINE
CORD, FUSE & STANDARD
POWER CONNECTOR
- * DIMENSIONS: 11 1/2" x 5 3/4" x 3 1/2"
- * +5V @ 1 AMP, +12V @ 1.5 AMP
- * FITS STANDARD 5 1/4" DRIVES
- * PLEASE SPECIFY
GRAY OR TAN

NOTE: Please include sufficient amount for
 shipping on above items.

JDR SPRING SPECIALS**SA400 \$189.95**

- * 35 TRACKS
 - * REPEAT OF A SELLOUT
 - * LIMITED SUPPLY (AGAIN)
 - * MODIFY FOR USE IN APPLE (EXPERIENCED
TECHNICIANS)
 - * USE WITH CABINET #1 TO MAKE A BEAUTIFUL
APPLE COMPATIBLE DRIVE
- MODIFICATION INSTRUCTIONS \$1.00
 34 PIN EDGE CARD CONNECTOR MATES TO RIBBON CABLE \$3.25

MEMORY SALE

2114 450NS (TMS4045) **8/9.95** 100 FOR **.99 ea.**
2114 250NS (TMS4045) **8/10.95** 100 FOR **1.99 ea.**
2102L-4 LOW POWER 450NS **.55 ea.** 100 FOR **.49 ea.**

4164 200NS	5.95	Z80A-CPU 4MHZ	4.95
HM6116-4 200NS	4.75	8080 2MHZ	3.95
TMM2016 200NS	4.15	8085 3MHZ	5.95
2732 450NS	4.95	8086 5MHZ	29.95
TMS2532 450NS	5.95	6800 1MHZ	3.95
2764 450NS	9.95	68000 8MHZ	59.95

COMPONENTS

LM1488 or LM1489 .69 ea. **7805T or 7812T** .75 ea.
16 PIN LOW PROFILE ST IC SOCKETS 100/8.00
16 PIN TOOLED WIRE WRAP IC SOCKETS .49 EA.

SPRING SPECIALS ARE GOOD ONLY UNTIL MAY 31, 1983

POWER SUPPLY**MODEL 2 \$39⁹⁵**

MOUNTED ON PC BOARD
 MANUFACTURED BY CONVER

+5 VOLT 4 AMP
 ±12 VOLT 1 AMP

NOTE: Please include sufficient amount for
 shipping on above items.

CONNECTORS

RS232 MALE 2.50
RS232 FEMALE 3.25
RS232 FEMALE
RIGHT ANGLE 5.25
RS232 HOOD 1.25
S-100 ST 3.95
S-100 WW 4.95
44 pin ST 2.95
44 pin WW 4.95
72 pin ST 6.95
72 pin WW 7.95

RIBBON CABLE

CONTACTS	SINGLE COLOR		COLOR CODED	
	1'	10'	1'	10'
10	.50	4.40	.83	7.30
20	.65	5.70	1.25	11.00
26	.75	6.60	1.32	11.60
34	.98	8.60	1.65	14.50
40	1.32	11.60	1.92	16.80
50	1.38	12.10	2.50	22.00

D-SUBMINIATURE

DESCRIPTION	SOLDER		RIGHT ANGLE SOLDER		RIBBON CABLE		HOODS	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	BLACK HOOD-B	GREY HOOD
ORDER BY	DBxxP	DBxxS	DBxxPR	DBxxSR	IDBxxP	IDBxxS		
CONTACTS 9	2.08	2.66	1.65	2.18	3.37	3.69	---	1.60
15	2.69	3.63	2.20	3.03	4.70	5.13	---	1.60
25	2.50	3.25	3.00	4.42	6.23	6.84	1.25	1.25
37	4.80	7.11	4.83	6.19	9.22	10.08	---	2.95
50	6.06	9.24	---	---	---	---	---	3.50

For order instructions see "IDC Connectors" below.

IDC CONNECTORS

DESCRIPTION	SOLDER HEADER	RIGHT ANGLE SOLDER HEADER	WW HEADER	RIGHT ANGLE WW HEADER	RIBBON HEADER SOCKET	RIBBON HEADER	RIBBON EDGE CARD
ORDER BY	IDHxxS	IDHxxSR	IDHxxW	IDHxxWR	IDSxx	IDMxx	IDExx
CONTACTS 10	.82	.85	1.86	2.05	1.15	---	2.25
20	1.29	1.35	2.98	3.28	1.86	5.50	2.36
26	1.68	1.76	3.84	4.22	2.43	6.25	2.65
34	2.20	2.31	4.50	4.45	3.15	7.00	3.25
40	2.58	2.72	5.28	4.80	3.73	7.50	3.80
50	3.24	3.39	6.63	7.30	4.65	8.50	4.74

ORDERING INSTRUCTIONS: Insert the number of contacts in the position marked "xx" of the "order by" part number listed. **Example:** A 10 pin right angle solder style header would be IDH10SR.

SPRING APPLE SALE!

FD-35 DISK DRIVE

By MA Systems

- ★ Direct Replacement for Apple Disk II
- ★ Compatible with Apple Controller or other Apple compatible controllers
- ★ Specially designed electronics with **low power consumption**
- ★ DOS 3.3 and 3.2 compatible
- ★ Owner's Manual and Warranty Card included
- ★ 90-day Warranty

NEW INTRODUCTORY OFFER
\$229.95
 CONTROLLER CARD \$89.95

APPLE II KEYBOARD \$99.95

From the Keyboard Co.

- ★ Brand New Rev. 7 keyboard — NOT an imitation
- ★ Special Purchase — Supply very limited
- ★ Includes Encoder Board and Cable

APPLE COMPATIBLE POWER SUPPLY \$99.95

- ★ Compact Switching Design
- ★ All Outputs regulated
- ★ Short Circuit and Overload Protection
- ★ Complete with Apple-type plug-in power cord
- ★ Apple Compatible — Yet higher output allows more disk drives and cards without overheating
- ★ +5V @ 5A, +12V @ 3A, -5V @ .5A, -12V @ .5A
- ★ Shielded enclosure: 10 3/4" x 3 1/2" x 2 3/16"

VIEWMAX 80

A Full Function 80 column card for Apple II*

2 YEAR WARRANTY

\$199.95

NEW IMPROVED JDR COOLING FAN FOR YOUR APPLE II

- ★ Easy modification — no modification of Apple required
- ★ Eliminates overheating problems
- ★ Switch on front controls fan, Apple, and extra outlet
- ★ Rotron whisper fan is the quietest, most reliable on the market

NOW WITH SURGE SUPPRESSION
\$69.95

WITHOUT SURGE SUPPRESSION \$59.95

INTERFACE CARDS

By Perisoft

PRINTERLINK \$79.00

- ★ Centronics Standard Parallel Interface for Apple II
- ★ Simple to use — Yet supports custom driver applications from ROM or Disk
- ★ Includes card, cable and user's manual

1 Year Warranty MESSENGER \$119.00

- ★ Serial I/O for Apple II
- ★ Connects virtually any RS-232 serial device
- ★ 6 switch selectable drivers:
 - 4 printer drivers
 - Terminal Driver — 40 or 80 driver
- ★ Includes card, cable and user's manual
- ★ 1 Year Warranty

OKIDATA PRINTERS

- ★ 120 cps, 9x9 Dot Matrix
- ★ 50% faster than EPSON
- ★ Parallel and Serial interfaces are standard

ML-82A \$479.50

ML-83A \$699.95

ML-84 PARALLEL . . . \$1059.00

CALL FOR PRICES ON 82A TRACTOR OPTION AND 82A, 83A GRAPHICS OPTION. CABLES AND INTERFACE CARDS AVAILABLE

JDR 16K RAMCARD

For Apple II*

- ★ Expand your 48K Apple to 64K
- ★ Fully compatible with Apple Language System — Use in place of Apple Language card
- ★ Provides extra memory for Visicalc™
- ★ Run PASCAL, FORTRAN, Integer Basic with appropriate software
- ★ Highest quality card features: gold edge connector, sockets for all IC's

NOW WITH 2 YEAR WARRANTY

ASSEMBLED & TESTED WITH WARRANTY **\$44.95**

KIT — INCLUDES ALL PARTS & INSTRUCTIONS . . . **\$40.95**

BARE PC CARD WITH INSTRUCTIONS **\$14.95**

MONITORS

GREEN PHOSPHOR

NEC JB1201M . . . \$169.00

ZENITH ZVM-121 . . \$119.00

COLOR

AMDEK COLOR 1 . . \$335.00

ORDER TOLL FREE

800-538-5000

800-662-6279

(CALIFORNIA RESIDENTS)

5 1/4" DISKETTES

ATHANA SS SD SOFT . . . 24.95

MEMOREX SS SD SOFT . . 26.95

VERBATIM SS DD SOFT . . 29.95

VERBATIM 10 SECT. HARD 29.95

NASHUA

TOP QUALITY — LOW PRICE!

Single Sided, Single Density
 Soft Sectors with Hub Ring

\$19.95 BOX OF 10



JDR Microdevices

1224 S. Bascom Avenue

San Jose, CA 95128

800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110

© 1983 JDR MICRODEVICES, INC.

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5 T-Th., 9-9 Sat. 11-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles Counties add 6 1/2% Sales Tax. Other California residents add 6% Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or beat any competitor's price provided it is not below our cost.

* APPLE IS A TRADEMARK OF APPLE COMPUTER CO.

B. G. MICRO

P. O. Box 280298 Dallas, Texas 75228

(214) 271-5546

Visa • MasterCard • American Express

This Month's Super Specials! Write For Current Catalog!

16 PIN WIRE WRAP SOCKETS

3 level - GOLD INLAY - machine pins
10/3.95 25/8.75

14 PIN WIRE WRAP SOCKETS

2 Level - GOLD
10/3.95 25/8.75

16 PIN GOLD HEADERS

4/1.25

1/2" Aluminum Hexagon Spacers
w/Screws 12/1.00 100/6.00

4116 - 250N.S. 8/9.00

6100 - CMOS - 12 Bit - CPU ... 3.95

EPROM

1702A 256X8 1 us 2.00
2708 1KX8 450 n.s. 2.20
27A08 1KX8 350 n.s. 3.95
2758 1KX8 +5V 450 n.s. 3.95

2716 2KX8+5v
450 n.s. 3.20

2716-1 2KX8+5v 350 n.s. 7.95
2732 4KX8 450 n.s. Intel P. O. 4.75
2732A-2 200 n.s. Special 6.95
2732A-3 4K x 8 300 n.s. L.P.
Special 5.95
2532 4KX8 450 n.s. T.I. P. O. 7.00
2764 - 450 n.s. 9.95

EPROM SPECIAL

We bought a large quantity of 2708s from a computer manufacturer who redesigned their boards. We removed them from sockets, erased and verified them, and now we offer the savings to you. Complete satisfaction guaranteed.

2708
\$1.49 or 10/\$12.00

CRT-5037

We bought a large lot of PRIME controllers!
Production quantities available.
'80, '81 date codes.
Manufactured by SMC.

SPECIAL 6.95 ea 10/60.00

8 position dip switch75
4 position dip switch40

7912 - TO375
7905 - TO375

Z80

Z80 2.5 MHZ CPU 3.50
Z80DMA-DMA Controller 9.95
Z80PIO - Parallel 3.95
Z80SIO/O Chan. Ser. 16.95
Z80A-4MHZ CPU 4.95
Z80A DART 9.95
Z80A-PIO 5.95
Z80A SIO/O 19.95
Z80B 6 MHZ CPU 14.95

BAUD RATE GENERATOR

COM8116 9.50
INS8250B 9.95

SOCKETS

Low Profile SOLDER TAIL

8 Pin 13/1.00
14 Pin 10/1.00
16 Pin 8/1.00
18 Pin 8/1.00
20 Pin 7/1.00
24 Pin 6/1.00
28 Pin 6/1.00
40 Pin 5/1.00

BUY \$10

GET \$1.00 — FREE CHOICE

2513 - Character Gen. 4.95

6810 1.50

8085A-2 7.00

8212 1.10

TMS4044-MCM

6641C-25 8/8.00

.22uf/10v Disk

3/8" Spacing 100/3.50

STATIC RAM

TMM2016-2KX8 + 5v-NMOS

200 n.s. 8/39.95

21L02-1KX1 250 n.s. L.P.75

2102AL-4 L.P. 450 n.s.49

2114L-3 1KX4 300 n.s.

Low Power 2.75 8/16.00

TMS4044 (MCM6641 C-25)

4KX1 250 n.s. 1.50

TMS4046 450 n.s. 1.00

5101E-8 - 256X4 - CMOS

RAM \$1.00

HM6116P-4-2KX8 + 5v-200 n.s.

CMOS Low Power 8/39.95

6501-5 256X4 - CMOS - Data

Retention 2 Volts - 22 Pin - 200 n.s.

Typ. - 5V - Very Low Power . 1.50

6514-J-5 1KX4-CMOS Super Low

Power 350 n.s. Similar to 2114

Same Pin Out 2.00

8108-5 1KX8 NMOS 5V 500 NS

22 Pin 2.00

4K STATIC RAMS

LESS THAN 50¢ EACH

MK4104J-4 - 250 N.S. 18 Pin Ceramic Computer Mfg. Surplus. PRIME. Fully Static. Easy to Use. Has Same Pin Out as TMS4044, but slightly different timing. With Specs. (Mostek)

8 for 5.00 32 for 15.95

VERY LOW POWER!

DYNAMIC RAM

5280N-5 (2107B-4 • TMS4060)

4KX1 22 Pin 8/3.95

4027-4KX1-250 n.s. 1.00

4116-16KX1-250 n.s. 8/9.00

4116-16KX1-200 n.s. 8/11.50

4164- +5v 64K 8/48.00

BIT SLICE

AMD2901-4 Bit Slice 7.95

AMD2903-4 Bit Super

Slice 12.95

AMD2911 Sequencer 3.95

AMD29705-16 Register

Files 4.95


74LS											
LS00	.24	LS30	.24	LS125	.45	LS163	.50	LS241	.80	LS298	.89
LS02	.24	LS32	.36	LS132	.50	LS164	.60	LS242	.90	LS299	1.60
LS03	.24	LS42	.49	LS133	.49	LS166	.99	LS243	.90	LS366	.45
LS04	.24	LS51	.24	LS138	.50	LS169	1.25	LS244	.90	LS367	.40
LS05	.24	LS74	.30	LS139	.50	LS174	.50	LS245	1.50	LS368	.40
LS08	.24	LS85	.60	LS151	.50	LS175	.50	LS257	.45	LS373	.99
LS10	.24	LS86	.39	LS153	.50	LS181	1.99	LS258	.45	LS374	.75
LS11	.24	LS90	.50	LS154	1.75	LS191	.90	LS266	.50	LS375	1.19
LS12	.30	LS93	.55	LS155	.50	LS192	.80	LS273	1.25	LS377	1.49
LS14	.50	LS109	.39	LS156	.55	LS193	.80	LS279	.45	LS378	.85
LS20	.24	LS112	.39	LS157	.60	LS195	.65	LS283	.60	LS390	1.19
LS21	.25	LS123	.75	LS161	.60	LS221	.80	LS290	.85	LS393	1.19
LS27	.24	LS124	2.75	LS162	.65	LS240	.75	LS293	.85	LS399	.99

TERMS: (Unless specified elsewhere) Add \$1.50 postage. we pay balance. Orders over \$50.00 add 85¢ for insurance. No C.O.D. Texas Res. add 5% Tax. 90 Day Money Back Guarantee on all items. All items subject to prior sale. Prices subject to change without notice. Foreign orders - U.S. funds only. We cannot ship to Mexico. Countries other than Canada, add \$3.50 shipping and handling.

DIGITAL RESEARCH COMPUTERS

(214) 271-3538

32K S-100 EPROM CARD PRICE CUT!



\$59.95

USES 2716's

Blank PC Board - \$34

ASSEMBLED & TESTED
ADD \$30

SPECIAL: 2716 EPROM's (450 NS) Are \$4.95 Ea. With Above Kit.

KIT FEATURES

- 1 Uses +5V only 2716 (2Kx8) EPROM's
- 2 Allows up to 32K of software on line!
- 3 IEEE S-100 Compatible
- 4 Addressable as two independent 16K blocks
- 5 Cromemco extended or Northstar bank select
- 6 On board wait state circuitry if needed
- 7 Any or all EPROM locations can be disabled
- 8 Double sided PC board solder-masked silk-screened
- 9 Gold plated contact fingers
- 10 Unselected EPROM's automatically powered down for low power
- 11 Fully buffered and bypassed
- 12 Easy and quick to assemble

64K S100 STATIC RAM

\$269⁰⁰
KIT

NEW!

LOW POWER!

RAM OR EPROM!

BLANK PC BOARD
WITH DOCUMENTATION
\$55

SUPPORT ICs + CAPS
\$17.50

FULL SOCKET SET
\$14.50

FULLY SUPPORTS THE
NEW IEEE 696 S100
STANDARD
(AS PROPOSED)

FOR 56K KIT \$219

ASSEMBLED AND
TESTED ADD \$40



FEATURES:


- * Uses new 2K x 8 (TMM 2016 or HM 6116) RAMs.
- * Fully supports IEEE 696 24 BIT Extended Addressing.
- * 64K draws only approximately 500 MA.
- * 200 NS RAMs are standard. (TOSHIBA makes TMM 2016s as fast as 100 NS. FOR YOUR HIGH SPEED APPLICATIONS.)
- * SUPPORTS PHANTOM (BOTH LOWER 32K AND ENTIRE BOARD).
- * 2716 EPROMs may be installed in any of top 48K.
- * Any of the top 8K (E000 H AND ABOVE) may be disabled to provide windows to eliminate any possible conflicts with your system monitor, disk controller, etc.
- * Perfect for small systems since BOTH RAM and EPROM may co-exist on the same board.
- * BOARD may be partially populated as 56K.

16K STATIC RAM KIT-S 100 BUSS

PRICE CUT!

\$119⁹⁵
KIT

FOR 4MHZ
ADD \$10



KIT FEATURES

- 1 Addressable as four separate 4K Blocks
- 2 ON BOARD BANK SELECT circuitry (Cromemco Standard!) Allows up to 512K on line!
- 3 Uses 2114 (450NS) 4K Static Rams
- 4 ON BOARD SELECTABLE WAIT STATES
- 5 Double sided PC Board with solder mask and silk screened layout. Gold plated contact fingers
- 6 All address and data lines fully buffered
- 7 Kit includes ALL parts and sockets
- 8 PHANTOM is jumpered to PIN 67
- 9 LOW POWER under 1.5 amps TYPICAL from the +8 Volt Buss
- 10 Blank PC Board can be populated as any multiple of 4K

BLANK PC BOARD W DATA-\$33

LOW PROFILE SOCKET SET-\$12

SUPPORT ICs & CAPS-\$19.95

ASSEMBLED & TESTED-ADD \$35

**OUR #1 SELLING
RAM BOARD!**

64K SS-50 STATIC RAM

\$199⁰⁰
(48K KIT)

NEW!

LOW POWER!

RAM OR EPROM!

BLANK PC BOARD
WITH
DOCUMENTATION
\$52

SUPPORT ICs + CAPS
\$18.00

FULL SOCKET SET
\$15.00

56K Kit \$249

64K Kit \$299

ASSEMBLED AND
TESTED ADD \$40



FEATURES:

- * Uses new 2K x 8 (TMM 2016 or HM 6116) RAMs.
- * Fully supports Extended Addressing.
- * 64K draws only approximately 500 MA.
- * 200 NS RAMs are standard. (TOSHIBA makes TMM 2016s as fast as 100 NS. FOR YOUR HIGH SPEED APPLICATIONS.)
- * Board is configured as 3-16K blocks and 8-2K blocks (within any 64K block) for maximum flexibility.
- * 2716 EPROMs may be installed anywhere on Board.
- * Top 16K may be disabled in 2K blocks to avoid any I/O conflicts.
- * One Board supports both RAM and EPROM.
- * RAM supports 2MHZ operation at no extra charge!
- * Board may be partially populated in 16K increments.

STEREO! S-100 SOUND COMPUTER BOARD

NEW!

At last, an S-100 Board that unleashes the full power of two unbelievable General Instruments AY3-8910 NMOS computer sound IC's. Allows you under total computer control to generate an infinite number of special sound effects for games or any other program. Sounds can be called in BASIC, ASSEMBLY LANGUAGE, etc.

KIT FEATURES:

- * TWO GI SOUND COMPUTER IC'S
- * FOUR PARALLEL I/O PORTS ON BOARD
- * USES ON BOARD AUDIO AMPS OR YOUR STEREO
- * ON BOARD PROTO TYPING AREA
- * ALL SOCKETS, PARTS AND HARDWARE ARE INCLUDED
- * PC BOARD IS SOLDERMASKED, SILK SCREENED WITH GOLD CONTACTS
- * EASY, QUICK, AND FUN TO BUILD WITH FULL INSTRUCTIONS
- * USES PROGRAMMED I/O FOR MAXIMUM SYSTEM FLEXIBILITY

Both Basic and Assembly Language Programming examples are included

SOFTWARE:

SCL™ is now available! Our Sound Command Language makes writing Sound Effects programs a SNAP! SCL™ also includes routines for Register-Examine-Modify, Memory-Examine-Modify, and Play-Memory. SCL™ is available on CP/M™ compatible diskette or 2708 or 2716 Diskette. **\$24.95** 2708 - **\$19.95** 2716 - **\$29.95**. Diskette includes the source. EPROM'S are ORG at E000H (Diskette is 8 Inch Soft Sectored)

NEW! G.I. COMPUTER SOUND CHIP

AY3-8910 As featured in July, 1979 BYTE! A fantastically powerful Sound & Music Generator. Perfect for use with any 8 Bit Microprocessor. Contains: 3 Tone Channels, Noise Generator, 3 Channels of Amplitude Control, 16 bit Envelope Period Control, 2-8 Bit Parallel I/O, 3 D to A Converters, plus much more! All in one 40 Pin DIP. Super easy interface to the S-100 or other busses. **\$9.95**

SPECIAL OFFER: \$14.95 each Add \$3 for 60 page Data Manual.

COMPLETE KIT!

\$69⁹⁵

(WITH DATA MANUAL)

BLANK PC
BOARD W/DATA
\$31

32K S100 EPROM/STATIC RAM

NEW!

FOUR FUNCTION BOARD!

NEW!

EPROM II
FULL
EPROM KIT
\$80.00
A&T EPROM
ADD \$35.00



BLANK
PC BOARD
WITH DATA
\$39.95

SUPPORT
IC'S
PLUS CAPS
\$23.00

FULL
SOCKET SET
\$18

We took our very popular 32K S100 EPROM Card and added additional logic to create a more versatile EPROM/RAM Board.

FEATURES:

- * This one board can be used in any one of four ways:
 - A. As a 32K 2716 EPROM Board
 - B. As a 32K 2732 EPROM Board (Using Every Other Socket)
 - C. As a mixed 32K 2716 EPROM/2K x 8 RAM Board
 - D. As a 32K Static RAM Board
- * Uses New 2K x 8 (TMM2016 or HM6116) RAM's
- * Fully Supports IEEE 696 Buss Standard (As Proposed)
- * Supports 24 Bit Extended Addressing
- * 200 NS (FAST!) RAM'S are standard on the RAM Kit
- * Supports both Cromemco and North Star Bank Select
- * Supports Phantom
- * On Board wait State Generator
- * Every 2K Block may be disabled
- * Addressed as two separate 16K Blocks on any 64K Boundary
- * Perfect for MP/M™ Systems
- * RAM Kit is very low power (300 MA typical)

32K STATIC RAM KIT — \$139.95

For RAM Kit A&T - Add \$40

Digital Research Computers
(OF TEXAS)

P.O. BOX 401565 • GARLAND, TEXAS 75040 • (214) 271-3538

TERMS: Add \$2.00 postage. We pay balance. Orders under \$15 add 75¢ handling. No C.O.D. We accept Visa and MasterCard. Tex. Res. add 5% Tax. Foreign orders (except Canada) add 20% P & H. Orders over \$50, add 85¢ for insurance.

ALL SALES ARE MADE SUBJECT TO THE TERMS OF OUR 90 DAY LIMITED WARRANTY. A COPY OF THIS WARRANTY IS AVAILABLE FREE, ON REQUEST.

*TRADEMARK OF DIGITAL RESEARCH.


WE ARE NOT ASSOCIATED WITH DIGITAL RESEARCH OF CALIFORNIA, THE SUPPLIERS OF CPM SOFTWARE

**NEW
LOWER PRICES**

"THE ORIGINAL BIG BOARD"
OEM - INDUSTRIAL - BUSINESS - SCIENTIFIC
SINGLE BOARD COMPUTER KIT!
Z-80 CPU! 64K RAM!
(DO NOT CONFUSE WITH ANY OF OUR FLATTERING IMITATORS!)

NEW!

PARTIALLY ASSEMBLED KITS
For All Sockets Installed
And Soldered Add \$50.
(Not For Blank PCB)



WANT MORE INFO?
Full Documentation and
Schematics — \$5.

THE BIG BOARD PROJECT: With thousands sold worldwide and over two years of field experience, the Big Board may just be one of the most reliable single board computers available today. This is the same design that was licensed by Xerox Corp. as the basis for their 820 computer.

The Big Board gives you the right mix of most needed computing features all on one board. The Big Board was designed from scratch to run the latest version of CP/M*. Just imagine all the off-the-shelf software that can be run on the Big Board without any modifications needed.

\$319.00 (64K KIT
BASIC I/O)

SIZE: 8 1/2 x 13 3/4 IN.
SAME AS AN 8 IN. DRIVE.
REQUIRES: +5V @ 3 AMPS
+ - 12V @ .5 AMPS.

FULLY SOCKETED!

FEATURES: (Remember, all this on one board!)

64K RAM

Uses industry standard 4116 RAM's. All 64K is available to the user, our VIDEO and EPROM sections do not make holes in system RAM. Also, very special care was taken in the RAM array PC layout to eliminate potential noise and glitches.

Z-80 CPU

Running at 2.5 MHZ. Handles all 4116 RAM refresh and supports Mode 2 INTERRUPTS. Fully buffered and runs 8080 software.

SERIAL I/O (OPTIONAL)

Full 2 channels using the Z80 SIO and the SMC 8116 Baud Rate Generator. FULL RS232! For synchronous or asynchronous communication. In synchronous mode, the clocks can be transmitted or received by a modem. Both channels can be set up for either data-communication or data-terminals. Supports mode 2 int. Price for all parts and connectors: \$39.95

BASIC I/O

Consists of separate parallel port (Z80 PIO) for use with an ASCII encoded keyboard for input. Output would be on the 80 x 24 Video Display.

BLANK PC BOARD — \$119

The blank Big Board PC Board comes complete with full documentation (including schematics), the character ROM, the PFM 3.3 MONITOR ROM, and a diskette with the source of our BIOS, BOOT, and PFM 3.3 MONITOR.

24 x 80 CHARACTER VIDEO

With a crisp, flicker-free display that looks extremely sharp even on small monitors. Hardware scroll and full cursor control. Composite video or split video and sync. Character set is supplied on a 2716 style ROM, making customized fonts easy. Sync pulses can be any desired length or polarity. Video may be inverted or true. 5 x 7 Matrix - Upper & Lower Case.

FLOPPY DISC CONTROLLER

Uses WD1771 controller chip with a TTL Data Separator for enhanced reliability. IBM 3740 compatible. Supports up to four 8 inch disc drives. Directly compatible with standard Shugart drives such as the SA800 or SA801. Drives can be configured for remote AC off-on. Runs CP/M* 2.2.

TWO PORT PARALLEL I/O (OPTIONAL)

Uses Z-80 PIO. Full 16 bits, fully buffered, bi-directional. Uses selectable hand shake polarity. Set of all parts and connectors for parallel I/O: \$19.95

REAL TIME CLOCK (OPTIONAL)

Uses Z-80 CTC. Can be configured as a Counter on Real Time Clock. Set of all parts: \$9.95

CP/M* 2.2 FOR BIG BOARD

The popular CP/M* D.O.S. to run on Big Board is available for \$139.00.

BIG BOARD SOFTWARE SPECIAL — \$149

Through special arrangement with CDL we offer a powerful package of TDL Z-80 software that has a suggested retail of almost \$600. Includes: Extended Disk Business Basic, ZEDIT text editor, MACRO II Macro Assembler, LINKER, DEBUG I and DEBUG II. Supplied on 8 in. diskette with extensive manual.

PFM 3.3 2K SYSTEM MONITOR

The real power of the Big Board lies in its PFM 3.3 on board monitor. PFM commands include: Dump Memory, Boot CP/M*, Copy, Examine, Fill Memory, Test Memory, Go To, Read and Write I/O Ports, Disc Read (Drive, Track, Sector), and Search PFM occupies one of the four 2716 EPROM locations provided. Z-80 is a Trademark of Zilog.

Digital Research Computers

(OF TEXAS)

P.O. BOX 401565 • GARLAND, TEXAS 75040 • (214) 271-3538

TERMS: Shipments will be made approximately 3 to 6 weeks after we receive your order. VISA, MC, cash accepted. We will accept COD's (for the Big Board only) with a \$75 deposit. Balance UPS COD. Add \$4.00 shipping.

USA AND CANADA ONLY

*TRADEMARK OF DIGITAL RESEARCH. NOT ASSOCIATED WITH DIGITAL RESEARCH OF CALIFORNIA, THE ORIGINATORS OF CPM SOFTWARE
**1 TO 4 PIECE DOMESTIC USA PRICE.

NETRONICS NEW 16 BIT EXPLORER 88-PC ... \$399.95 IBM COMPATIBLE



LEARN 16 BIT TECHNOLOGY IN EASY LOW-COST STEPS. This 2-board system features (1) an 8088 mother board with a 5-slot expansion bus that will accept any hardware designed for the IBM personal computer and (2) a 64K (expandable to 256K) memory board that also features an IBM compatible RS 232 communications port. All circuits are functionally equivalent to the IBM except for the cassette ROMS. This means that all programs written in basic designed to run in an IBM can be compiled to run in this system and that any disk-operating system that will run on an IBM will work directly in the EXPLORER 88-PC. The system monitor ROM included in the Starter's system features a user-friendly operating system that allows easy program generation and debugging. The commands include display/modify memory... display/modify registers...input/output data to 1/0 ports...block moves...single-step trace mode...go/run with optional breakpoint and register reports...cassette load/save with file labels...plus a complete system test program that tests and reports condition of ROM, RAM, cassette interface, timer, DMA controller, interrupt controller, and the communications port. These test programs not only allow easier debugging of software but they serve as hardware and software learning tools.

The EXPLORER 88-PC STARTER'S KIT includes a mother board, memory, I/O board, all components needed, sockets for IC's used, one 62-pin bus connector and complete assembly/test instructions. All you need is a soldering iron, solder, a +5 volt @ 3 amps & -5 & +/- 12 volt @ .5 amp power supply, and a standard RS 232 terminal (Netronics has 2 low-cost ones to choose from).

- ☐ Explorer 88-PC Starter's Kit ...\$399.95 + 10.00 p&i (wired & tested, add 100.00).
- ☐ Extra 62-pin connectors @ 4.25 ea. + 1.00 p&i.

If you do not own a terminal you may want to consider using our IBM compatible keyboard (see photo) in conjunction with an IBM compatible color graphics board. This combination, although not necessary at the introductory level, may be desirable if you plan to expand the EXPLORER 88-PC to be fully IBM compatible. These items require additional power and are only available wired and tested as follows:

- ☐ IBM compatible keyboard...\$299.95 + 10.00 p&i
- ☐ IBM compatible color board...\$299.95 + 10.00 p&i
- ☐ Additional ROM required...\$35.00



The EXPLORER 88-PC can be expanded at any pace you decide. Invest and learn at a pace that is comfortable for you. Netronics is dedicated to supplying the finest hardware and software to make this a meaningful learning experience. Hard disks, built-in modem board, eeprom burner, print buffer system plus more will be available shortly. The following items are available now:

Deluxe heavy-duty steel cabinet that houses either two 5 1/4" floppies or a 5 1/4" hard disk with one floppy. This cabinet features a brush-finish front panel and a wood-grained sleeve that gives the unit a real professional look.

☐ EXPLORER 88-PC Cabinet...\$199.95 + 18.00 p&i.
A heavy-duty open frame power supply with fan that can be used in your own cabinet or installed into the Netronic cabinet is available as follows:

- ☐ 10 amp power supply for system + 2 floppies...\$149.95 + 8.00 p&i.
- ☐ As above + extra power for 1 hard disk...\$169.95 + 8.00 p&i.
- ☐ IBM compatible disk controller board. Controls four 5 1/4" floppy drives (w 2 drive cable)
- ☐ Available wired and tested only...\$250.00 + 8.00 p&i.
- ☐ The monitors and BIOS source listings are available on either disk or hard copy at \$35.00.

Please specify format and system required.

☐ INTEL 8086/8088 user manual...\$15.00 + 1.50 p&i.

☐ THE 8086 BOOK by RECTOR & ALEX...\$16.00 + 1.50 p&i.


☐ Special IBM compatible system: with keyboard, color graphics board, floppy disk controller, 64K RAM, cabinet, standard power supply and a single 5 1/4" floppy drive...\$1899.95 + 25.00 p & i.

*IBM PC is a registered trademark of IBM Corporation

EXPLORER 85

Learn computing from the ground up. Start with the Explorer/85 Level 'A' kit which includes an expandable mother board. The kit includes the 8085 CPU, 2K Monitor program used to enter, test, run and save programs plus the parts to allow you to start programming. Just add a power supply and terminal or hex keyboard.

- ☐ LEVEL A Terminal version or hex keyboard
- ☐ Hex Keypad version 129.95 + 3.00 p&i. Add
- ☐ Level 'B' 49.95 + 2.00 + two 100 pin connectors @4.85 ea. and have a powerful S-100 computer. Add
- ☐ Level 'C' 39.95 + 2.00 p&i + five 100 pin connectors to increase S-100 slots to 6. Add memory using the JAWS 16-64K S-100 board or add ☐ Level 'D' 4K to main board 49.95 + 2.00 p&i. ☐ Level 'E' 5.95 + 1.50 p&i adds decoding for 8K of 2716 eeproms. Need a power supply? Use the ☐ 5 amp AP-1 at 39.95 + 2.00 p&i. Select one of our low-cost terminals or use the ☐ Hex keypad w/display at 69.95 + 2.00 p&i. ☐ Deluxe system cabinet 49.95 + 3.00 p&i. ☐ Optional tan 16.50. Now add ☐ Micro-soft 8K basic & a powerful ☐ Text editor/assembler in ROMS, just 99.95 ea. Add



☐ 8" floppy 499.95 + 12.00 p&i. ☐ Floppy controller board 199.95 + 2.00 p&i. ☐ Floppy cabinets & power supply 69.95 + 3.00 p&i. ☐ Two drive cable 29.95 + 1.50 p&i. Hard disk also available (see insert).

ORDER A SPECIAL-PRICE EXPLORER/85 PAK

☐ **Beginner Pak (Save \$26.00)** - You get Level A (Terminal Version) with Monitor Source Listing (\$25 value) AP-1 5-amp power supply, Intel 8085 Users Manual... (Reg. \$199.95) SPECIAL \$169.95 plus \$4 p&i.

☐ **Experimenter Pak (Save \$53.40)** - You get Level A (Hex Keypad/Display Version) with Hex Keypad/Display, Intel 8085 User Manual, Level A Hex Monitor Source Listing and AP-1 5-amp. power supply... (Reg. \$279.95) SPECIAL \$219.95 plus \$6 p&i. ☐ **Special Micro-soft BASIC Pak (Save \$103.)** - You get Levels A (Terminal Version), B.D. (4K RAM) E. 8K Micro-soft in ROM, Intel 8085 User Manual, Level A Monitor Source Listing and AP 1 5-amp. power supply... (Reg. \$439.70) SPECIAL \$329.95 plus \$7 p&i. ☐ Add a Rom-Version Text Editor/Assembler (Requires Levels B and D or S100 Memory)... \$99.95 plus \$2 p&i.

Starter 8" Disk System - Includes Level A, B floppy disk controller, one CDC 8" disk-drive, two drive cable, two S100 connectors, just add your own power supplies, cabinets and hardware... (Reg. \$1065.00) SPECIAL \$999.95 plus \$13 p&i. ☐ 32k Starter System. \$1045.95 plus \$13 p&i. ☐ 48k Starter System. \$1095.95 plus \$13 p&i. ☐ 64k Starter System. \$1145.95 plus \$13 p&i.

☐ Add to any of above Explorer steel cabinet. AP-1 five amp. power supply. Level C with two S100 connectors, disk drive cabinet and power supply, two sub-D connectors for connecting your printer and terminal... (Reg. \$225.95) SPECIAL \$199.95 plus \$13 p&i.

☐ **Complete 64K System. Wired & Tested...** \$1650.00 plus \$26 p&i.

S-100 BOARDS

JAWS MEMORY BOARD. Features the INTEL 8202 for invisible refresh. Designed to be used with 8080, 8085 and Z80 CPU's. Works in all well designed S-100 computers, 10 day refund (or exchange wired unit for a kit) on wired units.

- ☐ 16K Kit 149.95* ☐ 16K wired 179.95*
- ☐ 32K Kit 199.95* ☐ 32K wired 239.95*
- ☐ 48K Kit 249.95* ☐ 48K wired 299.95*
- ☐ 64K Kit 299.95* ☐ 64K wired 359.95*

*Add \$2.00 p&i to all above.

4 DRIVE 8" FLOPPY CONTROLLER BOARD ☐ Single density (single or double sided) controller using the WD 1771. Includes two serial ports. Plugs into any S-100 computer.

8K 2716 EPROM BOARD. ☐ addressable on 8K page boundaries complete with sockets 69.95 + 2.00 p&i.

S-100 ELECTRIC MOUTH. Give your computer the power of speech. Uses National's DIGITALTALKER ☐ with 143 words 99.95 + 2.00 p&i. ☐ second word set 39.95 + 1.00 p&i. Board accepts up to 4 word sets or your own custom word rom chips.

UNIVERSAL SPEECH SYNTHESIZER



Use 90 preprogrammed words or generate your own words using phonemes. Perfect for any project that needs speech or for speech development system. Connects to any RS 232 serial or 8 bit parallel port or can be used in a stand alone mode. ☐ Speak-easy (board only) 159.95 + 3.00 p&i. ☐ Cabinet and power transformer 25.00 + 2.00 p&i.

TRS 80 ELECTRIC MOUTH. Plugs into the expansion slot on the TRS 80 models 1 or 3 (specify type) ☐ with 143 word set 119.95 + 3.00 p&i. Includes separate power supply. ☐ second word set 39.95 + 1.00 p&i, same specs as S-100 model.

APPLE ELECTRIC MOUTH. Same as above except this board plugs into any of the Apple expansion slots ☐ with 143 word set 99.95 + 3.00 p&i. ☐ second word set 39.95 + 1.00 p&i. Accepts 3 word sets or custom word ROMs.

TERMINALS & VIDEO

FASTERM 64 ☐ 199.95 + 3.00 p&i. Display format: 64 or 32 char/16 lines...96 ASCII characters (w/ case)...8 baud rates, 150 to 19,200...line output: RS 232-C or 20 ma current...video output: 1V P/P...cursor modes: home



& clear screen, erase to end of line, erase cursor/line, cursor up and down, auto carriage return/line feed at ends of line and auto scrolling...reverse video...blinking cursor...parity: off, even, or odd...stop bits: 1, 1.5, 2...data bits per character: 5, 6, 7 or 8...printer output: prints all incoming data...1k on-board RAM...2k on-board ROM...complete with power supply, cabinet & 56-key ASCII encoded keyboard. ☐ Optional graphics mode: includes 34 Greek & math plus 30 special graphic characters: 19.95 prepaid.

☐ **FASTERM VIDEO BOARD:** 99.95 + 3.00 p&i. **SMARTERM 80** ☐ 299.95 + 3.00 p&i. Display format: specify either 80 by 24 or 40 by 16...128 ASCII characters (w/ case)...8 baud rates: 110 to 19,200...line output: RS232/C or 20 ma current loop...video output: 1V P/P...editing features: insert/delete line, insert/delete character, forward/back tab...line or page transmit...page print function...cursor positioning: up, down, right, left, plus absolute cursor positioning with read back...visual attributes: underline, blink, reverse video, half intensity & blank...graphics: 12,000 pixel resolution block plus line graphics...on-screen parity indicator...parity: off, even or odd...stop bits: 110 baud 2, all others 1...printer output...60 or 50 Hz vertical re-

fresh...blinking block cursor...2k on-board RAM...ASCII encoded keyboard: 56 keys, 128 characters...4k on-board ROM...complete with power supply & cabinet.

☐ **SMARTERM VIDEO BOARD:** 199.95 + 3.00 p&i ☐ **ZENITH VIDEO MONITOR** (green phosphor): 149.95 + 6.00 p&i ☐ **RF MODULATOR** (kit only): 8.95 + 1.00 p&i ☐ 3-ft. cable with DB 25 connectors: 14.95 + 2.00 p&i

HARD DISK

Add up to four 6 or 12 megabyte hard disks to your S-100 system. Automatically installs itself to any standard CPM 2.2 BIOS. ☐ 6 megabytes 2495.00 + 15.00 p&i ☐ 12 megabytes 2995.00 + 15.00 p&i. ☐ Disk to test your system compatibility 5.00.

SOFTWARE

We are distributors for all Systems Plus & Micro pro software. Call for prices. ☐ CPM 2.2 150.00 ☐ Micro-soft basic 325.00. ☐ Special Business Pac includes CP/M, BASIC, GL, AR, AP & Payroll 699.95 (save 625.00).

CLIP AND MAIL ENTIRE AD

"p&i stands for 'postage & insurance.' Far Canadian orders, double this amount CP M is a reg. trademark of Digital Research

TO ORDER Call Toll Free

800-243-7428

To order from Connecticut or for technical assistance call (203) 354-9375. Conn. residents add sales tax.

☐ VISA ☐ MASTERCARD (Bank No. _____) Acct. No. _____

Exp. Date _____

SEND ME THE ITEMS CHECKED IN AD

Signature _____

Print Name _____

Address _____

City _____

State _____

Zip _____

WE WILL NOT BE UNDERSOLD

TERMINALS

Zenith ZT-1	\$595.00
Zenith Z-19	\$679.00
Televideo 510+	\$599.00
Televideo 925	\$779.00
Televideo 950	\$979.00
Sanyo CRX-1100	CALL

COMPUTERS

Sanyo MBC 1000 64K	CALL
Sanyo MBC 1200	CALL
Sanyo MBC 2000 dual 5 1/4"	CALL
Sanyo MBC 3000 dual 8"	CALL
Sanyo MBC 4000 16 BIT	CALL
ALL SANYO COMPUTERS INCLUDE	
WordStar, MailMerge, CalcStar, SpellStar, InfoStar	
Franklin Ace 1000 64K	CALL
Franklin Ace 1200 128K	CALL
Call for our Special System Packages!	

TELECOMMUNICATIONS

Novation Cat	\$139.00
Novation J Cat	\$119.00
Novation D Cat	\$155.00
Novation Apple Cat	\$299.00
Novation Apple Cat 1200 baud	\$629.00
Novation Smart Cat	\$199.00
Novation Smart Cat 1200 baud	\$495.00
Hayes Micromodem II	\$299.00
Hayes Smartmodem	\$239.00
Hayes Smartmodem 1200 baud	\$569.00
Hayes Chronograph	\$229.00
Signalman Mark I	\$89.00
Signalman—IBM	\$189.00

DISKETTES

Verex 5 1/4"	\$23.95
Verbatim 5 1/4"	\$26.95
Verbatim 8"	\$36.95
Verbatim Head Cleaning Diskette	\$9.95
Maxell MD1 5 1/4"	\$29.95
Maxell MD2 5 1/4"	\$44.95
Maxell FD1 8"	\$37.95
Maxell FD2 8"	\$44.95
5 1/4" File Box	\$19.95
8" File Box	\$21.95

MONITORS

Sanyo 9" B&W	\$159.00
Sanyo 9" Green	\$165.00
Sanyo 12" B&W	\$179.00
Sanyo 12" Green	\$199.00
Sanyo 13" Color	\$399.00
SMD 13" Color	\$339.00
Comrex 13" Color	\$329.00
Amdek 13" Color	\$329.00
Zenith 13" Color RGB	\$599.00
Zenith 12" Green	\$99.00
Electrohome 13" Color RGB	\$599.00
Taxan 12" Amber	\$139.00
Taxan 12" Green	\$129.00
Taxan 12" Medium Res Color	\$319.00
Taxan 12" Hi Res Color	\$529.00

The CPU Computer Corporation
Announces:

CPUnet™

The Local Area Network that uses
real CP/M™ for Apples. CPUnet™
allows you to run hundreds of
popular CP/M™ programs, on your
Apple terminals, without disk drives!
Call for more information.

\$2995.00

APPLE ACCESSORIES

16K Card by Microsoft	\$79.00
32K Card by Saturn	\$199.00
64K Card by Saturn	\$419.00
128K Card by Saturn	\$585.00
SoftCard Plus by Microsoft	CALL
Keyboard Enhancer by Videx	\$125.00
Videoterm by Videx	\$259.00
Game Paddle by TG	\$49.00
Joystick by TG	\$49.00
Pkaso ID-12 Card	\$159.00
Pkaso EP-12 Card	\$159.00
Pkaso AP-12 Card	\$159.00
Pkaso NE-12 Card	\$159.00
System Saver by Kensington	\$75.00
Microbuffer II 16K (Apple)	\$229.00
Microbuffer II 32K (InLine)	\$259.00
Microbuffer II 64K (InLine)	\$319.00
Add-Ram 16K by ALS	\$79.00
Z-Card w/CPM by ALS	\$225.00
Z-Card 64K by ALS	\$299.00
Smarterm by ALS	\$249.00
Smarterm II by ALS	\$149.00
Dirt Cheap Video by ALS	\$75.00
Color II Card by ALS	\$149.00

APPLE SOFTWARE

MICROPRO	
WordStar	\$379.00
MailMerge	\$190.00
SpellStar	\$190.00
DataStar	\$259.00
CalcStar	\$115.00
VISICORP	
VisiCalc	\$199.00
VisiTerm	\$89.00
VisiDex	\$199.00
VisiPlot	\$169.00
VisiFile	\$199.00
VisiSchedule	\$259.00
VisiTrend/Plot	\$259.00
VisiLink	\$199.00
VisiCalc Business Model	\$89.00
MISCELLANEOUS	
MicroTerminal	\$69.00
Screenwriter II	\$99.00
Dictionary	\$79.00
DB Master	\$169.00
PFS Filing System	\$99.00
PFS Report	\$75.00
PFS Graph	\$99.00
Easy Writer Pro	\$199.00
Easy Mailer Pro	\$79.00
Z-Term Pro	\$129.00
Word Handler	\$149.00
MultiPlan by Microsoft	\$229.00
dBase II	\$489.00
HowardSoft Tax Preparer	\$149.00

IBM PC HARDWARE

Quadram 128K Ram Card	\$599.00
Quadram 192K Ram Card	\$719.00
Quadram 256K Ram Card	\$795.00
Microsoft 64K Ram Card	\$399.00
Microsoft 192K Ram Card	\$699.00
Microsoft 256K Ram Card	\$799.00
Joystick by TG	\$49.00
Tandon TM 100-2 Raw Drive	\$279.00

IBM PC SOFTWARE

INFORMATION UNLIMITED	
Easy Writer	\$289.00
Easy Speller	\$149.00
Easy Filer	\$319.00
VISICORP	
VisiCalc 256K	\$199.00
VisiDex	\$209.00
VisiFile	\$259.00
VisiTrend/Plot	\$259.00
VisiSchedule	\$259.00
VisiWord	\$329.00
MICROPRO	
WordStar	\$379.00
MailMerge	\$195.00
MISCELLANEOUS	
SuperCalc	\$279.00
SuperWriter	\$289.00
Home Accountant +	\$129.00
dBase II	\$495.00

DISK DRIVES

CCI 121 add-on for Sanyo MBC 1000	\$359.00
CCI 100 for the TRS 80 Model I	
5 1/4" 50 track	\$299.00
Corvus 5M with Mirror	\$2895.00
Corvus 10M with Mirror	\$3679.00
Corvus 20M with Mirror	\$4579.00
Rana Systems for the Apple II	
Elite One 40 track	CALL
Elite Two 80 track	CALL
Elite Three 80 track, double side	CALL
Elite Controller	CALL
Sanyo EFD 160	\$699.00

RAM

16K Ram Kit for Apple II	
and TRS 80. 4116 chips	
200 nano seconds	\$17.50

PRINTERS

NEC 3510 Serial	\$1595.00
NEC 3530 Parallel	\$1629.00
NEC 3550 for the IBM PC	\$1995.00
NEC 7710 Serial	\$2250.00
NEC 7720 KSR	\$2675.00
NEC 7730 Parallel	\$2250.00
Epson MX 80	CALL
Epson MX 80 FT	CALL
Epson MX 100 FT	CALL
Epson FX Series	CALL
Epson RX Series	CALL
IDS Microprism	CALL
IDS Prism 80	CALL
IDS Prism 132	CALL
Okidata 82A	\$479.00
Okidata 83A	\$729.00
Okidata 84	\$1149.00
Sanyo PR 5500 Letter Quality	\$859.00
Brother HR 1 Letter Quality	\$899.00
Toshiba P 1350 160 CPS	
Letter Quality	CALL

Call For More IBM Software And Accessories

CP/M is a registered trademark of Digital Research.

TO ORDER CALL TOLL FREE
1-800-343-6522

For fast delivery, send certified checks, money orders, or
call to arrange direct bank wire transfers. Personal or com-
pany checks require one to three weeks to clear. All prices
are **mail order only** and are subject to change without
notice. Call for shipping charges.

SPECIAL OF THE MONTH
SANYO PR 5500
LETTER QUALITY
PRINTER
18 CPS—DAISY WHEEL
BI-DIRECTIONAL
\$CALLS



The CPU Shop

DEALER INQUIRIES PLEASE CALL 1-800-343-7036

420-438 Rutherford Ave., Dept. KM 3, Charlestown, Massachusetts 02129

Hours 9 AM - 9 PM (EST) Mon.-Fri. (Sat. till 6)
Technical information call 617/242-3361

TWX- 710-348-1796

Massachusetts Residents call 617/242-3361
Massachusetts Residents add 5% Sales Tax



**WORLD'S BEST SELLING TERMINAL**

Extra Memory Pages

FREE!

KQPBTLV9252P** \$749.00

*TeleVideo 925 w/free 2nd page memory kit, a \$95.00 Value!

KQPBTLV9504P** \$949.00

*TeleVideo 950 w/free 2nd, 3rd & 4th page memory kit, \$285.00 value!

KQTLV910 \$649.00

With emulations & foreign languages

(Shipping Weight 37 lbs.)

**BEST BUYS!****DUAL 8" HALF HEIGHT FLOPPY CABINET**

- 24V @ 4A 5V @ 3A
- -5V @ 800ma
- Fan cooled
- Socketed power connections
- All supplies regulated



KQH107L002 Dual Thin Line Cabinet

\$165.00

List Price: \$225.00

Vista SOLO APPLE DISK DRIVE

Introducing Solo, a new cost-effective solution to Apple Disk Storage, offering all the capabilities of the standard Apple Disk II at a fraction of the cost!!

- Totally Apple II compatible
- Cost effective
- 35 track drive
- 143K bytes of storage
- 120 day warranty

**\$269.00**

List Price SALE

KQVIS3101 Apple drive add-on \$299.00 **\$269.00****VISTA 3101 DISK DRIVE WITH APPLE II CONTROLLER**KQVIS3111 Drive with controller \$379.00 **\$349.00**

(Shipping Weight 6 lbs.)

Vista 6 MEGA BYTE APPLE II 5 1/4" DISK SUBSYSTEM**NEW!**

- 6 MByte Drive
- 6 MByte Cartridge
- DMA Disk Controller
- Cabinet & Power Supply

KQVIS1840 List Price \$1549.00

SALE PRICE:**\$1299.00**

KQVIS3120 6 MByte Cartridge \$89.95

Vista QUARTET DUAL 5 1/4" DOUBLE SIDED APPLE II DISK SUBSYSTEM

- 640K of Storage
- Single Sided Emulation
- Double Sided Patch included
- Disk Controller
- 120 Day Warranty

List \$799.00

\$699

KQVIS3401

(Sh. Wt. 20 lbs.)

DUAL QUME 8" FLOPPY DRIVE, CABINET, DMA S-100 CONTROLLER, AND CP/M®**\$1595.00**

KQPB88T5S206

FROM CompuPro**YOU SAVE \$1419.77!!**

ABSOLUTELY THE MOST COST EFFECTIVE DISK SUBSYSTEM EVER OFFERED BY PRIORITY ONE ELECTRONICS!!

- 2 Double sided 8" QUME DT8 disk drives
- DMA Floppy Controller (controls up to 4 drives)
- CP/M® 2.2 w/bios written for the Disk 1 Controller
- Cabinet includes power supply & internal data cable
- External data cable included

(Shipped freight collect)

List Price

1 6BT2065P \$2325.00

1 6BT171A \$485.00

1 6BTCPM60 \$175.00


1 P6C505605 \$19.77

\$3014.77

CABINET AND 2 QUME DT8 DOUBLE SIDED DRIVES \$1295.00
(Shipped freight collect) List \$1595.00 SAVE \$1030.00! KQPB2065P

64K IEEE/S-100 DYNAMIC RAM**2 or 4MHz BANK SELECTABLE**

- 2 or 4 MHz operation
- Designed to IEEE proposed S-100 bus standards
- Supports IMSAI-type front panels
- Operates with either an 8080 or Z-80 based S-100 system providing processor transparent refreshes with both
- Bank-select system allows system memory expansion
- Bank-select port's address is jumper selectable
- Any 16K block can be made bank-independent
- All 64K can be made bank-enabled on power-on and reset
- Fully buffered address and data lines
- Configuration as a 16K 32K or 48K board without the removal of RAMs
- Fail-safe refresh circuitry for extended Wait States
- Board configuration with reliable, easy to configure Berg jumpers
- Supports DMA
- Jumper-selectable Phantom input
- Assembled & Tested
- All ICs in sockets
- Uses Popular 4116 RAMs
- Full factory warranty

**\$175.00 each**

REGULAR LIST PRICE IS \$375.00

4/\$640.00

KQCCS20653 (Shipping Weight 2 lbs. each)


SAVE AN INCREDIBLE \$200.00!!**RAM BOARD DISK DRIVE BONUS!**

As an added bonus, **PRIORITY ONE ELECTRONICS** will be giving away software developed by Micro Resources that will allow four CCS2065 boards to be used as an in-memory disk drive. This allows for an incredible increase in speed with your computer! This offer will be offered only with the purchase of four CCS20653 Memory Boards.


KQMRSDSK

SIEMENS FDD100-8 8" FLOPPY DISK DRIVE SINGLE SIDED, DOUBLE DENSITY SHUGART 801R COMPATIBLE 90 DAY WARRANTY!

ONCE AGAIN, YOU RECEIVE THE BENEFIT OF OUR UNEQUALLED PURCHASING POWER!

**\$225.00 ea.****\$199.00 2 - 9****CALL for 10+**

OEM INQUIRIES INVITED
(Include \$7.00 per drive for shipping)
KQSIEFDD1008

ORDER NOW AND SAVE!**BUY DRIVE & CABINET TOGETHER AND SAVE!! DUAL 8" SIEMENS FDD1008 DUAL 8" CABINET POWER SUPPLY AND INTERNAL POWER CABLES**

- Positive Pressure Filter Cooling
- Power Supply: 4A @ +5V 3A @ +24V 1A @ -5V
- Each output is individually fused
- Hinged top for easy access
- Heavy non-flex .090 aluminum base
- Modular power connectors

IF BOUGHT SEPARATELY: \$890.00**PRICED AT:****\$675.00**

KQPB1115IE

KQIIF0E002 CABINET ONLY (Sh. Wt. 38 lbs.)

\$295.00**RETAIL STORE PHONE NUMBERS: (Chatsworth:) (213) 709-5464 - (Irvine:) (714) 660-1411**

1200 BAUD AUTO-DIAL HAYES SMARTMODEM COMPATIBLE



**U.S.
ROBOTICS
INC.**



MODEMS

\$495.00

The **AUTO DIAL 212A** Modem is a direct connect 0-3000 or 1200 baud modem capable of dialing and calling for you. The **AUTO DIAL 212A** is compatible in function to the DC Hayes **SMARTMODEM**.

Part No.	Description	List	SALE
KQ USRADIAL212A	0-300 1200 baud dialing modem	\$599.00	\$495.00

IBM[®] MULTICARD

Vista[™] MEMORY & I/O CARD



- 64K RAM Expandable to 256K
- One RS232 Serial Port
- One Parallel Printer Port
- Real Time Clock Calendar with Battery Backup (Sh. Wt. 1 lb.)

KQVIS025665


List Price: \$595.00

SALE PRICE:

\$399.00

IBM[®] MAXICARD

Vista[™] PERSONAL COMPUTER RAM CARD POPULATED IN 64K, 256K, or 576K



- Runs at full speed with no wait states
- Parity can be disabled at User's option
- On board parity bit on each Byte
- Fully expanded, a full 576KB on one card
- One board fills entire primary RAM address space available
- Full Vista 120 Day Warranty

64K \$199.00

KQVIS057064 List Price: \$379.00

SAVE \$180.00

256K \$449.00

KQVIS0570256 List Price: \$789.00

SAVE \$340.00

576K \$950.00

KQVIS0570576 List Price: \$1299.00

SAVE \$349.00

(IBM is a trademark of International Business Machines)

EIA/RS232 WALL PLATES


(Does not include connectors)

KQIIWPD8251 Single punched

4/\$10.00

KQIIWPD8252 Dual Punched

4/\$12.00



RS-232 "D" SUB-MINIATURE CONNECTORS

	1-9	10-24	25-99	100-UP
KQCN00825P	25 Pin Male	\$2.75	\$2.50	\$2.25 \$1.95
KQCN00825S	25 Pin Female	\$4.00	\$3.50	\$3.25 \$3.00
KQCN00851212	1 Pc. Grey Hood	\$1.85	\$1.40	\$1.25 \$1.15
KQCN0P25H	2 Pc. Grey Hood	\$1.50	\$1.25	\$1.10 \$1.00
KQCN00851226	2 Pc. Black Hood	\$1.75	\$1.50	\$1.35 \$1.20
KQCN0020416	Hardware set 2/Pr	\$1.00	\$.60	\$.70 \$.60



**TEXAS
INSTRUMENTS**

16 PIN GOLD AND TIN DIP SOLDERTAIL SOCKETS



	TIN	GOLD
QTY	KQTIS16LP	KQTIG16LP
50	\$ 8.00	\$ 10.00
1000	\$ 60.00	\$ 80.00
4500	\$225.00	\$315.00

DIRECT CONNECT MODEM

\$79.00

**0 - 300 BAUD
MURA MM-100**



NEW!

- 0 - 300 baud
- RS232C interface
- Full duplex
- Carrier detect indicator
- Bell 103 compatible
- Low voltage
- Originate/Answer switch selectable

	List Price	SALE
KQMURMM100 0 - 300 baud modem (Shipping Weight: 2 lbs.)	\$99.95	\$79.00
KQCNORS2326F RS232 cable		\$19.95

LOWEST COST PRINTERS AVAILABLE

\$299.00 !!



**COEX
80
F/T**
(Sh. Wt. 21 lbs.)

- 80 cps • 10, 12 or 16.5 cpi • 3 selectable line spacing • Vertical format control • Centronics parallel or RS232 serial interface • Uses a standard Underwood spooled ribbon • Friction and tractor feed

	List Price	OUR Price
KQCOX80FT Parallel int.	\$399.00	\$299.00
KQCOX80FTSER Serial int.	\$399.00	\$319.00
KQCOXAPLINTP Apple parallel interface w/cable		\$49.95

\$229.00

**AXIOM
AXIOM CORPORATION**



**SAVE
\$160.00!!**
(Sh. Wt. 11 lbs.)

- 5 x 7 Dot Matrix • Parallel Interface (Centronics) • Tractor Feed • Dot Addressable Graphics • Up to 3-Part Paper • Self Test • One Year Warranty • 30 CPS 80 Column Unidirectional • Uses Regular Paper

KQAXMGPI00A Dot Matrix Printer	\$389.00	\$229.00
--------------------------------	----------	-----------------

**SUPER
LOW
PRICES!
DOUBLE
DENSITY!**

5 1/4" FLOPPY DISKETTES

**LIFETIME
WARRANTY!**

FEATURES:

- Includes reinforcement ring
- Write protect with tabs
- 100% Surface tested
- Lifetime warranty

Description

KQULTS2401	Soft sector, 40 track, 2 side
KQULTS2410	10 sector, 40 track, 2 side
KQULTS2416	16 sector, 40 track, 2 side
KQULTS1601	Soft sector, 80 track, 1 side
KQULTS1610	10 sector, 80 track, 1 side
KQULTS1616	16 sector, 80 track, 1 side
KQULTS2001	Soft sector, 80 track, 2 sided
KQULTS2010	10 sector, 80 track, 2 sided
KQULTS2016	16 Sector, 80 track, 2 sided

SALE!

	Box of 10	2 Boxes	10 Boxes
40 TRACKS — BOX OF			
DOUBLE DENSITY:			
ORDER INFORMATION:			
KQULTS1401 Soft Sector			
KQULTS1410 10 Sector			
KQULTS1416 16 Sector			
BOXES:			
10	\$25.00		
2		\$40.00	
10			\$180.00
BOXES:			
	\$35.00	\$60.00	\$280.00
	\$30.00	\$50.00	\$220.00
	\$40.00	\$70.00	\$320.00
	(Sh. Wt. 2 lbs)	(Sh. Wt. 4 lbs.)	(Sh. Wt. 20 lbs.)



PRIORITY ONE ELECTRONICS

9161 DEERING AVE. CHATSWORTH, CA 91311

ORDER TOLL FREE (800) 423-5922 - CA, AK, HI CALL (213) 709-5111

Terms: U.S. VISA, MC, BAC, Check, Money Order, U.S. Funds Only. CA residents add 6 1/2% Sales Tax. MINIMUM PREPAID ORDER \$15.00. Include MINIMUM SHIPPING & HANDLING of \$3.00 for the first 3 lbs. plus 40¢ for each additional pound. Orders over 50 lbs. sent freight collect. Just in case, please include your phone number. Prices subject to change without notice. We will do our best to maintain prices through May, 1983. Credit Card orders will be charged appropriate freight. If you haven't received your Winter '83 Engineering Selection guide, send \$1.00 for your copy today! Sale prices for prepaid orders only.

RETAIL STORE PHONE NUMBERS: (Chatsworth:) (213) 709-5464 - (Irvine:) (714) 660-1411

READER SERVICE

This card is valid until June 30, 1983

advertised in this issue. Refer to the ad. You will find numbers near the logo of each advertiser. Each represents the advertiser's individual Reader Service number. Circle the corresponding numbers on one of the cards on this page, include your name, address & zip, and drop in a mailbox. In 4-6 weeks you'll hear from the advertiser directly.

My vote for the best advertisement in this issue goes to _____ (company) whose Reader Service number is _____

- A. When did you first purchase your microcomputer?
- ☐ 1. Less than 1 year ago
 - ☐ 2. 1-2 years ago
 - ☐ 3. 2-3 years ago
 - ☐ 4. 3-4 years ago
 - ☐ 5. 4 or more years ago
 - ☐ 6. Don't own a microcomputer

- B. How many computers do you own?
- ☐ 1. 0
 - ☐ 2. 1
 - ☐ 3. 2
 - ☐ 4. 3
 - ☐ 5. 4
 - ☐ 6. 5 or more

- C. Which of the following best describes your interest in portable computers?
- ☐ 1. Not interested
 - ☐ 2. Mildly interested
 - ☐ 3. Very interested
 - ☐ 4. Plan on purchasing one
 - ☐ 5. Already own one

- D. If you plan to buy a printer during the next year, how much do you expect to spend?
- ☐ 1. Under \$500
 - ☐ 2. \$500-\$750
 - ☐ 3. \$751-\$1,000
 - ☐ 4. \$1,001-\$1,500
 - ☐ 5. \$1,501-\$2,000
 - ☐ 6. Over \$2,000

- E. If you plan to buy a plotter during the next year, how much do you expect to spend?
- ☐ 1. Under \$750
 - ☐ 2. \$750-\$1,000
 - ☐ 3. \$1,001-\$1,500
 - ☐ 4. \$1,501-\$2,000
 - ☐ 5. \$2,001-\$2,500
 - ☐ 6. Over \$2,500

- F. If you plan to buy a modem during the next year, how much do you expect to spend?
- ☐ 1. Under \$250
 - ☐ 2. \$250-\$500
 - ☐ 3. \$501-\$750
 - ☐ 4. \$751-\$1,000
 - ☐ 5. \$1,001-\$1,500
 - ☐ 6. Over \$1,500

- G. If you plan to buy a hard disk during the next year, how much do you expect to spend?
- ☐ 1. Under \$800
 - ☐ 2. \$800-\$1,200
 - ☐ 3. \$1,201-\$1,600
 - ☐ 4. \$1,601-\$2,000
 - ☐ 5. \$2,001-\$2,400
 - ☐ 6. Over \$2,400

- H. Microcomputing's coverage of games in the magazine is:
- ☐ 1. Insufficient
 - ☐ 2. Just right
 - ☐ 3. Too much

- I. How thoroughly do you read the articles in Microcomputing?
- ☐ 1. I read almost all articles thoroughly.
 - ☐ 2. I skim almost all articles.
 - ☐ 3. I read some thoroughly, skim others.
 - ☐ 4. I just put it on the shelf.

- L. On a scale of 1 (no interest) to 5 (great interest), please rate your interest in the following regular features:

- ___ 1. Dial-up Directory
- ___ 2. What's New, Big Blue?
- ___ 3. PET-pour!
- ___ 4. Micro Software Digest
- ___ 5. Game Reviews
- ___ 6. Conversions
- ___ 7. Hardware Reviews
- ___ 8. Software Reviews

M. If you are not a subscriber, please circle 500.

1	6	11	16	21	126	131	136	141	146	251	256	261	266	271	376	381	386	391	396
2	7	12	17	22	127	132	137	142	147	252	257	262	267	272	377	382	387	392	397
3	8	13	18	23	128	133	138	143	148	253	258	263	268	273	378	383	388	393	398
4	9	14	19	24	129	134	139	144	149	254	259	264	269	274	379	384	389	394	399
5	10	15	20	25	130	135	140	145	150	255	260	265	270	275	380	385	390	395	400
26	31	36	41	46	151	156	161	166	171	276	281	286	291	296	401	406	411	416	421
27	32	37	42	47	152	157	162	167	172	277	282	287	292	297	402	407	412	417	422
28	33	38	43	48	153	158	163	168	173	278	283	288	293	298	403	408	413	418	423
29	34	39	44	49	154	159	164	169	174	279	284	289	294	299	404	409	414	419	424
30	35	40	45	50	155	160	165	170	175	280	285	290	295	300	405	410	415	420	425
51	56	61	66	71	176	181	186	191	196	301	306	311	316	321	426	431	436	441	446
52	57	62	67	72	177	182	187	192	197	302	307	312	317	322	427	432	437	442	447
53	58	63	68	73	178	183	188	193	198	303	308	313	318	323	428	433	438	443	448
54	59	64	69	74	179	184	189	194	199	304	309	314	319	324	429	434	439	444	449
55	60	65	70	75	180	185	190	195	200	305	310	315	320	325	430	435	440	445	450
76	81	86	91	96	201	206	211	216	221	326	331	336	341	346	451	456	461	466	471
77	82	87	92	97	202	207	212	217	222	327	332	337	342	347	452	457	462	467	472
78	83	88	93	98	203	208	213	218	223	328	333	338	343	348	453	458	463	468	473
79	84	89	94	99	204	209	214	219	224	329	334	339	344	349	454	459	464	469	474
80	85	90	95	100	205	210	215	220	225	330	335	340	345	350	455	460	465	470	475
101	106	111	116	121	226	231	236	241	246	351	356	361	366	371	476	481	486	491	496
102	107	112	117	122	227	232	237	242	247	352	357	362	367	372	477	482	487	492	497
103	108	113	118	123	228	233	238	243	248	353	358	363	368	373	478	483	488	493	498
104	109	114	119	124	229	234	239	244	249	354	359	364	369	374	479	484	489	494	499
105	110	115	120	125	230	235	240	245	250	355	360	365	370	375	480	485	490	495	500

Name _____
Address _____
City _____ State _____ Zip _____

Microcomputing • May 1983

MICROCOMPUTING

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 73 PETERBOROUGH, NH 03458

POSTAGE WILL BE PAID BY ADDRESSEE

MICROCOMPUTING[®]

P.O. Box 316

Dalton, MA 01226-0316

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

Microcomputing[®] • List of Advertisers

Reader Service Number	Page	Reader Service Number	Page	Reader Service Number	Page
349 Abacus Associates	137	93 Electronics Specialists	126	• Dictionary Ad	35
477 Abacus Data, Inc.	140	192 Ellis Computing	11	• Foreign Dealers	80
273 ABC Data Products	47	403 Emerging Technology Consultants	98	• Moving?	126
109 Alcor Systems	CIII	402 Emerging Technology Consultants	96	• University Microfilms	125
461 Amanuensis, Inc.	138	78 Expotek	7	66 Mulks Micro	69
96 Amdek	CII	230 Farwest	51	405 Muse Software	98
376 Ampersand	92	420 Ferox Microsystems	94	496 NEC Home Electronics	132
412 Analytic Management Systems	98	206 Ft. Worth Computers	53	• Netronics R&D, Ltd.	110
193 Apple Computer	74, 75	199 Franklin Computer Corp.	59	113 Numerical Controls, Inc.	118
419 Atari, Inc.	94	59 Franklin Computer Corp.	17	140 Omnitek Computer International Corp.	134
415 Barron Enterprises	96	488 Franklin Computer Corp.	136	172 Pacific Exchanges	69, 97
269 B.G. Micro	107	150 General Systems Consulting	29	85 Percom Data Company	3
131 Bay Technical Associates	25	483 Gilttronix, Inc.	136	266 Perry Computers	134
417 Bible Research Systems	94	22 Gimix, Inc.	133	487 Personal Computer Products	135
228 Bond Industries	77	107 Grout and Associates	99	491 Personal Micro Computers, Inc.	132
421 Borland, Ltd.	94	261 GTEK Corp.	54	410 Phoenix Software	98
69 Bottom Line	12	236 Heath Company	83	277 Priority One Electronics	112, 113
326 Bourbon Street Press	123	274 Horizons Unlimited	77	305 Processor Interfaces	97
396 Bytek Computer Systems	65	• Hot CoCo Subscriptions	137	398 Protecto Enterprises	21
298 Bytesize Computer Products	58	478 Howard W. Sams & Co.	138	224 Protecto Enterprises	123
148 CDR Systems, Inc.	123	• ICS Computer Training	63	233 Protecto Enterprises	77
283 CGRS Microtech	80	401 Image Software	98	462 Pyramid Data, Ltd.	140
256 CPU Shop	111	• Immac	52	366 RKS Marketing	77
262 Cab-Tek, Inc.	51	67 Innovative Data Technology	78	390 R.W. Electronics	41
369 Cardco, Inc.	71	128 Innovative Technology	95	188 Rainbow P & P Company	39
411 Cdex Corp.	96	• Instant Software, Inc.		102 Rand's, Inc.	97
275 Cer-Tek	77	• Electronic Bread Board	29	490 Saturn Systems, Inc.	136
80 Check-Mate	125	• Fly Instant Software	91	205 Selectronics	119
170 Chips & Dale	55	345 International Software Alliance	65	375 Semi Disk Systems	67
105 Colonial Data Services Corp.	65	466 Island Software	139	363 Shape, Inc.	139
182 Components Express	51	84 JDR Microdevices	102, 103, 104, 105, 106	359 Simpliway Products Company	77
469 COMPress	138	92 JPC Products	137	14 Sintec	33
90 Compucover	69	• JRT Systems	5	132 68 Micro Journal	13
371 Compuserve	9	299 JV Software	97	474 Smart Systems, Inc.	140
259 Computek	123	41 Jameco Electronics	120	406 Soft Images	98
408 Computer Advanced Ideas	96	48 Jade	116, 117	464 Soft Spot, Ltd.	138
• Computer Book Club	19	342 J&L Software	77	404 Softwrights	96
320 Computer Case Company	69	246 Johnson & Johnson Computers	85	471 STSC, Inc.	139
18 Computer Design Labs	87	413 King Software	96	244 Sun Research	79
• Computer Dynamics	123	209 L-COM	38	39 Sunlock Systems	39
185 Computer Friends	91	198 LNW Research	90	409 Syntauri	98
36 Computer Shopper	13	106 Laboratory Microsystems	52	341 TMSI	92
278 Computer Software Associates	135	355 Leading Edge Products, Inc.	CIV	189 Tab Sales Company	93
49 Compuview Products	89	373 Logical Devices, Inc.	131	492 Tabor Corp.	132
265 Compuway, Ltd.	39	204 Lyben Computer Systems	69	112 Teachware	80
297 Concord Computer Products	114	249 MCE, Inc.	15	139 Tech Data Corp.	97
32 Conestoga Data, Inc.	123	323 MCM Enterprises	91	145 Teleprint, Inc.	57
497 Connecticut microComputer, Inc.	135	316 MFJ Enterprises	18	470 Trax	139
197 Cornucopia Software	54	472 Mark of the Unicorn	139	484 Universal Data Systems	136
336 Creative Computers	144	473 Micro Computer Software	138	414 Valpar Corp.	96
252 Cuesta Systems	69	495 Micro Craft	132	• Vespa Computer Outlet	140
35 Daman	69	329 Micro Management Systems	37	407 Virtual Combinatics	96
166 Data Mail	80	34 Micro Peripherals Corp.	97	• Wayne Green, Inc.	
55 Data Research Association	49	184 Micro Sense	23	• Books	127
24 Data Systems	125	416 Microsoft	94	• Manuscript Ad	125
346 Data Timer	95	43 Micro Solutions	123	• Nanos Card	99
476 Daystar Systems	140	73 Micro Source	73	• Shelf Boxes	99
• Digital Research Computers	108, 109	108 Micro Systems Exchange	58	• Selectric Interface	131
250 Discount Software Group	145	• Microcomputing		325 West World	97
465 Eastern House Software	138	• Binders	123	163 Wintek Corp.	97
60 Eastern House Software	58	• Book Nook 1	100	480 Wolsten's Computer Devices	134
87 Eco-Tech	29	• Book Nook 2	101	311 York 10 Computerware	43
418 Educational Software, Inc.	94	• Dealers Sell	131	153 York 10 Computerware	97

*This advertiser prefers to be contacted directly.

For further information from our advertisers, please use the Reader Service card.

S-100 MEMORY BOARDS

64K STATIC RAM - Jade

Uses new 2K x 8 static RAMs, fully supports IEEE 696 24 bit extended addressing, 200ns RAMs, lower 32K or entire board phantomable, 2716 EPROMs may be subbed for RAMs, any 2K segment of upper 8K may be disabled, low power typically less than 500ma.

MEM-99152B Bare board	\$49.95
MEM-99152K Kit less RAM	\$99.95
MEM-32152K 32K kit	\$199.95
MEM-56152K 56K kit	\$289.95
MEM-64152K 64K kit	\$299.95
Assembled & Tested	add \$50.00

256 RAMDISK - SD Systems

ExpandoRAM III expandable from 64K to 256K using 64Kx1 RAM chips, compatible with CP/M, MP/M, Oasis, & most other Z-80 based systems, functions as ultra-high speed disk drive when used with optional RAMDISK software.

MEM-65064A 64K A & T	\$474.95
MEM-65128A 128K A & T	\$574.95
MEM-65192A 192K A & T	\$674.95
MEM-65256A 256K A & T	\$774.95
SFC-55009000F RAMDISK s/w CP/M 2.2	\$44.95
SFC-55009000F RAMDISK with EXRAM III	\$24.95

LETTER QUALITY PRINTERS

LETTER QUALITY PRINTER - COMREX

Uses standard daisy wheels and ribbon cartridges, 16 CPS bi-directional printing, semi-automatic paper loader (single sheet or fan fold), 10/12/15 pitch, up to 16" paper, built-in noise suppression cover.

PRD-11001 Centronics parallel	\$899.95
PRD-11002 RS-232C serial model	\$969.95
PRA-11000 Tractor Option	\$119.95

380Z by Data Terminals & Communications

Based on the same quality mechanism as the Comrex printer the 380Z contains electronic enhancements that allow it to print at speeds up to 32 CPS. Other features include a 48K buffer, proportional spacing, and Diablo 1640/1650/630 compatible protocol. Comes with printwheel, ribbon and users manual. Serial, parallel, and IEEE 488 interfaces standard.

PRD-11300 380Z printer	\$1295.00
PRA-11000 Tractor option	\$169.95
PRA-12000 Cut Sheet Feeder	\$699.95

Printers From JADE


OKIDATA 82 10" 120 CPS	CALL
OKIDATA 92 10" 160 CPS	CALL
OKIDATA 93 15" 160 CPS	CALL
OKIDATA 83 15" 120 CPS	CALL
OKIDATA 84 15" 200 CPS	CALL
OKIDATA 2350 15" 350 CPS	CALL
OKIDATA 2410 15" 350 CPS	CALL
DAISYWRITER 2000 48K Daisywheel	\$1395.00
GEMINI 10 100 CPS with Graphics	\$349.95
GEMINI 15 15" with Graphics	\$499.95

EPROM ERASERS

ULTRA-VIOLET EPROM ERASERS

Inexpensive erasers for industry or home.

XME-3100A Spectronics w/o timer	\$69.50
XME-3101A Spectronics with timer	\$94.95
XME-3200A Logical Devices	\$49.95



S-100 I/O BOARDS

THE BUS PROBE - Jade

Inexpensive S-100 Diagnostic Analyzer

TSX-200B Bare board	\$59.95
TSX-200K Kit	\$129.95
TSX-200A A & T	\$159.95

I/O-4 - SSM Microcomputer

2 serial I/O ports plus 2 parallel I/O ports.

IOI-1010B Bare board w/manual	\$35.95
IOI-1010K Kit with Manual	\$179.95
IOI-1010A A & T	\$249.95

I/O-5 - SSM Microcomputer

Two serial & 3 parallel ports, 110-19.2K Baud

IOI-1015A A & T	\$289.95
-----------------	----------

INTERFACER 4 - CompuPro

3 serial, 1 parallel, 1 Centronics parallel.

IOI-1840A A & T	\$314.95
IOI-1830C CSC	\$414.95

S-100 EPROM BOARDS

PB-1 - SSM Microcomputer

2708, 2716 EPROM board with on-board programmer.

MEM-99510K Kit with manual	\$154.95
MEM-99510A A & T with manual	\$219.95

PROM-100 - SD Systems

2708, 2716, 2732 EPROM programmer with software.

MEM-99520K Kit with software	\$189.95
MEM-99520A A & T with software	\$249.95

NEW! CP/M PLUS 3.0

CP/M 3.0 is Digital Research's latest version of the industry standard disk operating system. It features many performance improvements, such as intelligent record buffering, improved directory handling, "HELP" facility, time date stamping of files and many more improvements. AND A TREMENDOUS INCREASE IN SPEED!!!, it is fully CP/M 2.2 compatible and requires no changes to your existing application software. Available only to Versafloppy II owners with CBC-200 CPU's.

SFC-55009057F CP/M 3.0 8" with manual	\$200.00
SFC-55009057M CP/M 3.0 Manual	\$40.00

FREE CP/M 3.0
With SD Board Set!!!

DUAL DISK SUB-SYSTEMS

Disk Sub-Systems - Jade

Handsome metal cabinet with proportionally balanced flow system, rugged dual drive power supply, power kit, power switch, line cord, fuse holder, cooling fan, non-mar rubber feet, all necessary hardware to mount 2-8" drives, power supply, and fan, does not include signal c

Dual 8" Sub-Assembly Cabinet

END-000420 Bare cabinet	\$49.95
END-000421 Cabinet kit	\$159.95
END-000431 A & T	\$249.95

8" Sub-Systems - Single Sided, Double Density

END-000423 Kit w/2 Siemens FD100-8Ds	\$89.95
END-000424 A & T w/2 Siemens FD100-8Ds	\$89.95
END-000433 Kit w/2 Shugart SA-801Rs	\$99.95
END-000434 A & T w/2 Shugart SA-801Rs	\$119.95

8" Sub-Systems - Double-Sided Double Density

END-000426 Kit w/2 Qume DT-8s	\$129.95
END-000427 A & T w/2 Qume D-8s	\$149.95
END-000436 Kit w/2 Shugart SA-851Rs	\$129.95
END-000437 A & T w/2 Shugart SA-851Rs	\$149.95

8" SLIMLINE SUB-SYSTEMS

Dual Slimline Sub-systems - Jade

Handsome vertical cabinet with scratch resistant enamel finish, proportionally balanced air flow system, cooling fan, rugged dual drive power supply, power cable, power switch, line cord, fuse holder, cooling fan, necessary hardware to mount 2-8" slimline disk drives, does not include signal cable.

Dual 8" Slimline Cabinet

END-000820 Bare cabinet	\$59.95
END-000822 A & T w/o drives	\$179.95

Dual 8" Slimline Sub-Systems

END-000823 Kit w/2 SS DD	\$91.95
END-000824 A & T w/2 SS DD	\$94.95
END-000833 Kit w/2 DS DD	\$114.95
END-000834 A & T w/2 DS DD	\$117.95

S-100 CPU BOARDS

SBC-200 - SD Systems

4 MHz Z-80A CPU with serial & parallel I/O, 1K RAM ROM space, monitor PROM included.

CPC-30200A A & T	\$329.95
------------------	----------

THE BIG Z - Jade

2 or 4 MHz switchable Z-80 CPU board with serial accommodates 2708, 2716, or 2732 EPROM, baud rates 175 to 9600.

CPU 30201B Bare board w/manual	\$39.95
CPU-30201K Kit with Manual	\$149.95
CPU-30201A A & T with Manual	\$199.95

2810 Z-80 CPU - C.C.S.

2 or 4 MHz Z-80 CPU with serial IO port & on board monitor PROM, front panel compatible.

CPU-30400A A & T with PROM	\$289.95
----------------------------	----------

CPU-Z CompuPro

2 or 4 MHz Z80A CPU, 24 bit addressing.

CPU-30500A 2/4 MHz A & T	\$279.95
CPU-30500C 3/6 MHz CSC	\$379.95

8085/8088 - CompuPro

Both 8 & 16 bit CPUs, standard 8 bit S-100 bus, up to 8 M accesses 16 Megabytes of memory.

CPU-20510A 6 MHz A & T	\$399.95
CPU-20510C 6/8 MHz CSC	\$499.95

PLACE ORDERS TOLL FREE

Continental U.S.
800-421-5500

Inside California
800-262-1710

For Technical Inquires
or Customer Service call:
213-973-7707

We accept cash, checks, credit cards, or Purchase Orders from qualified firms and institutions.
Minimum prepaid order \$15.00 California residents add 6 1/2% tax. Export customers outside the US or Canada please add 10% to all prices. Prices and availability subject to change without notice. Shipping and handling charges via UPS Ground 50¢/lb. UPS Air \$1.00/lb. minimum charge \$3.00

1/4 DISK DRIVES

on TM100-1	single-sided double-density 48 TPI	
51001		\$219.95 ea 2 for \$199.95 ea
art SA400L	single-sided double-density 40 track	
04000		\$234.95 ea 2 for \$224.95 ea
on TM100-2	double-sided double-density 48 TPI	
551002		\$294.95 ea 2 for \$269.95 ea
FD55A	single-sided double-density 40 track	
560551		\$299.95 ea 2 for \$239.95


5 1/4" Cabinets with Power Supply		
000216	Single cab w/power supply _____	\$69.95
000226	Dual cab w/power supply _____	\$94.95

100 OTHERBOARDS

ISO-BUS - Jade		
Silent, simple and on sale - a better motherboard.		
6 Slot (5 1/4" x 8 1/2")		
061B	Bare board	\$22.95
061K	Kit	\$39.95
061A	A & T	\$69.95
12 Slot (9 1/4" x 8 1/2")		
121B	Bare board	\$34.95
121K	Kit	\$69.95
121A	A & T	\$109.95
18 Slot (14 1/2" x 8 1/2")		
181B	Bare board	\$54.95
181K	Kit	\$99.95
181A	A & T	\$149.95

DISK DRIVES

ons FDD 100-8	single-sided double-density	
201120		\$274.95 ea 2 for \$249.95 ea
part SA801R	single-sided double-density	
10801R		\$394.95 ea 2 for \$389.95 ea
part SA851R	double-sided double-density	
10851R		\$554.95 ea 2 for \$529.95 ea
ie DT-8	double-sided double-density	
750080		\$524.95 ea 2 for \$498.95 ea
on TM848-1	Single-sided double-den thin-line	
558481		\$379.96 ea 2 for \$369.95 ea
on TM848-2	double-sided double-den thin-line	
558482		\$494.95 ea 2 for \$484.95
FD1165	double-sided double-density 1/2 high	
851165		\$485 ea 2 for \$449.95



MODEMS

SMART BUY in MODEMS - Signalman

1200 and/or 300 baud, direct connect, automatic answer or originate selection, auto-answer/auto-dial on deluxe models. 9v battery allows total portability, full one year warranty.

IOM-5600A	300 baud direct connect	\$89.95
IOM-5610A	300 baud Deluxe	\$149.95
IOM-5620A	1200/300 baud Deluxe	\$369.95
IOM-5650A	300 baud for Osborne	\$119.95
IOM-5630A	300 baud card for IBM	\$269.95

SMARTMODEM - Hayes

Sophisticated direct-connect auto-answer/auto-dial modem, touch-tone or pulse dialing. RS-232C interface, programmable.

IOM-5500A	Smartmodem 1200	\$599.95
IOM-5400A	Smartmodem 300	\$224.95
IOK-1500A	Hayes Chronograph	\$218.95
IOM-1100A	Micromodem 100	\$368.95
IOM-2010A	Micromodem II w/ Term prgm	\$329.95
IOM-2012A	Terminal program for MMII	\$89.95

1200 BAUD SMART CAT - Novation

103/212 Smart Cat & 103 Smart Cat, 1200 & 300 baud, built-in dialer, auto re-dial if busy, auto answer/disconnect, direct connect. LED readout displays mode, analog/digital loop-back self tests, usable with multi-line phones.

IOM-5241A	300 baud 103 Smart Cat	\$229.95
IOM-5251A	1200 baud 212/103 Smart Cat	\$549.95

J-CAT™ MODEM - Novation

1/5 the size of ordinary modems, Bell 103, manual or auto-answer, automatic answer/originate, direct connect, built-in self-test, two LEDs and audio beeps provide status information.

IOM-5261A	Novation	\$149.95
-----------	----------	----------

S-100 DISK CONTROLLERS

DISK 1- CompuPro

8" or 5 1/4" DMA disk controller, single or double density, single or double sided, 10MHz.

IOD-1810A	A & T	\$449.95
IOD-1810C	CSC	\$554.95

VERSAFLOPPY II - SD Systems

Double density disk controller for any combination of 5 1/4" and 8" single or double sided, analog phase-locked loop data separator, vectored interrupts. CP/M 2.2 & Oasis compatible, control/diagnostic software PROM included.

IOD-1160A	A & T with PROM	\$359.95
SFC-55009047F	CP/M 3.0 with VF-II	\$139.95

2422 DISK CONTROLLER - C.C.S.

5 1/4" or 8" double density disk controller with on-board boot loader ROM, free CP/M 2.2 & manual set.

IOD-1300A	A&T with CP/M 2.2	\$399.95
-----------	-------------------	----------

DOUBLE D - Jade

High reliability double density disk controller with on-board Z-80A, auxiliary printer port, IEEE S-100 can function in multi-user interrupt driven bus.

IOD-1200B	Bare board & hdwr man	\$59.95
IOD-1200K	Kit w/hdwr & sftwr man	\$299.95
IOD-1200A	A & T w/hdwr & sftwr man	\$325.95
SFC-59002001F	CP/M 2.2 with Double D	\$99.95

SINGLE BOARD COMPUTER

SUPERQUAD - Adv. Micro Digital

Single board, standard size S-100 computer system, 4 MHz Z-80A, single or double density disk controller for 5 1/4" or 8" drives, 64K RAM, extended addressing, up to 4K of EPROM, 2 serial & 2 parallel I/O ports, real time interrupt clock, CP/M compatible.

CPC-30800A	A & T	\$724.95
IOX-4232A	Serial I/O adapter	\$29.95

VIDEO MONITORS

Video Monitor - USI

1000 Lines ultra-high resolution, 20 MHz ultra-high band width, 9" or 12", Amber or Green phosphor, the finest monitors we sell.

VDM-750920	9" Green	\$99.95
VDM-750910	9" Amber	\$129.95
VDM-751220	12" Green	\$129.95
VDM-751210	12" Amber	\$139.95

APPLE II ACCESSORIES

APPLE DISK DRIVE - Apple Compatible

Totally Apple compatible, 143,360 bytes per drive on DOS 3.3, full one year factory warranty, half-track capability reads all Apple software, plugs right into Apple controller as second drive, DOS 3.3, 3.2.1, Pascal, & CP/M compatible.

MSM-123200	Add-on Apple Drive	\$249.95
MSM-123100	Controller	\$99.95

16K RAM CARD - for Apple II

Expand your Apple II to 64K, use as language card, full 1 year warranty. Why spend \$175.00?

MEX-16700A	Save over \$115.00	\$49.95
------------	--------------------	---------

Z-CARD for Apple II - A.L.S.

Two computers in one, Z-80 & 6502, more than doubles the power and potential of your Apple, includes Z-80 CPU card CP/M 2.2 and complete manual set, Pascal compatible, utilities are menu-driven, one year warranty.

CPX-62800A	A & T with CP/M 2.2	\$159.95
------------	---------------------	----------

SMARTERM II - A.L.S.

80 column x 24 line video card for Apple II, addressable 25th status line, normal/inverse or high/low video, 128 ASCII characters, upper and lower case, 7 x 9 dot matrix with true descenders, standard Data Media terminal control codes, CP/M Pascal & Fortran compatible, 50/60 Hz, 40/80 column selection from keyboard.

IOV-2500A	ALS Smarterm II	\$169.95
-----------	-----------------	----------

SERIAL I/O CARD - A.L.S.

Full feature serial card for modems & printers, baud rates from 110 to 19,200, CTC/RTS & X-on/X-off protocols, auto line feed, RS-232C cable interface included.

IOI-1000A	A & T "Dispatcher Card"	\$129.95
-----------	-------------------------	----------

CP/M 3.0 CARD for APPLE - A.L.S.

The most powerful card availability for your Apple! 6 MHz, Z-80B, additional 64K of RAM, CP/M plus 3.0, 100% CP/M 2.2 compatibility, C basic, CP/M Graphics, 3005 faster than any other CP/M for Apple. One year warranty.

CPX-62810A	A.L.S. CP/M Card	\$349.95
------------	------------------	----------

JADIE


Computer Products

4901 West Rosecrans, Hawthorne, California 90250

Microcomputing, May 1983 117

STEP UP TO A 16-BIT POWERHOUSE!

"THE SLICER"



The "SLICER" is a **HIGH PERFORMANCE** single board computer based on the new, highly advanced Intel 80186 CPU. The board has these advanced features:

- Full 8Mhz 16-bit microprocessor having complete software compatability with the 8086 and 8088 (as used in the IBM PC).
- Two full function RS232C serial ports. Both ports are interrupt driven with software data buffering.
- Floppy disk controller for 5¼ and 8" floppy disk drives, single or double sided, single or double density, using DMA operation.
- SASI hard disk controller port with DMA data transfer rate of up to 2Mb per second!
- 256Kb dynamic ram on board plus up to 32Kb EPROM.
- Bus expansion connector for future expansion.
- All this on a board the width of a 5¼" drive and only 11½ inches long!
- Sold as complete kit, partial kit, or bare board, with quantity discounts available.
- A high performance monitor ROM is included with all systems.
- Bios for CP/M86* operating system included.
- Complete documentation included.

This system is marketed and supported exclusively by:
NUMERICAL CONTROLS, INC. 3438 Snelling Ave.
Minneapolis, Minnesota 55406 (612)721-6353

Mastercard, Visa, Check, Money Order, or C.O.D. orders accepted. Please allow 4-6 weeks for delivery.

* CPM a trademark of Digital Research Inc.

CALL FOR SPECIAL INTRODUCTORY PRICE!!!!

**HAZELTINE
1420
BRAND NEW**

- 12 inch P4 phos
- 24 x 80 characters
- 5 x 8 dot matrix, block cursor
- 95 displayable ASCII characters
- White on black background, two intensities, blink or blank
- 2048 x 8 Random Access Memory
- EIA RS232C at 110, 300, 600, 1200, 1800, 2400, 4800 or 9600 baud (switch selected)
- Odd, Even, One or Zero (switch selected)
- Half duplex or full duplex (switch selected)
- 15 1/2" wide 13 1/2" high 20 1/2" deep 28 lbs.
- Fully addressable cursor
- \$450.00 f.o.b. our warehouse



**HAZELTINE
EXECUTIVE 80**

- 15" (38 cm) diagonal, yellow green phosphor
 - 24 lines x 80 characters (plus 25th status line)
 - 24 lines x 80 or 132 characters (plus 25th status line)
 - 80 x 24: 7 x 8 dot matrix plus 2 lower case descender in a 9 x 12 window
 - 132 x 24: 5 x 7 dot matrix plus 2 lower case descenders in a 9 x 12 window
 - Cursor is switch selectable as block or blinking underline
 - EIA RS232C, Asynchronous
 - 110, 300, 1200, 1800, 2400, 4800, 9600 or 19,200 baud, switch selectable
 - Even, odd, 1, 0 switch selectable
- Standard features include: Anti-glare screen; nonreflective working surfaces; color coded, contoured keyboard; convenient contrast control, reverse video and blinking fields; variable intensity; upper and lower case characters; line drawing graphics.
- \$700.00 f.o.b. our warehouse

**CENTRONICS
101A**

- 5 x 7 dot matrix
- 164 C.P.S.
- Centronics parallel
- Adjustable tractor feed to 15" paper
- Refurbished & tested in our labs
- Operators manual w/ purchase
- Interface cables available
- Call for prices
- Shipping weight 120 lbs.
- \$225.00 f.o.b. our warehouse
- stands available \$25.00 ea.



CABLES & MISC.

- * DB-25 male to male (20 + ft.) \$10.00 ea.
- * DB-25 male to female (20 + ft.) \$10.00 ea.
- * DB-25 male to blank (5 + ft.) \$ 5.00 ea.
- * P-59 to blank (5 + ft.) \$ 1.00 ea.
- * "Muffin" fans (4 1/2") \$ 3.00 ea. (6/\$15.00)
- * 8 inch fans \$10.00 ea.
- * tables 36" x 26" x 26" \$25.00 ea.

BUYERS SPECIAL

101A's completed & untested—some need repair—"AS IS" (\$75.00 with purchase of refurbished model.) All prices f.o.b. our warehouse. Complete parts inventory for 101's—Call for prices.

Visa & MasterCard Accepted

SELECTRONICS

1229 S. Napa Street Philadelphia PA 19146
Phone: (215) 468-4645 • (215) 468-7891


**HAZELTINE
1500
MODULE Kit Assembly**

- 12 inch P4 phos
- 24 x 80 characters
- Character format: 7 x 8 dot matrix
- Character Set: 94 ASCII
- Display: White on Black or Black on White
- Cursor: Block
- Dual Intensity
- Memory Type: 2048 x 8 Random Access Memory
- Nine baud rates: 110, 300, 600, 1200, 1800, 2400, 4800, 9600, 19,200
- Many more extras
- Tools needed: Screw drivers, Pliers, VOM
- \$350.00 f.o.b. our warehouse



MANNSMANN Printers

- 300 cps-dot matrix
- U/L case and graphics capabilities
- Centronics parallel
- shipping wt. 80 lbs
- \$350.00 f.o.b. our warehouse



- 200 cps-dot matrix
- Upper case and graphics capabilities
- Centronics parallel
- shipping wt. 80 lbs
- \$250.00 f.o.b. our warehouse

Beehive 100 Series

- 12 inch P4 phos
- 24 x 80 characters
- 5 x 7 dot matrix
- full cursor control
- u/l case
- RS232C, HDX/FDX/BLOCK modes
- 75, 110, 150, 300, 600, 1000, 1200, 1800, 2000, 2400, 3600, 4800, 7200, 9600, 19200 baud-switch selectable
- shipping wt. 65 lbs.
- \$350.00 f.o.b. our warehouse




**NEW MICROSWITCH
ASCII ENCODED KEYBOARDS**

- Documentation included
- Shipping weight 7 lbs.
- \$25.00 w/numeric keypad
- \$20.00 w/o numeric keypad
- All prices f.o.b. our warehouse

Pa. resident please add 6% sales tax. ALL PRICES F.O.B. our warehouse, Phila. Pa. All merchandise accurate as to description to the best of our knowledge. Your purchase money refunded if not satisfied Minimum order \$10.00.

Portable Speakers For "Walkman" Style Stereos



Portable Stereo Speakers with Carrying Case

After skating, skiing, jogging or any other outside activity, just plug these portable stereo speakers into your stereo and you and your friends can enjoy your favorite tapes reproduced by these full range speakers. Great for motel rooms, the beach, or in your car. They weigh just 1.3 lbs. and measure 5 1/4" x 4 1/2" x 2 1/2". This unit uses 3 x 5 60hm speakers with a 3 ohm magnet. Speaker system includes two speakers, a carrying case, auxiliary cable, speaker connector cable, and signal connector cable. Uses 6 "AA" batteries. Can be used with most mini-portable stereo cassette and FM stereo units.

Part No. TSU-012 \$29.95
AM3-8 8 AA Alkaline Batteries 8 for \$7.90

Stereo Cassette Player with FM Stereo Tuner Pack

- Lightweight Headphones
- Cr2/Metal/Normal Tape Selector
- Anti-Rolling Mechanism

FEATURES: • Blue carrying case, shoulder strap, belt strap, lightweight headphones, FM stereo tuner pack & instruction manual • Talkline • Tone selector • Cr2/Metal/Normal tape selector • LED operation indicator • Built-in microphone • Stop/next, play, rewind/reverse, fast forward, tape/record selector functions • Volume control • Ext. power input jack • Headphone jack • Auto-stop mechanism (shuts off player when tape ends) • Anti-rolling mechanism (prevents sound from quivering when walking, jogging, etc.) • Weight: 13 oz. • Requires 4 AA batteries (not included) • Size: 6 1/4" x 4 1/2" x 1 1/8"

Model TWF-802 \$69.95
AM3-4 AA Alkaline Batteries 4/\$3.95



CREDIT CARD AM/FM RADIO World's Thinnest Stereo Hi-Fi

This is a pocketable AM/FM stereo radio with a folding stereo headphone. It weighs just 3 oz. and measures 4 1/4" L x 2 1/4" W x 1/8" H. Comes complete with radio, headphones and headphone case. Uses two AAA batteries (not included).

Part No. TCR-809 \$29.95 each

JOYSTICKS	
JS-5K 5K Linear Taper Pots	\$5.25
JS-100K 100K Linear Taper Pots	\$4.95
JS-150K 150K Linear Taper Pots	\$4.75
JVC-40 40K (2) Video Controller in Case	\$4.95

JS KNOB Knob for JS5K, 100K, 150K \$9.95 ea.
JVC KNOB Knob for JVC-40 \$9.95 ea.

ATARI

ATARI PADDLES JSP (2) \$4.95 pair



TV GAME SWITCH Used on Atari. Cosmetically blemished. 100% functional.

TGS-1 \$2.95 ea.

BOOKS

NATIONAL SEMICONDUCTOR — INTERSIL — INTEL	
30001 National CMOS Data Book (1983) (640 pages) 74C, CD4000, and A/D Converters	\$8.95
30002 National Linear Data Book (1980) (704 pages) DR, DS9000, DS9000, DS9500, etc.	\$6.95
30003 National Linear Data Book (1982) (1376 pages) LM, LF, ADC, DAC, LSI, LHS	\$11.95
30005 National TTL Logic Data Book (1981) (624 pages) 7400, LS, LHS, and DM8000 Series	\$9.95

30006 Above (3) 30001, 3, 5 as set \$24.95

30006 Above (3) 30001, 3, 5 as set	
30006 National Memory Data Book (1980) (464 pages) RAMs, ROMs, PROMs, EPROMs Series	\$8.95
30009 Interdata Data Book (1983) (1356 pages) Complete line.	\$9.95
30010 National Audio/Video Handbook (1980) (240 pages) Pre-Amps, AM, FM, & FM Stereo, Power Amps	\$5.95
30011 National Linear Application Handbook (1980) (736 pages) Application Notes, Linear Briefs, etc.	\$15.95
30012 National PAL Data Book (1982) (176 pages) Data Sheet, PAL Design	\$5.95
30013 Zilog Data Book (1983) (641 pages) Microprocessors and Support Chips	\$7.95
010400 Intel Component Data Book (1982) (1405 pg.) Full data sheets for Intel's products incl. mem. devices, microproc., periph. & ind./mil. products	\$14.95
205610 Intel Peripheral Design Handbook (1981) (828 pages) Full data sheets, application notes for Intel peripheral device components	\$9.95

Universal Computer Keyboard Enclosures

"DTE" Blank Desk-Top Enclosures are designed for easy modification. High strength epoxy molded and precision machined. Sliding rear/bottom panel for service/component access. Top/bottom panels (0.06" thick) allow slide into 1200 finish (gold tint color) for best paint adhesion after modification. Ventilated top & bottom panels for cooling efficiency. Rigid construction provides unlimited applications. Assembly instructions included.

DTE-8 Panel Width 7.5"	\$24.95
DTE-11 Panel Width 10.13"	\$27.95
DTE-14 Panel Width 13.5"	\$29.95
DTE-20 Panel Width 19.25"	\$34.95

KEYBOARDS — POWER SUPPLIES

DATANETICS 73-KEY KEYBOARD (ASCII)

Apple Compatible
Data Entry Keyboard uses IBM/485 Encoder chip (included). 73-Key Keyboard features 11-key numeric keypad, SPST switching, 24-pin edge card connection. Includes pin-out. Part No. KB261 (Fits OTE-10 Enclosure) \$49.95 each

MICRO SWITCH 85-KEY KEYBOARD

Word Processing Keyboard, 26 Pin Edge Card Connection. Supply Voltage +5VDC. Main Keyboard is QWERTY. Additional Key Pads for Cursor and word processing functions. Part No. 85SD18-1 \$29.95 each

STACKPOLE 62-KEY KEYBOARD

SPST switches, mechanical, monolithic housing, charcoal gray keycaps. Keyboard is not mounted on circuit board (each key is individually accessible). Part No. K-62 (Fits OTE-14 Enclosure) \$34.95 each

HI-TEK 14-KEY NUMERIC KEYPAD

SPST switching, Charcoal gray keypad, matches HI-TEK K-58 Keyboard (above). Mounted on printed circuit board. Part No. K-14 \$9.95 each

ALPS 29-KEY CALCULATOR KEYBOARD

Features one 8-position decimal select switch, one 3-position switch, and two 2-position switches. Mechanical SPST switching, 22-pin edge card connection. Pin-out included. Part No. KB297040 (Fits OTE-11 Enclosure) \$4.95 each

POWER SUPPLY +5VDC @ 1 AMP REGULATED

Transaction Tech
Output +5VDC @ 1A (also +30VDC) Reg. Input 115VAC 60Hz. 2-tone (black/white) self-enclosed case. 8 in. 3 cond. black power cord. 6 1/2" W x 2 1/4" H x 2 1/4" D. Data sheet incl. Part No. PS51194 \$19.95 each

POWER SUPPLY +5VDC @ 3 AMP REGULATED

Deltron
Output 115VAC, 47-400Hz. Output 5VDC Adjustable @ 3 amp. 6VDC @ 2.5 amp. Adjustable current limit. Ripple & Noise: 100 mV rms, 50V p-p — 2 switching surfaces. UL recognized. Size: 4" W x 2 1/4" H x 2 1/4" D. Data sheet included. Part No. OPS-1 \$29.95 each

POWER SUPPLY +5VDC @ 7.5 AMP, 12VDC @ 1.5 AMP SWITCHING

Output 115VAC, 50-60Hz @ 3 amp/230VAC, 50/60Hz @ 1.5 amp. Fan vol. / power supply select switch (115/230VAC). Output 5VDC @ 7.5 amp. 12VDC @ 1.5 amp. 8 in. 3 in. power cord. 11 1/2" W x 4 1/2" H x 2 1/4" D. Data sheet included. Part No. PS94V0 \$49.95 each

POWER SUPPLY 4-Channel Switching — Apple Compatible

Microprocessor mini-computer, terminal, medical equipment and process control applications. Input: 90-130VAC 47-400Hz. Output: +5VDC @ 3A, +5VDC @ 1A, +12VDC @ 1A, +12VDC @ 1A. Line reg. ±0.2%, Ripple: 30mV p-p. Load reg. ±1%. Overcurrent protection. Adj. 5V multi-reg. 13 1/2" W x 2 1/4" H x 2 1/4" D. Data sheet included. Part No. FCS-504A \$69.95 each

POWER SUPPLY Adjustable Switching 4-24VDC to 5 Amps

JE224A
Output 115VAC, 50-60Hz. Output 5VDC @ 3A, +5VDC @ 1A, +12VDC @ 1A, +12VDC @ 1A. Line reg. ±0.2%, Ripple: 30mV p-p. Load reg. ±1%. Overcurrent protection. Adj. 5V multi-reg. 13 1/2" W x 2 1/4" H x 2 1/4" D. Data sheet included. Part No. JE224A \$79.95 each

JUMPER AND CABLE ASSEMBLIES

STANDARD DIP JUMPERS

All jumpers use low profile dip plugs with heavy duty pins for repeated disconnection/reconnection.

Part No.	Color	Resistance	Pin	Description	Length	Price
JE200-1	10K	10K	14	single end	12"	\$1.79
JE200-2	10K	10K	14	single end	24"	\$2.35
JE200-3	10K	10K	14	double end	12"	\$2.95
JE200-4	10K	10K	14	double end	24"	\$3.49
JE200-5	10K	10K	14	single end	12"	\$1.89
JE200-6	10K	10K	14	single end	24"	\$2.19
JE200-7	10K	10K	14	double end	12"	\$2.59
JE200-8	10K	10K	14	double end	24"	\$3.29
JE200-9	10K	10K	14	double end	36"	\$3.59
JE200-10	10K	10K	14	single end	12"	\$2.89
JE200-11	10K	10K	14	single end	24"	\$3.19
JE200-12	10K	10K	14	double end	12"	\$3.59
JE200-13	10K	10K	14	double end	24"	\$4.49
JE200-14	10K	10K	14	double end	36"	\$4.95
JE200-15	10K	10K	14	double end	36"	\$5.39

STANDARD DB25 SERIES CABLES

Now you can order DB25 P or S connectors with the cable necessary to fit your application. Choose from our standard flat cable in 4 foot lengths. Call today.

Part No.	Cable Length	Connectors	Price
DB25P-4	4 feet	1 DB25P	\$7.95
DB25S-4	4 feet	1 DB25S	8.49
DB25P-4-P	4 feet	2 DB25P	13.49
DB25S-4-S	4 feet	1 DB25P/1 DB25S	13.75
DB25S-4-S	4 feet	2 DB25S	13.95

BUG BOX™ STORAGE SYSTEMS

BUG BOX™

30 individual compartments • Stores 50 5-pin or 30 14- or 16-pin DIPs • Bug Bags not included • Clear plastic cover slides & lockers • Cover marked numbers 1-30 • Compartment Size: 1" x 3 1/2" x 5" • Deep • Box Size: 4 1/2" x 3 1/2" x 6" • Weight: 1.75 oz.

BUG BAG™ (BGC-001) with Bug Boxes

LSI BIG BUG BOX™ — Designed to store large ICs, Resistors, Capacitors and Diodes • Divided into three compartments measuring 1" x 4 1/2" x 5" deep • Three vertical and three horizontal dividers included • Bug Bags not included • Box Size: 4 1/2" x 3 1/2" x 6" • Weight: 1.75 oz.

LSI BIG BUG BOX™

Please specify color code: (B) Blue, (R) Red, (W) White, (Y) Yellow

Part No./Color Code	QTY	PRICE
BGX-001-()	1	\$ 2.29
BGX-010-()	10	19.99
BGX-001-()	1	\$ 3.29
BGX-010-()	10	28.89

BUG CAGET™

12 locations store Bug Boxes, Bug Bug Boxes or Bug Trays • Modular and interlocking • Heavy duty injection molded plastic • Each cage has 6 snap-on locations • 2 cages per pkg. • Cage size: 5 1/8" x 5" x 3 7/8" • 4 colors available — please specify color code: (B) Blue, (R) Red, (W) White, (Y) Yellow

Part No./Color Code	Price
BGC-001-() 2 Cages (6 loc. ea.)	\$11.95/pkg.

BUG TRAY™

Stores in Bug Cage • Molded plastic • Three styles: Open (B) Cage • Molded plastic • Horizontal (C) Compartment • 5" x 4 1/2" x 6" • Ideal for tools, hardware, components, etc. • Tray size: 3 5/8" x 5 5/8" x 6" • Black color only

Part No.	Description	Price
BTH-001	Horizontal Bug Tray	\$1.85
BTV-001	Vertical Bug Tray	1.85
BTO-001	Open Bug Tray	1.85
BTX-003	1 of each Bug Tray (3)	4.98

BUG RUG™

Static discharge protection for CMOS and MOSFET devices • Pre-cut to dimensions of BUG BOX (1" x 3 1/2")

Part No.	Description	Price
BRG-030	30 foam rectangles for Bug Box	\$1.96
BBR-036	6 foam rec. for LSI Big Bug Box	1.96

CAGE KEYPERT™

Pins column of Bug Boxes in Bug Cage

Part No.	Description	Price
CKP-005	5 inch	\$4.98/pkg.
CKP-010	10 inch	8.98/pkg.

BUG BOX SYSTEMS INTRODUCTORY SPECIAL

Your choice: regular or anti-static. Includes 2 Bug Cages (12 locations); 8 Bug Boxes; 3-Big Bug Boxes; 1-Horizontal Bug Tray; 1-Open Bug Tray; 1-Vertical Bug Tray; 1 package Bug Rug for regular Bug Boxes; 1 package Bug Rug for LSI Big Bug Boxes; 1 SP-BUG Regular (Retail value \$59.45) Sale Price \$49.95
SP-BUG-AS Anti-Static (Retail value \$67.45) Sale Price \$59.95

\$10.00 Minimum Order — U.S. Funds Only

California Residents Add 6 1/2% Sales Tax
Shipping — Add \$5 plus \$1.50 Insurance
Send S.A.S.E. for Monthly Sales Flyer!

Spec Sheets — 30c each

Send \$1.00 Postage for your FREE 1983 JAMECO CATALOG
Prices Subject to Change

Mail Order Electronics — Worldwide

Call for Quantity Discounts

Jameco ELECTRONICS

1355 SHOREWAY ROAD, BELMONT, CA 94002
5/83 PHONE ORDERS WELCOME — (415) 592-8097 Telex: 176043

NEW! Telex Number 176043

NEW! Telex Number 176043

8K, 16K, 32K, 64K EPROM Programmer



2708, 2716, 2732 & 2764 EPROM Programmer JE664 EPROM PROGRAMMER

8K TO 64K EPROMS — 24 AND 28 PIN PACKAGES
Self-Contained — Requires No Additional Systems for Operation

Programs, validates, and checks for properly erased EPROMs • Emulates PROMs or EPROMs • RS232C Computer Interface for editing program loading • Loads data into RAM by keyboard • Changes data in RAM by keyboard • Loads RAM from an EPROM • Compares EPROMs for content differences • Copies EPROMs • Power in-pot: 115VAC, 60Hz. • 10W power consumption • Enclosure: Color-coordinated, light tan panels w/molded mesh brown and pieces • Size: 15 1/2" L x 5 1/4" D x 3 1/4" H • Wt. 3 1/2 lbs.

JE664-A EPROM Programmer Assembled & Tested (Includes JMT6A Module) \$995.00

JE665 — RS232C INTERFACE OPTION — The JE665 RS232C Interface Option provides computer access to the JE664's RAM. Sample software written in BASIC to program for TRS-80 Model I, Level II Computer. Baud rate 9600. Word Length 8 bits - odd parity. Stop bits 2. Option may be added to other computers.

JE664-ARS EPROM Prog. w/JE665 Option Assembled & Tested (Includes JMT6A Module) \$1195.00

EPROM JUMPER MODULES — The JE664's JUMPER MODULE (Personal I Module) is a plug-in module that pre-sets JE664 for proper programming pulses to the EPROM & configures EPROM access connections for that particular EPROM Part No.	
EPROM	EPROM MANUFACTURER PRICE
JM08A 2708	AMD, Motorola, National, Intel, TI \$14.95
JM16A 2716, TMS2516	Intel, Motorola, National, NEC, TI \$14.95
JM16B TMS2716	Motorola, TI (+5, -12, +12) \$14.95
JM32A TMS2532	Motorola, TI \$14.95
JM32B 2732	AMD, Fujitsu, NEC, Hitachi, Intel \$14.95
JM32C 2732(A1V1)	Fujitsu, Intel \$14.95
JM64A MCM68764	Motorola \$14.95
JM64B MCM681764	Motorola \$14.95
JM64C TMS2564	Intel \$14.95

Siemens 8" Floppy Disk Drive

Siemens 8" Floppy Disk Drive

• Shugart 801R compatible
• Single-Sided
• 77 Tracks
• 400/800K Bytes Capacity
• Industry Standard

The FDD100-8" Floppy Disk Drive (Industry Standard) features single or double density. Recording mode: FM single, MFM double density. The FDD100-8 is designed to work with the single-sided soft sector IBM Diskette I, or eq. disk cartridge. Power: 115VAC @ 50-60Hz, ±24VDC (1.9 amp max.), +5VDC @ 1.2 amp max. Unit as pictured above (does not include cable, power supply or cables). Size: 8 1/2" W x 14" L x 4 1/2" H. Weighs 12 lbs. Incl. pg. manual. Part No. Price

FDD100-8 Buy 1 for \$269.95 each
FDD100-8 Buy 2 for \$259.95 each
FDD100-8 Buy 10 for \$249.95 each

5 1/4" Mini-Floppy Disk Drive

FOR TRS-80 MODEL I (Industry Standard) Features single or double density. Recording mode: FM single, MFM double density. Power: +12VDC (±0.5V) 1.6A max., +5VDC (±0.25V) 0.8A max. Unit as pic. at right (does not incl. cable, power supply, cables, 30pg. data book incl. vs. 3 1/2" disk. Size: 5 1/4" W x 5" D x 3 1/4" H. Part No. Limited quantity Price

FD200 Single-sided, 40 tracks, 250K bytes capacity \$179.95
FD250 Double-sided, 35 tracks, 438K bytes capacity \$199.95

EXPAND YOUR MEMORY

TRS-80 to 16K, 32K, or 48K
**Model 1 = From 4K to 16K Requires (1) One Kit
Model 3 = From 4K to 48K Requires (3) Three Kits
Color = From 4K to 16K Requires (1) One Kit

**Model I equipped with Expansion Board to 48K Two Kits Required
One Kit Required for each 16K of Expansion

TRS-16K2 1600s for Color & Model III \$12.95
TRS-16K4 2500s for Model I \$10.95

TRS-80 Color 32K or 64K Conversion Kit
Kit comes complete with 8 each 16K-2 (200ns) 64K dynamic RAMs and conversion documentation. Converts TRS-80 color computers with D and E circuit boards, and all new color computers to 32K. Minor modifications of 32K memory will allow the use of all 64K of the dynamic RAM providing you have a FLEX DOS operating system.

TRS-64K2 \$54.95

Sprite-style Fan

• 36cfm free air delivery
• 4.68" sq. x 1.665" depth
• 10 yrs. cont. duty at 20°C
• 115V 50/60Hz
PWS2107U Cleaned & tested (used) \$ 9.95 ea.
PWS2107F New \$14.95 ea.

Muffin-style Fan

• 105cfm free air delivery
• 4.68" sq. x 1.50" depth
• 10 yrs. cont. duty at 20°C
• Impedance protected, ambients to 70°C
• 115V 50/60Hz 14W Wt. 17 oz.
MU2A1-U Cleaned & tested (used) \$9.95 ea.
MU2A1-IN New \$14.95 ea.

Mostek DC/DC Converter

+5 Volts TO -9 VOLTS
Input: +5V Output: -9V (regulated) @ 30mA
Printed circuit mounting. Specifications incl.
DC10 \$2.95 ea. or 2/\$4.95

DEALER DIRECTORY

CLUB NOTES

El Monte, CA

Altos, Eagle and M/ACOM-OSI business computer specialists. Serving greater Los Angeles area with all your business computer needs. In-house service, custom programming, terminals, printers, etc. Open 9 a.m.-6 p.m.. **Computer Challenge Corp., 9040 Telstar Ave., suite 107, El Monte, CA 91731. 572-7292.**

Nokomis, FL

We are the leading area computer store. We carry Cromemco, Apple, Vector Graphic; printers and terminals. We offer full software support including G/L, A/R, payroll and word processing. **Computer Centre, 909 S. Tamiami Trail, PO Box 130, Nokomis, FL 33555. 484-1028.**

Aurora, IL

Full line of Apple Computer and Fortune Computer. Hewlett-Packard Personal Computers, Calculators and Supplies. IDS Prism, SMC and Daisywriter Printers. **Farnsworth Computer Center, 1891 North Farnsworth Ave., Aurora, IL 60505 (851-3888) and 383 East North Ave., Villa Park, IL 60181 (833-7100).**

Newton, MA

Basic compiler for the Digital Research CP/M operating system. Incredibly low price. Includes an assembler and link editor. Free brochure. 8-inch 3740 disks only. **JV Software, PO Box 684, Newton, MA 02162.**

Akron, OH

Atari video game authorized independent servicer. Games serviced by factory trained technicians. Fast turnaround. Dealer inquiries invited. We stock genuine Atari game and joystick parts. **Greensburg Electronics, 2618 Massillon Road, Akron, OH 44312. 644-3178.**

Vienna, VA

CONTRACT PROGRAMMER. Monthly newsletter for contract programmers. Contains advice on managing your free-lance programming business, plus hundreds of solid leads to programming contracts. Free sample. **Contract Programmer, Box 813-D, Vienna, VA 22180.**

Dealers: Listings are \$15 per month in prepaid quarterly payments, or one yearly payment of \$150, also prepaid. Ads include 25 words describing your products and services plus your company name, address and phone. (No area codes or merchandise prices, please.) Call Marcia at 603-924-9471 or write *Microcomputing*, Ad Department, Peterborough, NH 03458.

CLASSIFIEDS

Classified advertisements are intended for use by persons desiring to buy, sell or trade used computer equipment. No commercial ads are accepted.

Two sizes of ads are available. The \$5 box allows up to 5 lines of about 35 characters per line, including spaces and punctuation. The \$10 box allows up to 10 lines. Minimize use of capital letters to save space. No special layouts allowed. Payment is required in advance with ad copy. We cannot bill or accept credit.

Advertising text and payment must reach us 60 days in advance of publication (i.e., copy for March issue, mailed in February, must be here by Jan. 1). The publisher reserves the right to refuse questionable or inapplicable advertisements. Mail copy with payment to **Classifieds, Microcomputing, Peterborough, NH 03458.** Do not include any other material with your ad as it may be delayed.

Used Heath H-8, S-100 BUS, and Wang Laboratories computer for sale. Memory board, I/O card, terminal, disk drive, software and complete system. Ten to 50 percent off list price. Send for free listing. **D. Wong, Box 406, Croton Falls, NY 10519.**

Wanted: New or used INTERACT-R and/or INTERACT-R hardware or software. Contact **Dr. H.S. Frank, 817-573-8943 (home), 817-599-7131 (office) or write to: 904 S. Main St., Weatherford, TX 76086.**

**Classified Ads
Get Results!**

OSI C8PDF 8-inch floppies, 48K RAM, Kybd, monitor, 6502, software, Epson printer; complete \$2200 or best. **Blake, PO Box 485, Peoria, AZ 85345; 602-979-6330 or 602-935-3874.**

Kilobaud Microcomputing: Complete set, #1 to present. Will consider selling separately. **BEST OFFER. Dave Repsher, 1915 Verde St., Bakersfield, CA 93304. 805-324-6180.**

Timex/Sinclair users: Write for information concerning the Z-WEST (SDTSUG) newsletter publication. SASE or stamp appreciated. **SDTSUG/Z-WEST, PO Box 2411, Vista, CA 92083.**

Sorcerer Newsletter

ISIS, the International Sorcerer Information Service, is a non-profit monthly newsletter starting up with the June issue to fill the gap created by the dissolution of Sorcerer user groups.

If interested, contact ISIS by writing **Maurice Dow, 84 Camberley Crescent, Brampton, Ont. Canada L6V 3L4, or telephone 416-451-9452.**

Ontario FORTH Group

The Southern Ontario Chapter of the FORTH Interest Group announces its meeting schedule as June 4, September 10, December 3, 1983, and March 3, 1984.

For more information, call **Dr. N. Solntseff at McMaster University in Hamilton; telephone 416-525-9140, Ext. 2065.**

MUMPS Meeting

The 12th annual MUMPS User's Group meeting will be held May 31-June 4 at the San Francisco Hilton Hotel in San Francisco. For more information on registration, write **Charles White, Professional Associates, 2012 Big Bend Blvd., St. Louis, MO 63117.**

Commodore Software Library

The Folklife Terminal Club, a Commodore users group, is making its software library of over 5000 public domain programs available to other Commodore users.

For details, write the Folklife Club, Box 2222, Mt. Vernon, NY 10551.


San Diego Timex/Sinclair Group

The San Diego Timex/Sinclair Users Group meets the last Wednesday of each month at Advanced Engineering Enterprises, Pacific Highway, San Diego. The group may be contacted through **Gordon Young, PO Box 2411, Vista, CA 92083.**

Free-Lance Programmers

The National Association of Free-Lance Programmers (NAFLP) announces the Software Market Letter, a newsletter for members that includes a Directory of Software Buyers and much other information of interest to programmers.

Membership in NAFLP is \$48 annually and includes subscription to the Letter. The address is **Box 813P, Vienna, VA 22180.**



A 17-Book Series on Theories A Step-by-Step Guide to IBM Basic What Can the Atari Do For You? Pascal and Practicality

The Systems Programming Series

(Titles, authors listed below.)
Addison-Wesley, 1982
Reading, MA 01867

The Systems Programming Series is perhaps the finest and most comprehensive set of computer-theory books I've ever seen.

It's refreshing even to be able to use the word "fine" in regard to computer literature. The current microcomputer explosion and the spate of books following in its wake have had some dubious side effects.

It's become the norm to see mass-produced, poorly edited paperbacks (and even hardbacks) crawling out of the woodwork. In too many cases, mediocre layouts and a get-it-out-the-door approach to publishing have made it more (rather than less) difficult to gain any worthwhile knowledge.

This 17-book series on operating systems, however, couldn't be further from that image, and it's that fact that made me want to review them.

So what are these books that have so impressed me? What are they trying to put across?

Although it's a series on computer systems theory, it keeps practical applications firmly in mind. The books are not "pure thoughtwave" computer theory—they really do teach topics that will be of use in real life.

By digesting the contents of each and every one of these books, you'd be the Albert Einstein (or maybe I should say Alan Turing) of computerdom. That eventuality is most unlikely, however; the computer user more likely would pick two or three particular subjects from within the series and make those his specialties.

That's one of the points that should be made—the books are useful either as an on-going series (Addison-Wesley is still adding to it), or individually—as treatises on

specific aspects of systems programming.

Regarding the question of Addison-Wesley's intention, each book has the same foreword, which explains the *raison d'être* of the whole series. I quote verbatim:

"The field of systems programming primarily grew out of the efforts of many programmers and managers whose creative energy went into producing practical, utilitarian systems programs needed by the rapidly growing computer industry. Programming was practiced as an art where each programmer invented his own solutions to problems with little guidance beyond that provided by his immediate associates.

"In 1968, the late Ascher Opler, then at IBM, recognized that it was necessary to bring programming knowledge together in a form that would be accessible to all systems programmers. Surveying the state of the art, he decided that enough useful material existed to justify a significant codification effort.

"On [Opler's] recommendation, IBM decided to sponsor The Systems Programming Series as a long-term project to collect, organize and publish those principles and techniques that would have lasting value throughout the industry.

"The series consists of an open-ended collection of text-reference books. The contents of each book represent the individual author's view of the subject area and do not necessarily reflect the views of the IBM corporation. Each is organized for course use but is detailed enough for reference.

"Further, the series is organized in three levels: broad introductory material in the foundation volumes, more specialized material in the software volumes and very specialized theory in the computer science volumes. As such, the series meets the needs of the novice, the experienced programmer and the computer scientist.

"Taken together, the series is a record of the state of the art in systems' pro-

gramming that can form the technological base for the systems programming discipline."

The greatest of aspirations. The noblest of intents. Somehow, that comes across in this series; IBM and (posthumously) Ascher Opler deserve our thanks for inaugurating this project—and let's not forget Addison-Wesley.

As I'm from a systems programming background (an ex-Honeywell 6000er y'know), the foreword rings true. I was that programmer practicing my art, inventing my own solutions and, worst of all, constantly reinventing the wheel. I could have used these books a long time ago.

If you can afford the whole series, you'll have an encyclopedia of computing. I personally feel that much of this work applies beyond systems programming and into the field of computing—or microcomputing—as a whole.

This may be true, or I may be speaking as a biased systems programmer who considers systems theory to be a superset of all general programming theory. That view is what makes me regard the information contained in these volumes as highly as I do.

If you learn this material, you simply have to think downwards to reach most other levels of programming. (All systems programmers will naturally agree—the rest will probably want to lynch me.)

If you can't afford the whole series, each book does indeed stand on its own merit. You'll have plenty of subjects if you want to get your feet wet before inevitably becoming hooked as a systems programmer. A list of currently available titles follows (but remember that it's a continually growing series):

● *The Program Development Process*, J. D. Aron (\$28.95).

● *Mathematical Foundations of Programming*, F. S. Beckman (\$26.95).

● *An Introduction to Operating Systems*, H. M. Deitel (\$30.95).

● *Structured Programming: Theory and Practice*, R. C. Linger, H. D. Mills & B. I.

WINCHESTER DISK DRIVE LIQUIDATION

Cash-pressed OEM is liquidating its inventory of new Shugart SA1002 8" 5.33 megabyte Winchester hard disk drives. These are sold un-used, as is, in original shipping boxes. **\$380 each** plus \$12 shipping. New Western Digital controller card for this drive, \$350 each. Call LIQUIDATORS @ 803-877-9828 or send check to 105 S. Main St., Greer SC 29651.

Circle 259 on Reader Service card.

COMPUTER

New!

VOICE SYNTHESIZER FOR ATARI *It Sings!*

FANTASTIC SOFTWARE

Over 1500 Business, Entertainment & Educational Programs for Atari, Commodore, IBM-PC, Radio Shack's Color Computer

**CALL TOLL FREE
1-800-662-9000**

Circle 326 on Reader Service card.

Enjoy the SEXPLOSION



Subscribe Today to The Dirty Book and enjoy the latest collection of bedroom programs and games geared to creative and joyful living and loving.

The Dirty Book

Bourbon Street Press
3225 Danny Pk., New Orleans LA 70002
Telephone (504) 455-5330

Circle 128 on Reader Service card.

MC6801 APPLICATIONS PROTOTYPE BOARD

The APB is a small board which supports the MC6801 family of microcomputers. It is described in Motorola's application note AN799. A typical 6801 member contains an enhanced 6800 processor, 2K bytes of ROM, 128 bytes of RAM, a 16-bit programmable timer, parallel I/O, and a serial communications interface. In addition to the resources of the 6801, the APB provides an additional 2K bytes of EPROM (TM52718), 2K bytes of RAM (2114L), and a full duplex RS-232 interface. It also supports special versions such as the 6801G1 with its LILBUG monitor, and provides on-board programming of the 6801 EPROM version.

The APB is an excellent educational aid which allows for evaluation and familiarization of 6801 family members. It is great for prototype development. Since the 'nuts and bolts' are already in place, the designer need only add the necessary interface circuits for a particular application. It can also be used as a simple cost-effective dedicated controller for those limited quantity applications.

Besides being so practical, it is a fun little board. Order yours today!

* TM of Motorola Semiconductor Products, Inc.

APB-1 Bare board with documentation	\$ 19
APB-2 Above assembled with all parts less microcomputer and memory	\$ 69
APB-3 Above with MC6801G1 and LILBUG manual	\$ 109
APB-4 Above with four 2114L RAMs	\$ 129

For the 68-20 Bus:
AD-68A A/D Converter - 8 channels, 8 bit, 0-2.5V input, 6ms conversion time - \$39 A&T
CI-68A Control Interface - 8 opto-isolated inputs, 8 reed relay outputs - \$39 A&T

Terms: Check, MO, VISA, or MC in US and Canada add \$3 per item for shipping. Others add \$7 per item. US funds only. TX add 5% tax. Shipped from stock to two weeks.

INNOVATIVE TECHNOLOGY
510 Oxford Park
Garland, TX 75043 (214) 270-8393

Circle 148 on Reader Service card.

ZENTH/Heath Users

Double Your
5 1/4" disk storage
capacity without adding a drive.

Get twice as much from your H88 or H89 microcomputer. Our FDC-880H floppy disk controller, in conjunction with your 5 1/4" drives, for example, expands memory capacity from 256 bytes to 512 bytes per sector.

And it handles single and double-sided, single and double-density, 8" and 5 1/4" drives — simultaneously.

Call 714/275-1272 today or write for details.

C.D.R. Systems Inc.
Controlled Data Recording Systems, Inc.
7667 Vickers St., San Diego, CA 92111

Circle 43 on Reader Service card.

8 To 16 BIT UPGRADE

TRUE 16 BIT PROCESSING

- Z8001 Microprocessor (upgradable to Z8003)
- 2 Kx16 Eprom with Monitor Program (E/Rom optional)
- 16 Vectored Interrupts
- Full IEEE-696 (\$100) Compatibility
- All Z8001 Features available
- Battery backup time of day clock
- Requires ram capable of word transfers

*Model M8000 CPU Board \$425⁰⁰
*Model M8000 EE optional E/Rom \$ 75⁰⁰

SPECIAL (until May 31, 1983, M8000 EE Free with purchase of M8000 CPU Board)

16 month limited warranty

To order
Call 1-800-821-8856, in New Mexico 1-505-523-0975
or
Write Micro Solution Inc.
Suite 191 C
1608 El Paseo Rd.
Las Cruces, NM 88001

Visa and Master Card welcome
Include check or money order
New Mexico residents add
4.5% sales tax

Circle 224 on Reader Service card.

**GET \$300.00
FREE
Professional
Software**

**when you buy a
Commodore-64**

PROTECTO ENTERPRIZES
Box 550 • Barrington, IL 60010
Phone Orders: (312) 382-5244

Circle 32 on Reader Service card.

Auto Answer \$69.95

The ANSWER enables the use of an existing 300 baud manual modem in the auto-answer mode, saving the expense of a new auto-answer modem.

Features:

- Automatic answer of incoming calls
- Acoustic or direct connect modems
- Simple installation and operation
- No expensive cable connections
- Internal ring indicator
- 3, 5, or 9 rings to answer
- Modem connect LED
- Talk Data switch for normal phone operation
- 90 day warranty
- FCC registered
- Comes complete with main unit, wall plug power supply (110VAC), telephone cord, and operator's manual

Send check or money order plus \$2.00 for shipping to:
(Fla. residents add 5% sales tax.)

CONESTOGA DATA, Inc.
8403 121st Pl. North, Largo, Florida 33543 (813) 531-8517

PRESERVE MICROCOMPUTING

WITH BINDERS & FILE CASES.

Keep your issues of Microcomputing handy and protected in handsome and durable library file boxes or binders. Both styles are bound in dark blue leatherette with the magazine logo stamped in gold.

File boxes: each file box holds 12 issues, with spines visible for easy reference.

\$5.95 each, 3 for \$17.00, 6 for \$30.00

Binders: each binder holds 12 issues and opens flat for easy reading.

\$7.50 each, 3 for \$21.75, 6 for \$42.00

(USA postage paid. Foreign orders must include \$2.50 per item.)

Please state years desired (1977 to 1984).

Send check or money order to:

Jesse Jones Box Corp., P.O. Box 5120, Philadelphia, PA 19141; please allow 6 to 8 weeks for delivery. Sorry, no C.O.D. or phone orders.

Witt (\$26.95).

- *The Environment for Systems Programs*, F. G. Withington (\$22.95).

- *Communications Architecture for Distributed Systems*, R. J. Cypser (\$29.95).

- *An Introduction to Database Systems, Third Edition*, C. J. Date (\$26.95).

- *An Introduction to Database Systems: Vol. II*, C. J. Date (\$25.95).

- *Database Security and Integrity*, E. B. Fernandez, R. C. Summers & C. Wood (\$22.95).

- *Fundamentals of Interactive Computer Graphics*, J. D. Foley & A. Van Dam (\$34.95).

- *Compiler Design Theory*, P. M. Lewis II, D. J. Rosenkrantz & R. E. Stearns (\$29.95).

- *Sorting and Sort Systems*, Harold Lorin (\$25.95).

- *Operating Systems*, H. Lorin & H. M. Deitel (\$25.95).

- *Recursive Programming Techniques*, W. H. Burge (\$23.95).

- *Modeling and Analysis*, H. Kobayashi (\$27.95).

- *Structure & Design*, J. E. Nicholls (\$29.95).

- *Coded Character Sets, History & Development*, C. E. MacKenzie (\$26.95).

Most of the el cheapo, mass-produced books to which I've already alluded only skim the topics, as compared to the above books.

The authors of this series show a great flair for communicating their subjects, which means that you won't find quite the consistency of, say, a set of encyclopedias. But it pays dividends in that it allows each author's talents to come to the foreground rather than being buried in some ill-conceived editorial format. Also, it makes sense to learn from a true expert who can communicate the state of his art in his field.

As Harold Lorin points out in his treatise on *Sorting and Sort Systems*, a programmer must continually peruse the literature in his field if he's to keep his knowledge up to date. I couldn't agree more.

Finally, these are *real* books. You see, in this respect I'm an old-fashioned guy. Glossy, colorful paperback covers are OK, but give me real books... hard covers, heavy in your hand, pages lying flat, professionally laid out with a typeface that entices you to read—the kind that makes you feel like you should wash your hands before reading. They bring an old-fashioned pleasure to learning and keeping abreast of a new-fangled subject.

Jake Commander
Technical Consultant
Microcomputing

Learning IBM Basic (For the Personal Computer)

David A. Lien
Compusoft Publishing, 1982

PO Box 19669
San Diego, CA 92119
Softcover, 423 pp., \$19.95

Here's a book for anyone who wants to learn IBM Basic but just can't seem to get started. Surprises are kept to a minimum, jargon has been eliminated and learning is broken into a series of miniscule steps in *Learning IBM Basic*.

If you can't learn Basic using this book, maybe you should give up.

Learning IBM Basic might be considered a clone of an earlier Compusoft book, *Learning Level II Basic*; much of the book is copied verbatim. After all, For-Next loops are pretty much the same, whether they're done on a TRS-80 or an IBM PC.

Of course, the IBM book does have some new sections. Features exclusive to the PC have been incorporated, and each chapter in the new book concludes with several study questions. (And the price is \$5 higher.)

IBM owners and users new to programming are most likely to benefit from this book. But, if you're looking for a refresher course in Basic or an explanation of the unusual features of IBM Basic, you might be better off choosing a more advanced guide.

The 400-plus page length of *Learning IBM Basic* is deceiving. At first glance I thought it would be a great reference manual. The information, however, is broken down so finely and completely interweaved with analogies that it has little value as a quick reference.

For example, there is a description of arrays that would make sense to a bright elementary-school student. But nowhere does the author tell you just how big an array can be. (I've found IBM's own Basic manual better for answering this kind of question, but it's next to useless as a tutorial for beginners.)

The biggest drawback of *Learning IBM Basic* is its exclusion of many sophisticated commands and functions, including those related to graphics.

Perhaps *Learning IBM Basic*'s strongest selling point is responsible for another of its drawbacks. It's proficient in such a graduated manner that it may be difficult for some readers to see the light at the end of the tunnel.

By the time a reader works all the way through the book, he will have mastered the syntax of Basic, but I doubt that he'll be ready to write his "own custom software," as the cover suggests. It's one thing to learn to saw a board or hammer a nail, and something quite different to build a house.

Learning IBM Basic doesn't represent

anything new in the way of teaching Basic or in the art of programming. However, its techniques are time-proven, making the book a strong candidate for IBM owners who want a once-over, light treatment of Basic.

Timothy Daniel
Oxford, OH

Atari Sound and Graphics

Herb Moore, Judy Lower and
Bob Albrecht
John C. Wiley & Sons, Inc., 1982
605 Third Ave.
New York, NY 10158
Softcover, 234 pp., \$9.95

Atari Sound and Graphics is an excellent guide for new Atari 400/800 owners who need help in understanding the capabilities of their systems. The book also presents many fundamental ideas and concepts associated with writing programs in Atari Basic while concentrating on practical examples concerning sound and graphics generation.

Please note that I said this is a good book for new Atari owners. It's especially useful to those who may be having difficulty understanding Atari manuals and need to have the same things said another way.

If you already know Atari Basic, you probably can skim through several areas of this book and concentrate on the sound and graphics material itself. If you already understand the Atari manuals, then you're not going to learn anything new from this book.


The material in each chapter is presented in short sections that teach you something new about Atari Basic while going further into sound and graphics control. The material is always building on what was previously covered and is presented in an easy-to-manage, self-instructional format.

Each section is followed by review questions with answers and challenges for the reader to write short programs using the newly presented ideas.

Atari Sound and Graphics starts out with simple ideas on how to generate sounds, then graphics and then both combined. During this introductory section, you progress from entering simple Basic commands to actually writing small programs.

As programs are built or changed during the discussions, a new listing is always presented. It's easy to stop and start just about anywhere in the book, without having to retrace page after page of instruction to find out where you are.

The sections on sound generation cover such topics as multiple voices, pitch, attack and decay, and loudness. Graphics control coverage includes discussions of the various graphics modes (with and without text windows), color



**"AUTHOR
AUTHOR!"**

The call for authors is out!

Wayne Green Books announces a July 1, 1983 deadline for submitting manuscript proposals for the upcoming publication list. Ideas for book-length manuscripts about any micro-computer system or area of electronics will be considered. In addition to payment and royalties, we offer our distribution channels and the marketing support your book deserves.

Send proposals or requests for a copy of our Writer's Guide to:

Editor, **Wayne Green Books**
Peterborough, NH 03458.

Or call **toll-free 1-800-343-0728**.

Circle 24 on Reader Service card.

RIBBONS

Low Price • FREE Shipping
SATISFACTION GUARANTEED

RIBBON CARTRIDGES top quality factory fresh

Cartridges for use on these printers:	1-5	6-23	24-99	100 +
MX-70, MX-80, IBM PC	7.41	6.45	5.61	4.88
MX-100	19.96	17.36	15.09	13.13
Prowriter, PC 8023A-01	7.98	6.94	6.04	5.25
RS LP2, LP3, LP5	7.98	6.94	6.04	5.25

RIBBON LOOPS

top quality nylon refills for your old cartridge

Loops for use on these printers:	1-5	6-23	24-99	100 +
MX-70, MX-80, IBM PC	3.56	3.09	2.69	2.34
MX-100	5.41	4.71	4.09	3.56
Prowriter, PC 8023A-01	2.46	2.14	1.86	1.62
RS DMP 400, LP6, LP8	2.04	1.77	1.54	1.34
RS DMP 200, DMP 500	3.56	3.09	2.69	2.34
RS LP2, LP3, LP5	2.46	2.14	1.86	1.62
Spinwriter (nylon)	2.46	2.14	1.86	1.62

Cartridges and loops may be mixed for quantity prices. Our FREE CATALOG includes loading instructions for loops. Discounts available for schools. Florida res. add 5% tax.

DATA SYSTEMS

VISA MasterCard
(305) 788-2145 • Box 99 • Fern Park, FL 32730

Circle 80 on Reader Service card.

**This Publication
is available in
Microform.**



**University Microfilms
International**

Please send additional information

for _____
Name _____
Institution _____
Street _____
City _____
State _____ Zip _____

300 North Zeeb Road
Dept. P.R.
Ann Arbor, Mi. 48106

CARTRIDGE RIBBONS FOR

APPLE PRINTERS

NEC 8023A

C. ITOH PROWRITER

\$9.95 EA **\$107.46** DOZ

CARTRIDGE RIBBONS FOR

EPSON

MX-80 MX-100

\$6.99 EA **\$11.95** EA

\$86.29 EA **\$129.06** DOZ

DUAL SPOOL RIBBONS FOR

OKIDATA PRINTERS

80, 82, 83 FA DOZ
92, 93 **\$2.77** **\$29.92**
84 **\$5.99** **\$64.69**

LABEL SPECIAL

\$2.99 /K

(5K MIN)

1 ACROSS 3" x 15/16 CONTINUOUS LABELS

MAXELL DISKETTES

5 1/4" SINGLE SIDE
DUAL DENSITY
MD-1

\$29.90 EA

INNOVATIVE CONCEPTS

FLIP'N'FILE

DISC STORAGE BOX
HOLDS UP TO 60 DISKETTES

5 1/4" 8"
\$24.95 EA **\$29.95** EA

COMPLETE LINE OF OTHER RIBBONS AVAILABLE. PLEASE CALL

ALL ABOVE PRICES INCLUDE SHIPPING

Check-Mate™



51 DIAUTO DR. P.O. BOX 103

RANDOLPH, MA 02368

TOLL FREE 800-343-7706 IN MASS 617-963-7694

WE ACCEPT MASTER CARD & VISA
MASS. RESIDENTS ADD 5% SALES TAX

PHONES OPEN 9AM-7PM EASTERN TIME



selection, hue and luminance, simple motion, high-resolution plotting and the synchronizing of graphics with sound.

Atari Sound and Graphics is well-written and includes plenty of illustrations. Screen displays and program listings are typeset and easy to read without special graphics characters.

The authors include no detailed, in-depth discussions on the internal workings of the system; instead, they emphasize interaction and exploration with your computer. They try to guide you, pointing out areas of interest and suggesting ideas to explore on your own.

Ultimately, *Atari Sound and Graphics* is an ideal resource to aid Atari owners in getting the most out of their machines.

Robert W. Baker
Atco, NJ

Some Common Pascal Programs

Osborne/McGraw-Hill, 1982
630 Bancroft Way
Berkeley, CA 94710
Paperback, 235 pp., \$14.99

Any similarities between this book and *Some Common Basic Programs* (Os-

borne/McGraw-Hill), edited by Lon Poole & Mary Borchers, is strictly intentional. This is a rewrite into Pascal of the Basic programs contained in that earlier volume.

Some Common Pascal Programs includes 76 Pascal-language programs covering routines in finance, business, statistics, mathematics and home budgeting. The suggestion is for the user to type them into his machine as needed.

The book's gem comes at the end—the last routine, "Alpha-betize." It contains a coding of the Quicksort algorithm, which is the brainchild of C.A.R. Hoare. Quicksort, since it is recursive, can be coded handily in Pascal but it is not amenable to Basic. And code for Quicksort isn't that easy to find.

Appendixes A and B contain 18 common tools and implementations that also are not to be found in the original Poole & Borchers volume. These short modules of code are used to perform such chores as reading data and dates, prompting for user input, stopping for the user to read the screen, rounding and truncating, raising numbers to exponents, perform-



ing calendar functions and reading characters and numbers.

The first 20 programs deal with financial subjects: future value of investments, annuities, deposits and withdrawals, interest rates, depreciation and salvage, loans, discounting and mortgages.

The next 27 deal with mathematics of interest to scientists, engineers and other technically oriented users: geometric and trigonometric computations, vectors, plotting, interpolation, integration, derivatives, roots of polynomials and matrix computations. (Algorithm 44 is a coding of the simplex algorithm for linear programming and should itself be worth the price of the book to anyone who has need of it.)

Statistical procedures are covered in the next 20 routines: distributions, tests, standard statistics, regressions, correlations and system reliability.

A potpourri of nine routines completes the set: taxes, check-writing, recipe cost, survey map-checking, calendar and metric conversion.

All in all, the volume should be useful to those who are coding in Pascal and don't want to waste time reinventing the wheel. It's an attractive, well-done book with clear printing and clarity of exposition.

Jim Derry
Akron, OH

Circle 93 on Reader Service card.

**DISK DRIVE WOES?
PRINTER INTERACTION?
MEMORY LOSS?
ERRATIC OPERATION?**

Don't Blame The Software!



Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our patented ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash. **MONEY BACK GUARANTEE!**

- ISOLATOR (ISO-1) 3 filter isolated 3-prong sockets; Integral Surge/Spikes Suppression; 1875 W Maximum load, 1 KW load any socket \$76.95
- ISOLATOR (ISO-2) 2 filter isolated 3-prong socket banks; (6 sockets total); Integral Spike/Surge Suppression; 1875 W Max load, 1 KW either bank \$76.95
- SUPER ISOLATOR (ISO-3) similar to ISO-1 except double Isolation & Suppression \$115.95
- SUPER ISOLATOR (ISO-11) similar to ISO-2 except double Isolation & Suppression \$115.95
- MAGNUM ISOLATOR (ISO-17) 4 Quad isolated sockets; For ULTRA-SENSITIVE Systems \$200.95
- CIRCUIT BREAKER, any model (Add-CB) Add \$10.00
- REMOTE SWITCH, any model (Add-RS) Add \$18.00

AT YOUR
DEALERS

MasterCard, Visa, American Express
ORDER TOLL FREE 1-800-225-4876
(except AK, HI, PR & Canada)

Electronic Specialists, Inc.

171 South Main Street, Box 389, Natick, Mass. 01760
(617) 655-1532

MOVING?

Let us know 8 weeks in advance so that you won't miss a single issue of Microcomputing

Extend my subscription one additional year for only \$24.97

☐ Payment enclosed ☐ Bill Me

Canada and Mexico \$27.97 1 year only. Foreign Surface \$44.97 1 year only.
U.S. Funds drawn on U.S. banks only.

Attach old label where indicated and print new address in space provided. Also include your mailing label whenever you write concerning your subscription. It helps us serve you promptly.

AFFIX LABEL

If you have no label handy, print OLD address here:

Name _____

Address _____

City _____ State _____ Zip _____

Print NEW address here:

Name _____

Address _____

City _____ State _____ Zip _____

MICROCOMPUTING

P.O. Box 997 • FARMINGDALE, N.Y. 11737


WAYNE GREEN BOOKS

KILOBAUD KLASROOM

by George Young and Peter Stark

Makes learning electronics fun and easy. First published as a series in *Kilobaud Microcomputing*, the book combines the learning of essential theory with practical, hands-on experience. The course begins with basic electronic projects and culminates in the construction of your own programmable microcomputer. The direct instructional methods of authors Young & Stark make KILBAUD KLASROOM a simple way for you to acquire a solid background in digital electronics.


BK7386 (419 pages).....\$14.95



THE SELECTRIC INTERFACE by George Young

You need the quality print that a daisy wheel printer provides but the thought of buying one makes your wallet wilt. The SELECTRIC™ INTERFACE, a step-by-step guide to interfacing an IBM Selectric I/O Writer to your microcomputer, will give you that quality at a fraction of the price. George Young, co-author of *Kilobaud Microcomputing* magazine's popular "Kilobaud Classroom" series, offers a low-cost alternative to buying a daisy wheel printer. The SELECTRIC INTERFACE includes: step-by-step instructions, tips on purchasing a used Selectric, information on various Selectric models, including the 2740, 2980, and Dura 1041, driver software for Z80, 8080, and 6502 chips, tips on interfacing techniques. With The SELECTRIC INTERFACE and some background in electronics, you can have a high-quality, low-cost, letter-quality printer. Petals not included.

BK7388 (125 pages).....\$12.97



TEXTEDIT

A Complete Word Processing System in Kit Form

by Irwin Rappaport

TEXTEDIT is an inexpensive word processor that can be adapted to suit your differing needs—from form letters to lengthy texts. Written in TRS-80 Disk BASIC, the system consists of several modules, permitting the loading and use of only those portions needed. A disk is also available which provides the direct loading of the modules, however, the book is required for documentation. For Model I and III with TRSDOS CONVERT, one disk drive (2 disk drives or copy utility needed to transfer to system disk). Runs under TRSDOS 2.2/2.3. May not function under other systems.

BK7387 (book, 90 pages).....\$9.97

DS7387 (disk).....\$19.97


Disk is manufactured by Instant Software, a division of Wayne Green Inc.

TEXTEDIT

a complete word processing system in kit form.

by Irwin Rappaport

A WAYNE GREEN PUBLICATION



ANNOTATED BASIC


A New Technique for Neophytes

Put your BASIC knowledge to work for you with this 2-volume set of TRS-80 Level II BASIC programs. Gain a better understanding of the elements and techniques involved in programming. ANNOTATED BASIC'S uniquely designed format breaks each program down for you to include: initial documentation and instruction, definitions of New BASIC Concepts, flowchart, annotations of sections, showing how each part fits into the whole, and explaining why certain BASIC commands are chosen over similar ones.

Using the programs as they are or modifying them to sharpen your programming skills, ANNOTATED BASIC is a helpful tool for any BASIC programmer.

BK7384 (Vol. 1, 152 pages).....\$10.95

BK7385 (Vol. 2, 136 pages).....\$10.95





COMPUTER CARNIVAL by Richard Ramella

Your child can become a crackerjack computerist with the sixty TRS-80 Level II programs in COMPUTER CARNIVAL. This large-type, spiral bound book for beginners is a veritable funhouse of games, graphics, quizzes and puzzles. Written by 80 *Micro* columnist Richard Ramella, the programs are challenging enough to ensure continued learning, yet short enough to provide your child with the immediate delight and reward of mastering basic computing skills. And for even greater enjoyment, get the CARNIVAL COMPANION, a 30-minute cassette containing all the programs in the book. Eliminates tiresome typing and lets your child spend more time enjoying the programs.

BK7389 Book (218 pages).....\$16.97

CC7389 Book & Cassette "Carnival Companion".....\$24.97



FOR TOLL-FREE ORDERING CALL 1-800-258-5473 WAYNE GREEN BOOKS•PETERBOROUGH NH 03458

Itemize your order on a separate piece of paper and mail to Wayne Green Books, Attn: Sales, Peterborough, NH 03458. Be sure to include check or detailed credit card information. (Visa, MC or AMEX accepted.) No C.O.D. orders accepted. All orders add \$1.50 for the first book, postage and handling; \$1.00 each additional book; \$10.00 per book foreign air mail. Please allow 4-6 weeks after publication for delivery. Questions regarding your order? Please write to Customer Service at the above address.

Panama City, Florida, Fair

A computer fair, called Interface '83, will take place at the Panama City Mall, Panama City, FL, April 29-30 and May 1. The fair, sponsored by the Panama Computer Society, is designed for the average person and hobbyist.

In addition to hardware and software exhibits, Interface '83 will include amateur and user group demonstrations and displays on computer uses in education, word processing, home budgeting and security. For more information, call Troy Strait at 904-785-9587.

Two Trade Shows in Canada

May 9-13 are the dates for the National Industrial Production and Machine Tool Show in the Coliseum and Industry Buildings at the CNE in Toronto.

International Computer Show/Salon International de l'Ordinateur will be held May 10-12 in the Velodrome, Olympic Site, Montreal.

For information on both shows, call Jim Steinhart, 416-787-2138.

Two Portland Oregon Conventions

May 10-12 are the dates for Northcon/83 High-Technology Electronics Exhibition and Convention and Mini/Micro Northwest, both to be held concurrently in the Portland, OR Coliseum.

For details, call Eileen Algaze, 213-772-2965.

COMPUTA 83 in Singapore

For readers living in or visiting southeast Asia, the COMPUTA 83 exhibition will take place May 11-15 in Singapore at the World Trade Center.

The exhibition will include a wide spectrum of hardware and software, with systems ranging from micros to mainframes. For details, contact Kallman Associates, 5 Maple Court, Ridgewood, NJ 07450; telephone 201-652-7070.

Applefest in Boston

The third annual Applefest/Boston will be held May 13-15 in Boston's Bayside Exposition Center.

Sponsored by the Boston Computer Society, the show features virtually every Apple-compatible hardware and software product. For more information, call Northeast Expositions, 800-841-7000 from outside Massachusetts, or 617-739-2000 from in-state.

Penn State Compufair '83

The Northeastern Pennsylvania Computer Club will offer its second annual Compufair on May 14 at the Hazleton campus of Penn State University, Hazleton, PA.

Compufair '83 will feature workshops, vendor booths and displays. For more information, call George Lee at 717-454-8731.

Boston Area Educators' Conference

The fifth annual Computer Conference for Educators, sponsored by Lesley College and the Computer Education Resource Coalition, will be held May 14 at Lesley College, Cambridge, MA.

Sessions will include presentations and workshops. For registration or other information, contact Susan Friel or Nancy Roberts at Lesley College, 29 Everett St., Cambridge, MA 02238; telephone: 617-868-9600.

Pet User's Conference in Toronto

The second annual Toronto Pet User's Group Conference will be held May 14-15 at the Casa Loma Campus of George Brown College in Toronto.

The Conference will feature disk copy sessions, speakers, Butterfield Machine Language Workshop, exhibitions and a trader's corner. For information, call Chris Bennett, 416-782-9252.

National Computer Conference In California

The 1983 National Computer Conference will be held May 16-19 in the Anaheim and Disneyland Hotel Convention Centers in Anaheim, CA.

The Conference will include an extensive technical program, professional development seminars and more than 600 exhibits. The various program tracks will address communications, social and computing issues. For more information, call Ann-Marie Bartels, 703-558-3612.



Houston Exposition

The Computer Showcase Expo will be held May 19-22 in Houston, TX. For more information, call The Interface Group, 800-225-4620.

Iona College Conference

Iona College will hold its third annual Computer Conference on May 18-19 at its campus in New Rochelle, NY, just northeast of New York City. The focus of the conference will be on the educational and business uses of microcomputers and an exploration of latest developments.

Also featured will be exhibits by major computer companies. For more information, call Joseph McCallion, 914-636-2100.

Accounting Show in Chicago

Computer hardware and software applications in the accounting profession will be one feature of the 1983 Midwest Accounting Show, to be held May 18-20 at the Merchandise Mart Expocenter in Chicago.

A full range of educational programs is planned, and over 100 exhibits are expected. For further information, contact Thomas Nelson Associates, 70 W. Hubbard St., Chicago, IL 60610; telephone 312-644-2622.

Texas Educational Conference

Texas Tech University is sponsoring the Sunbelt Educational Computing Conference, to be held June 1-4 on the University campus in Lubbock, TX. The theme of the conference will be Practical Applications and Current Issues in Educational Computing.

Short summary proposals for presentations at the conference should be sent by May 1 to Dr. Cleb Maddux, College of Education, Texas Tech University, PO Box 4560, Lubbock, TX 79409.

Computer Faire in Boston

The East Coast Computer Faire will take place in Hynes Auditorium in Boston on June 3-5. The Faire will feature computer hardware, software and services for educational, entertainment and home applications.

For more information, call 800-343-2222 or 617-739-2000.

Minnesota Swapfest

North Area Repeater Association will again sponsor Minnesota's largest swapfest and exposition of personal computers and software on June 4 at the Minnesota State Fairgrounds, located on Snelling Ave., north of I-94 in Hopkins, MN. For information, call 612-420-6000.

National Educational Conference—Baltimore

The 5th Annual National Educational Computing Conference will be held June 6-8 in Baltimore, MD. The host institution for this year's conference is Towson State University. The purpose of the conference is to explore all aspects of computer use in education. Many colleges and universities will be represented, and 19 computer-related societies are cooperating in the conference organization.

For further information, contact Doris K. Lidtke, NECC-83 General Chairman, Department of Mathematics and Computer Science, Towson State University, Baltimore, MD 21204.

A/E Systems '83—Dallas

A/E Systems '83, the largest conference/trade show designed specifically for architects and engineers, will be held June 8-10 at Market Hall in Dallas, TX. There will be nearly 80 speakers and numerous tutorials, many dealing with computer use in the design professions.

Some 400 exhibits are expected, and over 6000 architects and engineers will attend. For more information, contact Michael R. Hough, PO Box 11318, Newington, CT 06111; telephone 203-666-9487.

New Jersey Show and Fleamarket

The fourth annual New Jersey-New York-Connecticut Microcomputer Show and Fleamarket will be held June 11 in the Meadowlands Hilton Hotel at the New Jersey Sports Complex (exit 16W of the NJ Turnpike).

The show will feature commercial exhibitors, fleamarket sellers and hardware and software for all the popular systems. For more information, call the Kengore Corporation at 201-297-2526.

IBM PC in San Francisco

PC '83/West will be held June 17-19 in San Francisco's Brooks Hall/Civic Center Complex. PC '83 will bring together users, developers, distributors and retailers of PC-compatible products.

For further information, contact Northeast Expositions, 826 Boylston St., Chestnut Hill, MA 02167; telephone: 800-841-7000 or 617-739-2000.

Sales Opportunity

A few select territories available


Join the direct-sales force of a fast growing company involved in the microcomputer industry. Sales include our wide selection of books, six periodicals, and software. We are looking for a nonsmoker with a good sales background and a basic understanding of microcomputers. An excellent career awaits the person who wants to be "on his own."

It will be your responsibility to become familiar with all makes of computers and their sales outlets, amateur radio and electronics stores, book stores, and other outlets for our products in your territory. We will also add other lines as they become available.

Arrangements are being made to coordinate efforts with some other firms in the area. We offer an excellent growth potential with a highly motivated young corporation. If you (or someone you know) are interested in the opportunities available at Wayne Green Inc., please submit your background in detail, including sales experience, recent work history, knowledge of the microcomputing industry, educational background and references, to:

Sales Manager
Wayne Green Inc.
Peterborough, NH 03458

All replies will be acknowledged immediately and held in the strictest confidence.



WAYNE GREEN, INC.
(M-05) Pine Street
Peterborough, N.H.
03458

Wisconsin Educational Conference

The 1983 Microcomputers in Education Conference will be held at the University of Wisconsin in Madison on June 18. The Conference will explore issues and applications pertaining to microcomputers in elementary and secondary education.

For more information, contact Suzanne L. Zemke, Wisconsin Center for Educational Research, Room 785A, 1025 West Johnson St., Madison, WI 53706; telephone 608-263-4200.

Toronto Computer Show

The annual Toronto Computer Show will be held June 22-23 in the Automotive Building, Exhibition Place, Toronto, Ontario. For more information, call Laurie Whitsed, 416-967-6200.

DC Microcomputer Symposium

Microcomputer Systems: Tools or Toys? is the theme of the 22nd annual Technical Symposium of the Washington DC chapter of the Association for Computing Machinery. This conference will take place June 23 at the National Bureau of Standards in Gaithersburg, MD.

The conference is an opportunity for users, students, specialists and scholars to exchange ideas on the theme. For registration or other information, call Lorraine Lynch Nagy at 301-972-4739 (home) or 202-676-0037 (office).

EastCon in New Jersey

The EastCon gaming organizations convention will take place June 24-26 at Glassboro State College in Glassboro, NJ. Computer games are one of the features of the convention. For further information, send a SASE to EastCon, PO Box 139, Middletown, NJ 07748.

CORRECTIONS

In our April issue, we inadvertently left off the ending of Margaret Morris's program listing ("Apple Gets Optimal," pp. 60-64). We apologize for the inconvenience. Here is the remainder of the program.

```
1830 PRINT : PRINT "VARIABLE ";MTRX(ROW,VAR + CNS + 1); " IS ";MTRX(ROW,VA
R + CNS)
1840 NEXT ROW
1850 PRINT : PRINT "ALL OTHER VARIABLES & SLACK VARIABLES"
1860 PRINT "ARE EQUAL TO ZERO"
1870 IF OPT% = "MIN" THEN MTRX(CNS,VAR + CNS) = MTRX(CNS,VAR + CNS) * -
1
1880 PRINT : PRINT "OPTIMUM SOLUTION: ";MTRX(CNS,VAR + CNS)
1890 RETURN
1900 REM
1910 REM **ELEMENTARY ROW OPERATIONS**
1920 REM
1930 MTRX(PROW,VAR + CNS + 1) = MTRX(CNS + 1,PCOL)
1940 PIVOT = MTRX(PROW,PCOL)
1950 FOR COL = 0 TO VAR + CNS
1960 MTRX(PROW,COL) = MTRX(PROW,COL) / PIVOT
1970 NEXT COL
1980 FOR ROW = 0 TO CNS
1990 IF ROW = PROW THEN GOTO 2040
2000 NEG = MTRX(ROW,PCOL) * - 1
2010 FOR COL = 0 TO VAR + CNS
2020 MTRX(ROW,COL) = MTRX(ROW,COL) + NEG * MTRX(PROW,COL)
2030 NEXT COL
2040 NEXT ROW
2050 RETURN
```

Chicago Graphics Conference

NCGA '83, a conference sponsored by the National Computer Graphics Association, will take place June 26-30 in McCormick Place, Chicago.

For more information, contact Nancy LeFebvre, NCGA, 8401 Arlington Blvd., Fairfax, VA 22031; telephone 703-698-9600.

Design Automation—Miami

The 20th Design Automation Conference sponsored by IEEE and ACM will be held June 27-29 at the Fontainebleau Hilton in Miami Beach, FL. For more information, call Paul Losleben at 202-694-5037.

Videotex '83 in New York

Videotex '83, a conference and exhibition devoted to the technology and uses of videotex, will be held June 27-29 at the New York Hilton.

If interested in attending, call Pam Fendel at London Online, Inc., 1133 Avenue of the Americas, 33rd Floor, New York, NY 10036; telephone 212-692-9003.

CE '83 at Rutgers


A conference on computers in education will be held June 27-29 at Rutgers University in New Brunswick, NJ. This will be a component of Computers in Education '83, a summer institute for educators, which will run from June 20 through July 15.

For further information, call Dr. Mitchell Batoff at the Institute for Professional Development, 245 Nassau St., Princeton, NJ 08540; telephone 609-924-8333.



No, I don't want to know what the chances of this happening were!

THE SELECTRIC™ INTERFACE



Daisy wheel quality without daisy wheel expense.

You need the quality print that a daisy wheel printer provides but the thought of buying one makes your wallet wilt. *The Selectric™ Interface*, a step-by-step guide to interfacing an IBM Selectric I/O Writer to your microcomputer, will give you that quality at a fraction of the price. George Young, co-author of *Microcomputing* magazine's popular "Kilobaud Klassroom" series, offers a low-cost alternative to buying a daisy wheel printer.

The Selectric™ Interface includes:

- step-by-step instructions
- tips on purchasing a used Selectric™
- information on various Selectric™ models, including the 2740, 2980, and Dura 1041
- driver software for Z80, 8080, and 6502 chips
- tips on interfacing techniques

With *The Selectric Interface* and some background in electronics, you can have a high-quality, low-cost, letter-quality printer. Petals not included.

Credit card orders call TOLL-FREE 1-800-258-5473. Or mail your order with payment plus \$1.50 shipping and handling to: Wayne Green Inc. Attn: Retail Book Sales, Peterborough, NH 03458.

Dealer inquiries invited.

ISBN 0-88006-051-4

128 pages

\$12.97

☐ Yes, I want **Selectric Interface** (BK7388). Enclosed is \$12.97 per copy plus \$1.50 for shipping and handling.

☐ MASTER

☐ VISA

☐ AMEX

Card # _____ Expires _____

Signature _____

Name _____

Address _____

City _____

State and Zip _____ **335B7S**

All orders shipped UPS if complete street address is given.

Circle 373 on Reader Service card

UV EPROM ERASER

- ★ Erases over 15 EPROMS - 15 minutes erase time
- ★ Element life 7700 hours
- ★ Intensity: 12W/s 1/2cm² at 1"
- ★ Erases all UV EPROMS (2716, 2732, 2516, 2532, etc.)

\$49.95

• HOBBY MODEL

INDUSTRIAL MODEL

QUV-T8 / 2N

\$68.95

WITH TIMER AND SAFETY SWITCH

QUV-T8 / 2T

\$97.50

INTELLIGENT PROGRAMMER STAND ALONE RS-232

- ★ RELIABLE
- ★ EASY COPY (No external equipment needed)
- ★ USER FRIENDLY

COMPATIBLE:
IBM PC, TRS-80, APPLE, CPM,
FLEX, TEKTRONICS, MDS

(MCS-48)
PROGRAMMING

PRICE INCLUDES
PERSONALITY MODULE

\$489.00

PROGRAMS: 2508, 2516, 2532, 2716, 27C16, 27C32,

2732, 2732A, 2758, 8748, 8749H, 8748H

OPTIONAL MODULES: 2564, 2764, 8755A, 8741

- ★ STAND ALONE, CRT, OR COMPUTER CONTROL
- ★ UPLOAD/DOWNLOAD IN MOTOROLA OR INTEL HEX FORMAT
- ★ MICROPROCESSOR BASED ★ 4 K INTERNAL RAM
- ★ 90 DAY PARTS & LABOR WARRANTY ON ALL PRODUCTS

SOON TO BE RELEASED:

PROMPRO-8 128K Version \$689.

MONEY BACK GUARANTEE

LOGICAL DEVICES INC.

781 W. OAKLAND PARK BLVD. • FT. LAUDERDALE, FL 33311

Phone Orders (305) 974-0967 • TWX: 510-955-9496

SEE US AT COMDEX SPRING - BOOTH #3019

**Dealers . . .
SELL**

Selling *Microcomputing* will make money for you.

Consider the facts:

Fact #1: Selling *Microcomputing* increases store traffic—our dealers tell us that *Microcomputing* is the hottest-selling computer magazine on the newsstands.

Fact #2: There is a direct correlation between store traffic and sales—increase the number of people coming through your door and you'll increase sales.

Fact #3: Fact #1 + Fact #2 = INCREASED SALES, which means more money for you. And that's a fact.

For information on selling *Microcomputing*, call 800-343-0728 and speak with Ginnie Boudrieau, our bulk sales manager. Or write to her at *Microcomputing*, 80 Pine St., Peterborough, NH 03458.

MICROCOMPUTING

80 Pine Street Peterborough, NH 03458

800-343-0728



The NEC Trek PC-6000 combines color, sound and educational capabilities.

The NEC Trek Boldly Goes . . .

The NEC Trek PC-6000 is designed to combine color, sound and educational capabilities into a versatile personal computer.

The PC-6000 comes with 16K of RAM and 16K of ROM, expandable to 32K with optional cartridge PC-6006. The computer also has three independent sound-generators with an eight-octave range, allowing you to play and compose music.


The NEC Trek PC-6000 has a 71-key typewriter keyboard, featuring five function keys which can activate ten user-defined routines. It also features nine colors for text and graphics; Microsoft Basic to enhance graphics and sound

capabilities; RS-232C interface to allow access to national bulletin boards; high-resolution graphics; 256 x 192 dots in monochrome, 128 x 192 dots in limited color and 64 x 48 dots in nine colors. Up to four screens may be superimposed and independently controlled.

The computer sells for under \$350. NEC Home Electronics (USA), Inc., Personal Computer Division, 1401 Estes Ave., Elk Grove Village, IL 60007. Reader Service number 496.

Micro Disk Drive

Tabor Corp. (Lyberty Way, Westford, MA 01886) has introduced a single-sided micro-floppy disk drive that uses 3¼-inch disks.



Tabor Corporation's TC 500 Drivette is a 3¼-inch single-sided microfloppy disk drive. It has the same 500K storage capacity as standard 5¼-inch disk drives.

Called the TC 500 Drivette, the unit offers the same 500K storage capacity of standard 5¼-inch disk drives at one-fourth the size, one-half the weight and 60 percent of the power.

The TC 500 Drivette is plug-to-plug compatible with 5¼-inch drives. Major components of the drive include a direct drive spindle motor, custom read/write electronics and large-scale integrated control logic, all built into a one-piece die-cast chassis.

The drive is priced at \$315. Reader Service number 492.

Turn Your Terminal Into a CP/M Computer

The MicroMate is a new entry into the CP/M-computer field. The MicroMate converts any standard or intelligent terminal into a CP/M computer. The 390K disk drive and 128K RAM computer both fit into a 13-inch long case.

Since it can be carried from terminal to terminal, MicroMate is portable. The com-

puter is small enough to fit in most briefcases.

The complete MicroMate with a terminal, CP/M 3.0 and the T/Maker software program costs \$1495. It costs \$995 without the terminal.

The MicroMate has excellent input-output capability with two serial ports, an eight-bit parallel port suitable for Winchester disks, a Centronics parallel printer port and a connector for up to three external 5¼-inch drives, providing a total capacity of over 1.5 megabytes.

The MicroMate is manufactured by Personal Micro Computers, Inc., 475 Ellis St., Mt. View, CA 94043. Reader Service number 491.

A Problem-Solving Computer

The MC100 is designed to solve three major problems that face prospective computer buyers: software availability, technical obsolescence and cost.

The MC100 uses a 16/32-bit MC6800 processor and a RAM



The MicroMate, from Personal Micro Computers, Inc., is a new entry into the CP/M-computer market.



FLEX - OS-9 LEVEL ONE - UNIFLEX - OS-9 LEVEL TWO

ONLY GIMIX Systems can be configured to run any of these.

GIMIX systems utilize the most powerful 6809 operating systems: FLEX, UniFLEX, OS-9 LEVEL ONE and TWO -- the systems the PROs use. This means a wide selection of software to choose from as well the ability to develop sophisticated, multi-user/multi-tasking programs on your GIMIX System.



The GIMIX CLASSY CHASSIS™ consists of a heavy-weight aluminum mainframe cabinet which provides more than ample protection for the electronics and 1 or 2 optional 5 1/4" drives.

Backpanel connectors can be added for convenient connection of terminals, printers, drives and other peripherals.

A 3 position locking keyswitch enables users to disable the front panel reset button to prevent accidental or unauthorized tampering with the system.

The GIMIX system mother board provides fifteen 50 pin slots and eight 30 pin I/O slots -- the most room for expansion of any SS50 system available. The on board baud rate generator features 11 standard baud rates, 75 to 38.4K, for maximum versatility and compatibility with other systems. Extended address decoding allows the I/O block to be addressed anywhere in the 1 megabyte address space. All components feature Gold plated connectors for a lifetime of solid connections. All boards are fully buffered for maximum system expansion.

Each GIMIX Mainframe System is equipped with an industrial quality power supply featuring a **ferro-resonant constant voltage transformer** to insure against problems caused by adverse power input conditions such as A.C. line voltage fluctuations etc. The supply provides 8 volts at 30 amps and plus or minus 16 volts at 5 amps, more than enough capacity to power a fully loaded system and two internal drives.

The 2MHz GIMIX 6809 PLUS CPU board includes a time of day clock with battery back-up and 6840 programmable timer to provide the programmer with convenient, accurate time reference. Later addition of 9511 or 9512 arithmetic processors is provided for on the board. The unique GIMIX design enables software selection of either OS-9 or FLEX, both included in many complete GIMIX systems.

GIMIX STATIC RAM boards require no complicated refresh timing cycles or clocks for data retention. GIMIX memory boards are guaranteed for 2 MHz operation with no wait state or clock stretching required.

Our low power NMOS RAM requires less than 3/4 amp at 8V for a fully populated 64K board. For critical situations, our non-volatile 64K byte CMOS static RAM boards with built in battery back-up retain data even with system power removed. A fully charged battery will power this board for a minimum of 21 days. A write protect switch permits CMOS boards to be used for PROM/ROM emulation and software debugging.

The GIMIX DMA controller leaves the processor free to perform other tasks during disk transfers - an important feature for multi-user/multi-tasking systems where processor time allocation is critical. The DMA board will accommodate up to 4 drives 5 1/4" or 8" in any combination running single or double density single or double headed. Programmed I/O Disk Controllers are also available.

GIMIX systems are designed with ultimate **RELIABILITY** in mind. You can choose from the below featured systems or select from our wide variety of components to build a custom package to suit your needs.

GIMIX 2MHz 6809 System including: CLASSY CHASSIS, 6809 PLUS CPU BOARD, 56KB STATIC RAM, 2 SERIAL PORTS W/CABLES, GMXBUG MONITOR, FLEX, and OS-9 LEVEL 1 **\$3248.49**
FOR TWO 5 1/4" 40 TRACK DSDD DRIVES ADD **\$ 900.00**

GIMIX 128KB WINCHESTER SYSTEM including: CLASSY CHASSIS, 6809 PLUS CPU BOARD, 128KB STATIC RAM, 4 SERIAL PORTS W/CABLES, 5 1/4" 80 TRACK DSDD FLOPPY DISK DRIVE, 19MB 5 1/4" WINCHESTER HARD DISK, OS9 LEVEL 2, EDITOR AND ASSEMBLER **\$8998.09**

50HZ Versions Available, 8" Drives Available — Contact GIMIX for Prices and Information.

The Sun Never Sets On A GIMIX!

GIMIX users are found on every continent, including Antarctica. A representative group of GIMIX users includes: **Government Research and Scientific Organizations** in Australia, Canada, U.K. and in the U.S.; NASA, Oak Ridge, White Plains, Fermilab, Argonne, Scripps, Sloan Kettering, Los Alamos National Labs, AURA. **Universities:** Carleton, Waterloo, Royal Military College, in Canada; Trier in Germany; and in the U.S.; Stanford, SUNY, Harvard, UCSD, Mississippi, Georgia Tech. **Industrial users** in Hong Kong, Malaysia, South Africa, Germany, Sweden, and in the U.S.; GTE, Becton Dickinson, American Hoechst, Monsanto, Allied, Honeywell, Perkin Elmer, Johnson Controls, Associated Press, Aydin, Newkirk Electric, Revere Sugar, HI-G/AMS Controls, Chevron. **Computer mainframe and peripheral manufacturers,** IBM, OKI, Computer Peripherals Inc., Qume, Floating Point Systems. **Software houses;** Microware, T.S.C., Lucidata, Norpak, Talbot, Stylo Systems, AAA, HHH, Frank Hogg Labs, Epstein Associates, Softwest, Dynasoft, Research Resources U.K., Microworks, Meta Lab, Computerized Business Systems.



GIMIX Inc. reserves the right to change pricing and product specifications at any time without further notice.

GIMIX® and GHOST® are registered trademarks of GIMIX Inc.
FLEX and UniFLEX are trademarks of Technical Systems Consultants Inc.
OS-9 is a trademark of Microware Inc.


1337 WEST 37th PLACE
CHICAGO, ILLINOIS 60609
(312) 927-5510
TWX 910-221-4055

GIMIX Inc.

The Company that delivers
Quality Electronic products since 1975.
© 1982 GIMIX Inc.

TRS-80 COMPUTERS

ALL PURE RADIO SHACK EQUIPMENT



DISCOUNT 15% AND UP

- COMPUTERS
- PRINTERS
- ACCESSORIES
- GAMES

ALL TRS-80 MODELS

CALL FOR OUR COMPETITIVE
PRICES ON ALL MAJOR BRANDS

FREE PLEASE WRITE AND REQUEST . . .

- CUSTOMER DISCOUNT PRICE LIST
- MANUFACTURE WARRANTIES

© TRS-80 TANDY CORPORATION

PERRY COMPUTERS

137 NORTH MAIN STREET PERRY MI 48872

FOR ORDERS CALL 1-800-248-3823

FOR INFORMATION CALL (517) 625-4161

Circle 140 on Reader Service card.

OMNITEK COMPUTERS INTERNATIONAL, INC.

1300 MAIN STREET TEWKSBURY, MASS

617-851-4580

CBM64.....	395.00
Verbatim 5.25" D.L.....	25.00
5 1/2" Head Cleaning Kits.....	5.00 each or 3 for \$12.00
Okidata Microline 80.....	299.00
Okidata Microline 82A.....	399.00
Okidata Microline 83A.....	629.00
Okidata Microline 92 (160 C.P.S.) corresponds mode.....	499.00
Okidata Microline 93.....	799.00
13" Green Monitor.....	99.00
B.M.C. 13" Color Monitor.....	299.00
Epson FX80 FT.....	539.00
Epson MX-100.....	689.00
Radio Shack Mill w/48K.....	799.00
Radio Shack Mill w/48K and 2 40TRK.....	1499.00
.....and RS232.....	1574.00
40 track economy drive Power Supply with case.....	179.00
Tandon drives with Power Supply and case	
40 track singlehead economy.....	249.00
dualhead.....	339.00
80 track singlehead.....	299.00
dualhead.....	399.00
5.25" Power Supply and case.....	39.00 or 10 for \$340.00
* BASF 40 track D.D. 5 1/4" new disk drive, as is, no return.....	89.00
8" Power Supply and case.....	99.00 or 10 for 935.00
Brothers HR-1 D.W. Printer.....	795.00
Full Commodore Line	CALL.....VIC 20.....149.00

OMNITEK COMPUTERS INTERNATIONAL, INC.

TRS-80 is a reg. trademark of Tandy Corp. Prices are for mail order only TERMS:
Check, money order, Mastercard and Visa accepted. F.O.B. Tewksbury-freight extra.
Minimum \$5.00 S & H. Mass residents add 5% sales tax. Write for FREE CATALOG.



Quick Share, from Wolsten's Computer Devices, allows four Atari 400, 800, or 1200 computers to share up to four disk drives, one printer and one software program.

memory system expandable from 128K to 16 megabytes. With this, plus an emulation hardware controller and multiple slave microprocessors, such as the Z-80, 6502 and 8088, it is possible, under software control, to create the environment of almost any computer. With the proper instruction set, the MC100 can perform as an Apple II or III, a TRS-80, an Osborne, a Cromemco and others.

The MC100 expansion options include direct memory expansion to 16 megabytes without paging, hard disk controllers to 2.4 gigabytes, programmable graphics controller to 1024 x 1024 pixels, multiple remote communications adapters and high-speed scientific and matrix processors.

MC100 is designed to allow the addition of new peripherals or processors as they become available. The basic computer system comes with a processor with 128K of RAM, two 5 1/4-inch disk drives, a high resolution monochrome

monitor, a choice of CP/M or Pascal operating systems with word processing and spreadsheet software, and emulators for all Apple II and TRS-80 Model II software. The MC100 will be sold for under \$5000.

The MC100 is manufactured by Micro Craft, 9995 Monroe Drive, Suite 203, Dallas, TX 75220. Reader Service number 495.

A Penny Saved . . .


Wolsten's Computer Devices, Inc. (99 Washington St., East Orange, NJ 07017), has introduced two money-saving products: Quick Share and Print Switch.

Quick Share lets up to four Atari 400, 800 or 1200 computers share one to four disk drives, one printer and one software program.

Quick Share lets you eliminate the need for three disk drives, three interface modules and three printers; also, you need only one software



PrintSwitch, from Wolsten's Computer Devices, allows any Centronics-type printer to be connected to any two Apple or Franklin Computers.



The Appli-Card, from Personal Computer Products, Inc., makes your Apple computer CP/M-compatible.

program to load four computers. You can connect up to four disk drives, giving you access to almost a half megabyte of storage. Quick Share includes all necessary cables and connectors needed to connect four computers, expansion module or disk drive together.

Print Switch is designed to cut printing costs in half. It lets any Centronics-type printer be connected to any two Apple or Franklin computers. To set up Print Switch, you plug the parallel interface printer card into each computer, connecting the cable to the Print Switch. The Print Switch plugs directly into any printer. The printer cable is supplied; no tools, wiring or modifications are needed.

Quick Share costs \$595 and Print Switch costs \$149.95. Reader Service number 480.

CP/M On-Board

The Appli-Card allows you to make your Apple computer compatible with the CP/M operating system.

The Appli-Card features 64K of on-board memory, 40-255 column horizontal scrolling, 70-column hi-res screen and a choice of either 4MHz or 6MHz Z-80 processor. By utilizing the on-board memory, the Appli-Card is able to execute CP/M programs two to three times faster than standard Z-80 cards which are required to use the Apple's memory.

Personal Computer Products, Inc. (16776 Bernardo Center Drive, San Diego, CA 92128), has also introduced a 64K or 128K RAM extender option. The RAM extender plugs into the Appli-Card and, using the Appli-Card's 64K

and Appli-Disk software, functions as either a 128K or 192K RAM disk for Apple DOS, or a 64K or 128K RAM disk for CP/M. This capability is designed to eliminate the need for an additional disk drive.

Appli-Card supports all standard Apple peripherals as well as being fully compatible with the Apple IIe. The 4MHz Appli-Card with Appli-Disk software costs \$295; the 4MHz Appli-Card with 64K RAM extender and 128K Appli-Disk software costs \$395. Reader Service number 487.

PET to Parallel Printer Adapter

Connecticut microComputer, Inc. (36 Del Mar Drive, Brookfield, CT 06804), has announced the ADA 1800 printer adapter. The adapter is a simple-to-use interface designed to let Commodore PET and CBM computers output to parallel interface printers. Eight bits are supported. The ADA 1800 works with the Commodore disk drives and operates using Basic commands.

The ADA 1800 has a two-foot cable that plugs into the PET IEEE port. Another IEEE card-edge connector is provided for connecting disks and other peripherals to the PET. A four-foot cable with a standard 36-pin Centronics connector is also provided.

A switch selects upper/lowercase, upper/lowercase reversed (needed for some Commodore machines), uppercase only for clearer program listings and graphics.

The ADA 1800 works with Wordpro, Basic and other software. No special programming is required. For example, to list a program on your printer, you would just type:

Circle 278 on Reader Service card.




COMPUTER SOFTWARE ASSOCIATES

"Sensational!"
"Magnificent!"
"Unbelievable!"

PRACTICALC

A comparative newcomer to the software market, PractiCalc has already elicited an overwhelming response. With PractiCalc, features that were once only associated with much larger computers are now available on the VIC-20 (with 16K Ram) and 64. PractiCalc's simple screen format allows easy entry and viewing of data, and its numerous mathematical functions allow for efficient solutions to the most advanced user problems. Easy to operate, PractiCalc offers an affordable alternative to large costly home computers.



- Over 20 Mathematical Functions
- Alpha/Numeric Sorting
- Saves & Stores Spreadsheet
- Available in both disc & cassette versions

\$39.95

Order direct by calling 1-800-343-1078

Computer Software Associates products come from around the world and are priced for exceptional value. We offer a complete selection of software to meet your most demanding needs. Ask your local retailer for a catalog of over sixty programs or write us directly for more information.

CSA is searching for programmers who are creating software for Commodore and Timex. We offer a world-wide distribution network as well as generous royalties. Contact us in care of the address below.


Micro Software International, Inc. is the exclusive world-wide distributor of CSA products.



Micro Software International, Inc.
50 Teed Drive
Randolph, MA 02368

Abbots Mead, Framsden Road
Pettaugh, Stowmarket, IP14 6DU
Suffolk, England

DEALER INQUIRIES WELCOME



The Giltronix ASN is a switching device designed to facilitate the sharing of a common RS-232C device between computers.

OPEN 1,4
CMD 1
LIST.

The ADA 1800 comes complete, assembled and tested. The case measures 3½ x 5¼ inches. It costs \$129. Reader Service number 497.

Sharing RS-232C

The Giltronix ASN (Automatic Scanner) is a switching device designed to facilitate the sharing of a common RS-232C device between numerous computers or other devices.

The ASN is controlled by an RS-232 signal, usually DTR or RTS. The switching device features automatic or manual operation, desktop or rack-mount versions, full compatibility with the company's ASU units, an ASU/ASN combination that offers a unique "Device Share" n x n matrix and front panel display of selected port.

The Giltronix ASN is available in three models: the

ASN3, ASN5 and ASN7, offering three, five and seven ports, respectively.

The ASN3 costs \$249; the ASN5 costs \$349; and the ASN7 sells for \$449. It can be purchased from Giltronix, Inc., 970 San Antonio Ave., Palo Alto, CA 94303. Reader Service number 483.

Top Your Ace With A Disk Drive


Franklin Computer Corp. (2138 Route 38, Cherry Hill, NJ 08002), has announced the ACE 1100, an add-on disk drive assembly for the ACE 1000 personal computer.

Offered with a controller and one or two disk drives, the unit replaces the cover of the ACE 1000 computer. Like other Franklin products, the ACE 1100 is Apple-compatible and reads and writes any Apple II disk.

The controller, which ac-



The ACE 1100, Franklin Computer Corporation, is an add-on disk drive unit for the Franklin ACE 1000.



The UDS 212 A/D is Universal Data Systems' newest addition to its line of modems.

commodates two drives, may be used with both DOS 3.2 and DOS 3.3, and includes a built-in disk drive exerciser. It plugs into one of the eight ACE 1000 peripheral connectors. There is no external cabling.

The single-drive model of the Ace 1100 is easily upgraded to dual drives. It is designed to accommodate the standard Franklin ACE 10 disk drive mechanism.

The single-drive ACE 1100 is sold for \$699, including controller. The second drive is \$399. Reader Service number 488.

A Registered Modem

Universal Data Systems (5000 Bradford Drive, Huntsville, AL 35805) has announced the addition of the UDS 212A/D to its line of low, medium and high-speed modems.

The UDS 212A/D features all of the capabilities of the previously released UDS 212A modem, but includes an Integral Automatic Calling Unit. The built-in firmware of the UDS 212A/D allows entry and storage of up to five- to 30-digit numbers or operatives which can be recalled and executed with simple keyboard commands. The on-board battery-backed memory will retain the stored numbers after power-down for three to five years.

The UDS 212A/D also features 0-300 bps and 1200 bps data rates, asynchronous or synchronous full-duplex operation, automatic answer, microprocessor design and extensive diagnostics. The modem is FCC registered for

direct connection to the Public Switched Telephone Network and is compatible with all Bell-type 212A data sets.

The UDS 212A/D sells for \$795. Reader Service number 484.

A Multifunction Card

Saturn Systems, Inc. (PO Box 8050, Ann Arbor, MI 48107), has introduced a multifunction card for the IBM Personal Computer. The board combines two serial ports (COM1: and COM2:), one parallel printer port (LPT1:, LPT2:, or LPT3:), a time-of-day/date clock (with battery backup), a hard disk interface and up to 576K of RAM in a package that requires only one system bus slot.

The software package included with the Saturn board are Pseudo-Disk, a fast RAM disk emulator; Pseudo-Print, which allows simultaneous printing and processing; a hard disk support program (using the SASI interface on the card); and a support program for the time-of-day clock, which eliminates typing in the system date and time during system start-up.

Hardware and software user's manuals are provided, giving step-by-step installation and operating instructions. The manuals are sized to allow insertion in the IBM system binders.

The Saturn multifunction board, with 64K of RAM installed, costs \$795. The Saturn software package requires an IBM PC with at least 64K of memory, one floppy disk drive and the PC DOS operating system. Reader Service number 490.



JPC PRODUCTS CO.

POOR MAN'S FLOPPY

HIGH SPEED CASSETTE SYSTEM

Now for the TRS-80 Color Computer

The JPC PRODUCTS High Speed Cassette System, in operation for over 4 years, is now available for all versions of the Radio Shack® Color Computer.

- TC-8C — Plugs directly into the expansion port of your TRS-80 Color Computer. It is fully compatible with all versions of the Color Computer from the standard 4K to the Extended 32K.
- FAST — Twice the speed of the Color Computer System.
- RELIABLE — Less than one error in a million bits.
- SUPPORTS TWO DRIVES — Software selectable.
- ALL FILE TYPES — BASIC, machine language, data.
- MOTOR CONTROL — Two on-board relays.
- EPROM OPERATING SYSTEM
- SPARE EPROM SOCKET — 2716 or 2732 compatible.
- OPTIONAL JBUG MONITOR — EPROM or Cassette
 - 6809 Assembler
 - 6809 Dis-assembler
 - Memory modify and list
 - Break point traps
- ASSEMBLED and TESTED

TC-8C \$129.95 JBUG (EPROM) \$34.95
JBUG (Cassette) \$29.95

TERMS:

Cash, Master Card or Visa
Shipping & Handling \$3.50(US)
\$5.50 (Canada) \$15.00
(Foreign) Technical
Inquiries: Phone
5:00 - 6:00 PM MST



JPC PRODUCTS CO.
Phone (505) 294-4623
12021 Paisano Ct. NE
Albuquerque, NM
87112

If you're serious about VisiCALC®,
then you should know about

VIZ-A-CON™

That's because VIZ-A-CON is the exciting new consolidation system for VisiCalc users. Using your VisiCalc database, and **without learning a new system**, VIZ-A-CON will:

- Perform Consolidations—Automatic roll-ups of weeks into months into years, or departments into divisions into regions.
- Allow "What If" Questions in Three Dimensions—Get answers at any level of consolidation.
- Act as a Report Writer—To your VisiCalc database, with word processor interface.

VIZ-A-CON is another imagination enhancing product brought to you by **ABACUS ASSOCIATES**, (713) 666-8146, 6565 W. Loop S., Suite 240, Dept. 9, Bellaire, TX 77401. See your software dealer, or order directly, (800) 547-5995, ext. 170. Visa/Mastercard accepted. Dealer inquiries invited.

Apple II, II+, IIE, TRS-80 I, III---\$ 99.95 + 3.95 S&H
Apple III, TRS-80 II 12/16, IBM PC---\$139.95 + 3.95 S&H

Color by HOT CoCo

If you like color... You're going to love HOT CoCo magazine.

The exciting new monthly devoted exclusively to the TRS-80 Color Computer*. It's from the publisher of 80 Micro.

Let HOT CoCo color your system with:

- Feature articles on color graphic techniques
- Computer art
- Games
- Specific color applications in home, education, business and hobbies PLUS
- Ideas on patching, adding and trouble-shooting
- Buyer's guides
- Product and book reviews
- Hardware interfacing and enhancing
- Programming techniques and tutorials

Best of all, HOT CoCo is written by users just like you. The material is always up-to-date and useful. Hardware, software, books... what's new... what's best... what works. And for a limited time only, you can take advantage of our Charter Subscription rates, 12 issues for only \$19.97. A 13th issue is yours FREE with pre-payment (check or credit card). Use the attached order form, the coupon, or call toll free 1-800-258-5473. Subscribe Today!

HOT CoCo

Yes, please sign me up for a charter subscription to HOT CoCo for one year at \$19.97. I understand that with payment enclosed or credit card order I will receive a free issue making a total of 13 issues for \$19.97.

☐ MC ☐ VISA ☐ AE ☐ CHECK/MO ☐ BILL ME

Card# _____ Exp. Date _____

Signature _____ Interbank # _____

Name _____

Address _____

City _____ State _____ Zip _____

Canada & Mexico \$22.97/1 yr. only, US Funds
Foreign surface \$39.97/1 yr. only, US Funds drawn on US bank.
Please allow 6-8 weeks for delivery.

335C7

HOT CoCo•PO Box 975•Farmingdale NY 11737

*TRS-80 Color Computer is a trademark of Radio Shack, a division of Tandy Corp.

Backing Up CP/M

Amanuensis, Inc. (RD #1, Box 236, Grindstone, PA 15442), has released a disk-backup software package for CP/M 2.2. The product, called Qbax, is an intelligent, incremental backup program that operates without patches to the operating system.

Qbax will detect, within a few seconds, exactly which files have been rewritten since the last backup, and will only back up those files. With Qbax, hard disk users do not have to endure the agony of backing up an entire logical drive onto numerous floppies. Floppy disk users will find Qbax valuable, because instead of copying an entire disk, only the files that need backups are copied.

Qbax also includes options for reporting which files need a backup and for changing the backup status of files. The package costs \$30. Reader Service number 461.

Taking Inventory

SSR Corporation (Micro Computer Software, 1600 Lyell Ave., Rochester, NY 14606) has announced that Infotory, the company's inventory management system, is now available for the Commodore 8032 Professional Computer and the Apple III with Profile.

Infotory for the Commodore 8032 offers an item capacity of 4000 inventory items with 38 fields of information for each item, including three pricing levels.

The Apple III version offers up to 20,000 inventory items and 36 fields of information for each item.

Infotory is designed to satisfy the requirements of inventory accounting and provides unlimited reporting capabilities through its database management subsystem,

AnyReport.

AnyReport gives you flexibility in designing reports based on information associated with your inventory and provides the option to save those reports for future use.

Infotory cost \$495. Reader Service number 473.

Speaking English

Teachers' Friend is a program that teaches English as a second language to students who can read English at the second-grade level. The 80-lesson curriculum was developed over a two-year period and sells for \$15 per lesson.

Teachers' Friend doesn't need to be followed sequentially by the student. Each lesson can be used independent of the others, so a student can go right to the lesson he needs.

Teachers' Friend also serves as an anticipatory instructional device, allowing the student to prepare for difficult lessons in advance. For example, if a student is weak in verb conjugation, he can prepare before the class and reinforce learning after class.

Each lesson takes about ten or 15 minutes to complete; however, the computer will proceed at the student's rate of progress. Each Teachers' Friend lesson teaches a basic English skill, such as spelling, punctuation, parts of speech, verb tenses, syntax, pronunciation, drawing conclusions, making generalizations, developing vocabulary, alphabetical order and others.

Teachers' Friend is compatible with Apple and Radio Shack computers. Experience with microcomputers, or even the ability to type, is not necessary.

The lessons are available from The Soft Spot, Ltd., 800 East Arapaho, Suite 110, Richardson, TX 75081. Reader Service number 464.

Using Those Mind Tools

Howard W. Sams & Co., Inc. (A Division of ITT, 4300 West 62nd St., PO Box 7092, Indianapolis, IN 46206), has introduced the Sams Financial Planning Mind Tools—a software enhancement program developed for use with Multiplan, VisiCalc and SuperCalc electronic spreadsheets.

The enhancement program offers a series of 17 preset calculators that automatically superimpose correct formulas and column headings on each spreadsheet program. The Mind Tools are compatible with the TRS-80 Model II, the Apple II and IBM Personal Computer, and sell for \$69.95 or \$89.95, depending on the version.

Each Mind Tools package includes a disk, a complete instruction manual and an easy-to-read reference guide. Reader Service number 478.

Atari, Commodore Software

Eastern House Software (3239 Linda Drive, Winston-Salem, NC 27106) has released four new software products: 64-Rabbit, 64-MAE, 64 STCP and Monkey Wrench II.

64-Rabbit is a high-speed cassette interface on ROM cartridge that adds 12 commands to the Basic language. The Rabbit's save, load and verify commands operate five times faster than normal Basic commands. Other commands include load/run, test memory, decimal-to-hexadecimal conversion and hex-to-decimal conversion.

64-Rabbit is available for the Commodore-64, VIC-20, and PET 4001, 8001 and 8032. It costs \$39.95.

The 64-MAE, designed for the Commodore-64, is a macro assembler and text editor written in machine language.

64-MAE features 38 error codes, 27 commands, 26 pseudo ops, and five conditional assembly operators; built-in software UART (110-9600 baud); macro, conditional assembly and interactive assembly capability; and optionally created executable object code on disk. Text editor features include auto-line numbering, find, exchange string, copy, move, renumber, delete lines and append. Word processor features include left and right justification, center, set margins, define text body shape, headers and footers. It sells for \$99.95.

Monkey Wrench II is a ROM cartridge that plugs into the right-hand slot of your Atari 800. It provides 18 new Basic commands and 16 machine-language commands, including a format program list command that separates and prints to the screen or printer each command appearing on a Basic multiple command line.

64-STCP (Standard Terminal Communications Package) turns a Commodore-64 into a sophisticated and smart terminal.

The package is controllable from Basic or machine-language programs. Included with the software is an ACIA-based hardware interface board that will work with an inexpensive or intelligent RS-232 modem. STCP is also available for PET series computers. It costs \$129.95. Reader Service number 465.

Enhancing Basic

EnBasic enhances Basic, while retaining all of the current Basic features. With EnBasic, spelling and typing errors can be automatically indicated; character-by-character error feed-back is given for missing, extra or wrong letters, inverted letter order, errors in accenting, capitalization, sub- or superscripting.

Display features of EnBasic include—

- Lowercase characters.
- Proportional spacing, superscripts, subscripts, underlining and automatically back-spaced diacritical marks in text.
- Rewrite, erase, overstrike and inverse modes can be set at will.
- Regular or double-size characters may be displayed anywhere you wish on screen.
- All displays are in high-resolution.

The EnBasic package contains a 94-page manual, a pocket guide to EnBasic commands and a master disk that contains:

- The EnBasic augmentation program.
- Six ready-character sets (four sizes of English letters plus Cyrillic and Greek).
- A display editor, a standard key assignment table and a key assignment editor.
- A transfer program that places EnBasic, character set and key assignment tables on your disks.

EnBasic is manufactured by COMPRESS, A Division of Van Nostrand Reinhold, 286 Congress St., Boston, MA 02210. The product sells for \$150. Reader Service number 469.

Apple, Meet IBM

Direct Connect is a software package that supports communication between the Apple II and an IBM Personal Computer, using only the standard hardware supplied

with each computer—no communications adapter or serial interface is required.

Direct Connect uses the cassette port on the IBM PC and the built-in I/O facilities of the Apple II. A cable is supplied with the software, connecting the two machines. This approach permits data transfer rates of 10,000 bits per second. The software automatically checks for errors during file transfer.

The Remote Commander feature allows both computers to be controlled from the IBM PC. The program can be operated using only one display. Other Apple programs that use standard keyboard input and display may also be run from the IBM PC.

Direct Connect supports transfer of Basic programs or text files, including VisiCalc models. In addition to transferring files, virtually any Apple-generated output can be sent to the IBM PC and saved on disk. Also, a Pascal interface is included in the package.

Direct Connect is available from Trax (8948 W. 24th St., Los Angeles, CA 90045) for \$170. Reader Service number 470.

Going Abroad?

Island Software (Box 300, Lake Grove, NY 11755) has announced a French and Spanish language series for the Commodore Pet, Commodore 64 and Apple II Plus. The programs utilize graphics

to present oversized words and diacritical marks.

The Pet and C-64 version can be purchased as four separate cassettes at \$20 each. The first program has nouns grouped in convenient topic areas; the second uses verbs grouped according to ending types; the third uses numbers, colors, months and other useful words; the fourth cassette allows the teacher to create customized word lists.

The Apple version comes with all four programs on a single disk, selling for \$80. The C-64 version is also available on disk for \$80. Reader Service number 466.

APL Power for the PC

STSC, Inc.'s (2115 East Jefferson St., Rockville, MD 20852) APL*Plus/PC brings the inherent power of APL and STSC's proprietary system enhancements to the IBM Personal Computer.

The APL*Plus/PC is functionally compatible with STSC's other APL*Plus systems running on IBM mainframes, Digital Equipment Corporation's VAX computer series and the TRS-80 Model III microcomputer.

The APL*Plus/PC system offers all APL language primitive functions and operators; STSC's business report formatting feature; error-trapping features; STSC's Sharefile system; system functions for space management and for interface with non-APL programs; and 106 system functions and

variables.

The system operates under PC DOS and requires at least 128K of RAM and one disk drive. The system includes a custom character ROM, which enables the Personal Computer to display the APL character set.

The APL*Plus/PC package is composed of the APL language processor software, APL character ROM and complete documentation, including a 400-page programmer's reference manual, an introductory APL tutorial and an APL textbook. It costs \$595. Reader Service number 471.

IBM Smartens Up

PC/InterComm transforms your IBM Personal Computer into a "smart" terminal, allowing you to talk to any manufacturer's computer (even another IBM). You can access more than 1000 data services for up-to-the-minute business and financial information.

With PC/InterComm, you can do accounting and financial applications, word processing and data entry directly on the remote machine—with instant video feedback.

You can read data from your files and forward the information along to any other computer, or you can receive data for storage. Once you have set up protocols to communicate with other computers, you don't have to reenter them or make other selections. Just boot the PC/InterComm and your PC is ready to talk.

Circle 363 on Reader Service card.

NAMOR™, the outstanding mailing list program, now has a money-back guarantee


Software package includes NAMOR disk, Training/Demo disk and manual, \$150. Manual and Demo alone \$25. Available for CP/M® systems in 8" SD and most popular 5¼" formats including Apple, Heath, North Star, Osborne and Xerox.



NAMOR handles all of the list management tasks from generating the entries to updating, sorting and printing the labels. And now with the new NAMAT utility program the list files can be converted for use with word processors to generate personal letters or custom formatted directories and reports.

Evaluate NAMOR for 30 days. If you are not satisfied, just send it back for a full refund of the purchase price. Also ask about the new NAMOR NEWSLETTER sent FREE to all those interested in list management.

NAMOR is a trademark of Shape, Incorporated.
CP/M is a registered trademark of Digital Research.



DEALER INQUIRIES INVITED



SHAPE, INCORPORATED
122 SPANISH VILLAGE, SUITE 615
DALLAS, TEXAS 75248
(214) 644-6599

PC/InterComm requires an IBM PC with at least 64K, one disk drive, DOS, an asynchronous serial port and the monochrome display adapter. It costs \$99. Reader Service number 472.

Simplifying Apple Pascal

Smart Systems, Inc. (499 Sulky Lane, Frederick, MD 21701), has developed SmartScreen for use with Apple Pascal. SmartScreen is a utility designed to simplify the development and use of screen-oriented software.

SmartScreen features easy form creation—you type the desired form on the screen and it appears in the application; great field flexibility; total flexibility in defining edit masks for each input field; a one-stroke help screen for each field; ability to read a field as either integer, real or string; single procedure to blink or reverse either a field or a screen area; and the ability to print what is on the screen with one keystroke.

SmartScreen supports either 40- or 80-character display and requires only 5K, plus the storage necessary for the developed screens. SmartScreen comes complete with documentation and a hands-on teaching routine. It costs \$75. Reader Service number 474.

IBM Gets Speed

Daystar Systems (10511 Church Road, Suite L, Dallas, TX 75238-9990) has released the UltraFast Software Utility Package. The package contains three programs: UltraFast, a flexible disk RAM emulator; UltraTrap, a parity error-handling utility; and UltraBoot, a dynamic memory allocation utility.

The UltraFast program is designed to let a portion of the IBM PC's memory emulate up to four double-sided, 40-track disk drives. This high-speed emulation provides startling performance improvements. For example, the average seek time is 1500 times faster than a typical drive. Data transfer is six times faster.

The entire UltraFast package requires only 8K RAM of space to operate. The package costs \$39.95 or is available free with the purchase of a 512K IBM-PC memory board. Reader Service number 476.

New and Improved

Abacus Data, Inc. (1920 San Marco Blvd., Jacksonville, FL 32207), has announced an enhanced version of Informa X, an information management system. The new version is written in Pascal, and features cross-file data sharing, multiple file reporting, multiple screens per record, far broader application

capabilities, increased speed and security, and far greater data file capacity than earlier versions.

Informa X can now run on any eight- or 16-bit system with Z-80, 8085, 8086 or 8088 processors, operating CP/M-80, 86, or any multi-user system using TurboDOS, Mmmost or dpc/OS. Versions for MS-DOS, PC-DOS, N-Star and MPM will soon be available.

Informa X is designed to simply and quickly handle all of a business's computing requirements, including payroll, personnel, accounts receivable and payable, general ledger, inventory and direct mail.

The single-user version of Informa X costs \$795. The multi-user version costs \$995. Reader Service number 477.

Number Cruncher

Number Cruncher is a business productivity tool that blends text editing and calculating capabilities to create a flexibly-formatted modeling program.

Number Cruncher does not use fixed column and row arrangements, freeing you to design a report format to suit your needs. The program also lets you assign easy-to-remember names to variables—for example, "taxes" instead of a code name like "B3."

Math commands like "Mul-

tiple Gross X Sales Tax Giving Total" are used instead of math codes. Number Cruncher lets you place numbers to be used for calculations anywhere in lines of text. The system can add, subtract, multiply or divide these numbers, and display the result anywhere on the page.

Standard row and column math functions are provided along with block commands, which let you add, subtract, multiply or divide entire blocks of rows and columns, producing a single result/total.

The Number Cruncher system includes commands that enable you to calculate internal rate of return, modified rate of return, amortization and depreciation schedules.

Number Cruncher also provides text editing for models, reports and business letters. Full editing controls aid in text layout design; a special display lets you know where you are on the page at all times.

Number Cruncher is designed for the IBM Personal Computer and DECmate computers; an Apple version is scheduled to be released in the near future. The system requires 64K and runs on either floppy or hard disks. It costs \$395.

Number Cruncher is manufactured by Pyramid Data, Ltd., PO Box 10116, Santa Ana, CA 92711. Reader Service number 462.

PRICES YOU CAN'T BEAT!..

COMPUTERS

LNW 80 MODEL II W/CPM	
96K, 5"/8" DISC CONTR. RGB	1,595
PMC 81 16K \$525 48K	\$660
TIMEX \$79 16 MEM.	\$42
TRS 80 COLOR COMP. 16K	\$269
MOD.III 48K2/40TRK, S/S, RS232	\$1,730

CRT MONITORS

AMDEK 300 GREEN	\$139
AMDEK 310 AMBER	\$169
AMDEK COLOR I	\$359
AMDEK COLOR II	\$739
TAXAN RGB COLOR	\$289
ZENITH GREEN	\$115
APPLE/IBM RGB CARD	\$89

EXPANSION INTERFACES

LNW-32K-ASSM/TST/GOLD/CASE	\$349
----------------------------	-------

TEAC 1/2 SIZE DRIVES

	Bare	Compl.
FD 55A 40TRK S/S	\$209	\$245
FD 55B 40TRK D/S	\$280	\$319
FD 55F 80TRK D/S	\$345	\$375

All teacs have a 1 year warranty

TANDON DRIVES

	Bare	Compl.
100-1 40TRK S/S	\$189	\$230
100-2 40TRK D/S	\$259	\$299
100-4 80TRK D/S	\$340	\$480

ECONOMY DRIVES

COMPLETE W/CASE/PWR SUPL/CABLE	
40TRK S/S	\$195

APPLE COMPATIBLE DRIVE	
W. CONTR CARD, CASE & CABLE	\$295

Dealers: Discount on Cases & PWR Supplies

C-ITOH PRINTERS

	PAR.	SER.
PROWRITER 8510	\$429	\$539
PROWRITER 1550	\$659	\$739
F-10 40CPS	\$1295	\$1295
F-10 55CPS	\$1550	\$1550
F-10 TRACTOR FEED		\$195
QUME SPRINT 11 40CPS		\$1,450

MODEMS

SIGNALMAN	\$85	J-CAT	\$145
-----------	------	-------	-------

24 HOUR TOLL FREE ORDERS
VISA/MASTER CHARGE ONLY:
(800) 633-2252 EXT 720

ALL QUESTIONS:(313) 538-1112

MICHIGAN RESIDENTS ADD 4% SALES TAX - POSTAGE CALL FOR CHARGES - PRICES ARE DISCOUNTED FOR CASH AND MONEY ORDER (NON CERTIFIED CHECKS ALLOW 2 WEEKS TO CLEAR) MASTERCARD AND VISA ADD 3% NO C.O.D. NO NET TERMS

VESPA COMPUTER OUTLET

16727 Patton Detroit MI 48219

REVIEWS

(From p. 146)

and common BDOS ERR—which could mean almost anything.

I would guess that the technical support from Ellis is excellent. I say "guess" because I have had no reason to use it. I was able to configure the Edit program on the first try and have had no trouble using the supplied documentation. If the technical support is of the same caliber as the rest of the product, it must be superb.

Summary

Ellis Computing's Edit is a well-thought-out product with excellent documentation and an astoundingly low price (\$29.95). This editor's ability to be customized for each user and its ease of use should make it a great product for cases such as program editing, when advanced text processing features are not needed. (Ellis Computing, 600 41st Ave., San Francisco, CA 94121; \$29.95.)

Terry A. Ward
Cedar Falls, IA

Memory/Shift

An innovative program
For the multitask-minded
Computer user

Memory/Shift is a program that could radically change the use of microcomputers. The program lets you subdivide your IBM Personal Computer's memory (of 128K or more) into two or more partitions, each of which can hold a resident program.

Why is Memory/Shift needed? The answer is elementary. It lets you work on many things concurrently. Up to now, the microcomputer hasn't been able to do this. If you were using a spreadsheet package and wanted to use a word processor, the former had to be closed out and the latter opened. Interactivity between the two was impossible. Reference to one by the other, without benefit of hardcopy printout, has also been impossible. Memory/Shift will change that.

As a writer, this package provides the ability to work with the software in Partition #1 and write about it in Partition #2.

If a question should arise as an article is being written, there is no need to close out the word processing document and reload the software. They are both resident and all that is required is the pressing of a combination of keys.

Those needing to use the microcomputer for two or more tasks in relative

concurrency will find Memory/Shift to be a major convenience.

How It Works

Version 1.0 of Memory/Shift divides memory into two partitions. After DOS and system programs are loaded, five options for partitioning exist:

- Each partition receives 50 percent of the available memory—this is the default.
- Partition #1 receives 64K, balance to Partition #2.
- Partition #1 receives 96K, balance to Partition #2.
- Partition #1 receives 128K, balance to Partition #2.
- You can specify the size of each partition.

All this assumes, of course, that you have the necessary resources.

Versions of Memory/Shift that will take the partitioning options first to nine partitions and then to an unlimited number are slated for release. The programs capability will only be limited by the

Memory Shift is
a program that
could radically
change the use
of microcomputers.

memory and media facilities committed to the IBM PC.

A software package such as Memory/Shift is bound to increase the sale of memory boards and hard disks.

What Are Convenience Programs?

With many partitions, and with many programs in parallel residency, switching from task to task and back again will make an abundance of minor resident reference programs possible. These programs are called "convenience programs."

The convenience-programs market is largely untapped, because no single package of this nature has had the impact of some of the major software many microcomputer owners have purchased. Let's face it—many microcomputers have been purchased on the basis of one application alone. Memory/Shift makes convenience programming a viable software market.

Memory/Shift is not multitasking software. Its total capability is to let you load several programs and move among them as your needs dictate. For example, if you use Memory/Shift while building a VisiCalc model, you do not need to download

it to review a WordStar document.

In short, if you need to use your micro for several different things, you can now do so with programs in parallel residency, moving to them and back again in microseconds.

North American Business Systems will be distributing Memory/Shift. The package costs \$99. Information on the software and details on their subscription plan, which will allow registered users to obtain inexpensive updates and allied services, may be obtained by contacting North American Business Systems, 677 Craig Road, St. Louis, MO 63141, or by calling 1-800-IBM-DEMO.

Kenniston W. Lord, Jr.
Winchendon, MA

Screenwriter II

All in all, this
Is a superior
Apple word processor

The ads sounded good—an Apple word processor that could display text on the screen in full upper- and lowercase and in 70-column width, without any extra hardware. It could spool using a disk drive, use Macros, generate indices and do proportional spacing as well.

The price for the software was \$129.95 from OnLine Systems (36575 Mudge Ranch Road, Coarsegold, CA 93614). That seemed good, but when I saw it for \$79.95 from Ark Computing (PO Box 2025, Corona, CA 91720) I could resist no longer, and ordered my first word processor.

When I received Screenwriter II, I was greeted with a looseleaf binder containing massive and thoroughly professional documentation and two copies of an (apparently) unprotected master disk with two command reference cards—one an abbreviated version of the other.

All in all, the manual is good, much above the average for the computer products I have seen. That alone would put Screenwriter II in a category by itself.

When the master disk is booted, the first program executed is a short machine-language routine called Start. This sets up a few pointers and then runs an Applesoft program called "Applesoft." If you do not have this language in ROM, it will be necessary to obtain the alternate version called Integer. This can be done by writing OnLine Systems, or you could convert the program by capturing it as a text file, changing languages, EXECing it back, and then resaving it under the new name. (This latter possibility is not mentioned in the manual.)

In any case, the Basic program exists only to provide the menu of choices for what to do next. You may enter the Editor or the Runoff module, configure the system for your particular needs and

hardware, or exit back to Basic. By the way, if you decide to do the latter by issuing a Cntrl C to list the program, remember to do an FP before carrying on in Basic, as this program is run at a relatively high memory position.

The Editor and Runoff packages both come in two versions (all machine language, of course). Either will run in a RAM card or a nonRAM card version. The former option allows both programs to reside in memory at the same time—a convenience if you're to be switching back and forth a lot. However, if you're in for a long editing session on a large file, there will be much less disk access and therefore less chance of dropping information from the file if you use the nonRAM-card version. Also, if you do have a card, there is then a great deal more memory available.

Moving and deleting text is fast and easy; once a block of text has been copied or deleted into the Get buffer, it can be written out once or several times anywhere in the file. There is also a global-search-and-replace facility. Any number, or all, of the occurrences of one word or phrase can be replaced by another word or phrase. Smaller amounts of text can also be deleted a word or a character at a time.

By using virtual memory on an output disk, file size is available up to 64K characters, an ample amount for most applications. It is important not to remove the output disk from the drive unless instructed to do so, as disturbance of the virtual memory can result in trashed files.

A recommended hardware configuration would involve a RAM card and two to four drives (one each for Library, Output, Spooling, and Text file storage). This is not necessary, however, as the program will work fine on only one drive, without the extra memory (but all that disk swapping!).

I like the fact that most of the DOS commands are available in almost all program modes. This allows the user to catalog, delete and perform other house-keeping chores on the disk containing Library or active text files either during an editing session or while preparing for a runoff.

On the initial entry, when the user is being asked for an input file, it is nice to be able to answer C and get a numbered list of all text files available. You can then select the desired file by number, instead of by name, an option that is also available when filling in the list of files for the Runoff module to print.

I have no doubt that Screenwriter II is a superior product. It can do all that OnLine Systems advertises and more. In fact, after a few weeks, I made the rounds of the local computer stores to make some comparisons. The competing products, in general, lacked many of the features I have mentioned so far, and typically had far fewer formatting commands. (Screenwriter

II has more than 80 such embedded commands.) My general impression is that most software documentation is still at a much lower level than Screenwriter II's.

Typical of author David Kidwell's attention to detail is the fact that up to four titles, the date and the page number (Arabic or Roman) can be placed anywhere outside the text body and can be changed at any time, allowing various headings for different chapters, or even each page of a chapter. Up to four indices of various types can be generated by plac-

**I have no doubt
that Screenwriter II
is a superior product.
It can do all that
OnLine Systems
advertises and more.**

ing the appropriate tokens in the text.

Full provision is also made to take advantage of the special features of various printers to achieve boldfacing and underlining, as well as to spool using a disk drive while continuing to edit using another drive.

While on the subject of printers, I should note that it is possible to list the file to the printer from Edit mode. This can be useful.

The 70-column feature is there, and it works. In Edit mode you switch back and forth by using the commands 40c and 70c. In Runoff mode, the command T will give a test print of the left-most 70 columns on the screen. Naturally, a monitor is needed to make the results legible; on a television they are not.

Cursor control is convenient and fast in Edit, Insert, and Change modes; a software buffer ensures that you cannot overtype the 40-column screen, even if the disk drive is also operating, though this may be possible for a much faster typist than myself.

It is easy to overtype the 70-column screen, as the screen refresh takes a long time. Indeed, writing out a Get buffer with the cursor near the top of the screen could take what seems like forever. If this happens, scrolling the cursor to the bottom of the screen will cut down on the portion of the screen rewritten after each keypress and therefore speed up entry.

All in all, Screenwriter offers many positive features, enough for the general writing needs of even the most prolific and eclectic of authors.

No product is perfect, however, and this one has its share of shortcomings. (Well, what did you expect from someone who has yet to give any program un-

qualified approval?)

At the time this review is being written, there is no graphics editor, though there is a promise that one will be forthcoming. For some, that is a must and will be the determining factor in a purchase decision.

More seriously, for a mathematician like myself, there is no math capability. Even if you enter a simple chart, all the totals will also have to be entered by hand—surely this will be improved. In the meantime, I produce charts with VisiCalc. Fortunately, Screenwriter II does make provision to leave space for such things.

There is a devious protection scheme implanted in three of the main programs—a fact which is not mentioned in the advertising, in the manual or on the outside cover of the package (where all such things should be boldly announced). Although all other supplied software can be copied, the programs RUNOFF.OBJO, EDITOR RAM.OBJO, and EDITOR.OBJO can only be run from the master disk.

Personally, I find this annoying and inconvenient. I have a paranoia about writing anything (including configurations) on any program disk for which I have paid good money. It is false advertising to do such a thing and not tell the prospective buyer, let alone the user. Furthermore, I wanted to configure several disks differently for different writing purposes. I was unable to produce a working copy with COPYA, Locksmith or Super Copy 2, despite the fact that the normal DOS would read from, and supposedly write to, the master without any problems.

It is, of course, possible to defeat the scheme. That does not mean that I advocate software piracy, but a user should be able to make a reasonable number of traceable, serial-numbered backups.

For the machine-language buff who wants to see an interesting variation on the protection game, the routine is located at \$7F00 in the first two of these programs and at \$6D00 in the third. I will not tell you how to defeat the lock (believe me, I am tempted!), but be careful if you do try; you may see some trashed files before you're finished, especially if you do the most obvious thing.

The procedure for entering printer initialization codes could be improved. If this advice is followed for ESC codes, the results may be surprising, to say the least. Add 128 to all the numbers mentioned. That is, use the table on p.15 of the Apple Reference Manual and take the values from 128 and up for this purpose. A better method would be to enter the Apple monitor by typing Call-151 from Applesoft. Then create the sequence of printer codes in machine language, starting at \$1FF0. Remember to end the sequence with a zero. When done, type BSAVE PRINT1, A\$1FF0,LS0B.

As many different printer initialization schemes as you want can be entered this way; you can then type BLOAD PRINT1 (or whatever name) when in Runoff to switch

codes. The new ones can be saved as part of the default parameters if you wish.

If you do use ESC codes to change character sets on a Centronics printer, remember to put them in the initialization string first, as the switch to or from standard characters must be the first thing on a line or it will not work.

All other ESC codes can be entered into the text in the same way as control characters—by pressing Cntrl X before the escape key. This fact is not mentioned in the manual.

A number of commands were left off the reference card, including those for Help, Merge and Save, some of the search parameters, and the character set switching commands I mentioned earlier.

I didn't like the fact that whenever I deleted a word, any immediately following punctuation also vanished and had to be reentered. I could not delete from the end of the word backwards, but had to position the cursor at the beginning. It is nice, though, to be able to undelete the most recently deleted characters or words.

When using the RAM card version of the Editor, the amount of disk access was enormous; this really slows down cursor moves.

Speaking of the disk, there were problems with the spooler for large files. I suspect that this was caused by speed problems in my drives. Remember that spooling cannot be interrupted once it has started. If you can afford it, purchase a printer interface with a spooling buffer. It works much faster.

Another problem is that the screen does not reflect such things as boldface or underlining while editing, except by the presence of the tokens or control characters you have inserted in the text to cause these to be invoked. However, that is a problem with all strictly screen-oriented editors. Also, packing or saving the file, or changing screen type always scrolls the cursor to the top of the file, a possible annoyance since there is no screen indicator to tell you what page you have been editing.

The users of some word processors will be disappointed to discover that there is no indicator of the current screen's position in the overall file kept on the screen. A line or page counter would be useful in moving to other parts of the file easily.

I had hoped that the presence of a Centronics driver in the supplied software meant that I could use the proportional character set supplied on my 737, but such was not to be the case. Proportional spacing is available, but only for fixed-width characters; I must admit that I have not yet used that feature.

Some care must be taken if you do select a proportional character set, because the presence of many wide characters on one line would cause an unsightly run in to the right margin and, of course, right justification would not work at all.

These are all minor quibbles. After all, a critic is supposed to be critical.

I have saved the worst for last. There is a bug and an attending error in the manual. It has to do with the fact that the two versions of the Editor store their Macro tables at different addresses. (RAM card version is at \$7462 and nonRAM is at \$693D.)

It would be all right if the program took this into consideration, but it does not.

Karel the Robot . . . is able to start neophytes, even those with computer phobia, off on the road to computer literacy.

The RAM card version BLOADS and BSAVES at \$7464, not \$7462 as it should. To correct this bug, which will only become apparent if you try to use Macros saved in one version while using the other one (and then—O joy!—all your control keys get redefined two bytes off), do the following:

```
From Applesoft
BLOAD EDITOR RAM.OBJ0
CALL-151
745B:B2
BSAVE EDITOR RAM.OBJ0.A$4000.L$4000
```

To complete the fix, turn to p. 155 of the documentation and change the lines near the top to:

```
7810PRINT DS"BLOAD MACRO.A$7462"
8810PRINT DS"BLOAD MACRO.A$693D"
```

Do not include line 9919, or you will have problems. Line 9800 is unnecessary, and may cause trouble. Cross it out.

Finally, delete all references to the latter two lines on the previous page.

Despite the one bug and the few drawbacks I have mentioned, this word processor is by far the best I have seen for general writing purposes. The addition of a graphics editor and mathematics capabilities would leave it with no realistic competition in Apple word processors. Even as it is, this program is a must buy; I strongly recommend it.

Rich Sutcliffe
Langley, B.C., Canada

Karel the Robot

A sugar-coated Approach to Learning Pascal

If a spoonful of sugar helps the medicine go down, a whole bowl of sugar should help anyone to swallow anything.

Karel the Robot qualifies as a big,

seductive bowl of sugar. It is a simple game with a few simple rules and is able to start neophytes, even those with computer-phobia, off on the road to computer literacy.

Karel's world is the display tube of the Apple II. (IBM Personal Computer users have been promised their own version.) The left side is an impenetrable wall and so is the lower edge; the rest of the screen is streets (east-west) and avenues (north-south). Karel moves from street corner to street corner, one block per move, and can pick up or put down beepers at corners. He can also turn left.

He does well in the sensory capabilities: he can tell if he is facing north, south, east or west; he can determine if passage is clear ahead, to the left or to the right; he can hear beepers when they are on the same corner he is on; he can determine if his beeper-bag is empty.

The challenge is to navigate Karel about his world—populated with barricades and beepers—picking up or leaving beepers and generally avoiding barricades until his mission is complete and he is turned off. If he runs into a barricade before his mission is complete, he experiences an emergency turn-off. The program fails and the student must find out why.

It just happens that the instructions for Karel look suspiciously like Pascal. (A Language Card is indeed one of the requirements; another requirement is having at least one disk drive.) Presumably, the student never realizes that he is being indoctrinated in structured programming, a Pascal subset language, problem solving via computer programming, debugging programs and desk checking of programs.

Writing easy-to-read programs structured with blocks, indentations, punctuation and small programmer-defined procedures is necessary to "step-wise refine" a set of instructions to get that dumb Karel to do what he should. Karel has an annoying habit of doing exactly what he is told to do.

Karel the Robot is used at the beginning (first four days) of the elementary computer science class at Stanford University where Richard E. Pattis, the program's author, teaches. Karel is used in a similar manner at Berkeley and Carnegie-Mellon as well.

This game for computer-phobes is played by budding computer geniuses as well. Not surprisingly, Karel has been used to help high school students adept in Basic make the transition to Pascal without suffering trauma or future-shock.

Yes, your suspicions are correct. Karel the Robot is named after Karel Capek, the Czechoslovakian playwright who wrote a play entitled *R.U.R.* early in the 1920's. *R.U.R.* (Rossum's Universal Robots) was the introduction of the word "robot" into the English language; the Czech word "robota" means "forced labor."

The course includes no "robota." It

opens with Pattis' 106-page primer *Karel the Robot: a Gentle Introduction to the Art of Programming*. This is so gentle that it is perfectly painless, such a pleasure as a game that the programming principles are as hard to swallow as chocolate drops and jelly beans.

Karel-programmers learn If...Then, If...Then...Else, nested If, Iterate, While...Do instructions and variations. They also learn some subtleties such as test reversal of the If, bottom factoring, top factoring, and the dangling Else. The objective is to make programs smaller, simpler, more logical, and—above all—more readable.

The last topics covered with Karel are "beyond-the-horizon" situations and "stepwise refinement." Experienced programmers may know a lot about low-probability conditions that may be beyond their horizon when the code is written—not showing up until their program bombs at the worst possible time. They also know about stepwise refinement which means patching over program bugs as they are discovered. On page 98 Pattis says, "... programs we write by using stepwise refinement are especially susceptible to bugs caused by unsatisfied preconditions." Pattis does well in bringing his Karel-programmers to this point without arousing anxieties. This is Computer Aided Instruction at its best.

Any youngster who gets his hands on Karel and works his way through it is likely to develop a fair competence in Pascal...

Four disks, compatible with the UCSD Pascal of the Apple II Language Card, contain all Karel the Robot (125 files in all) example programs and problem solutions. A 59-page booklet that comes with the disk contains the user's manual and all other documentation necessary to bring the system up on your Apple II, be it a one-disk drive system or a two-drive system.

Karel's documentation is easier to follow than the Apple-supplied documentation for the Language Card. Anyone who is really interested in this card, with the intent of learning and using Pascal, would do well to get the Karel package.

Any youngster who gets his hands on Karel and works his way through it is likely to develop a fair level of competence in Pascal and, with a sufficiency of talent, will have a grasp of the fundamentals necessary to become formidable.

Does the need to install the Language Card and set up for UCSD Pascal create a need to learn something about Apple Pascal before turning on Karel? Happily, the answer is a definite "no."

Following the instructions for the test and demonstration, the Karel Primer and the Karel user's manual should enable the user to go through the course with minimal reference to the Pascal documentation until after the Karel course is finished—or at least until he is well into it.

The disks I received with my copy of Karel have only given me two inconveniences. First, this version did not enable me to use the 80-column display furnished by my Vindex card. Second, the KAREL2: disk was apparently misnamed KAREL:, a problem that is readily repaired: refer to the C(hange) disk name procedure in the Apple Pascal Reference Manual.

Karel should be expected to provide incentive and confidence for the student in dealing with Pascal.

**James F. Derry
Akron, OH**

Circle 336 on Reader Service card.

**INTRODUCING
THE MOST INNOVATIVE
PERIPHERAL OF 1983**


keywizTM VIP

**THE FIRST USER PROGRAMMABLE KEYBOARD
NO SOFTWARE INTERACTION**

- Stores up to four (62 Keys) Keyboards that you create yourself with up to 8 characters per key - ie.. " then x = " etc.
- Imagine the time saved having your Basic, Pascal or "Calc" commands or even "text" preprogrammed!
- IT MAKES ALL SOFTWARE PROGRAMS USER FRIENDLY. Program your VIP using our preprinted templates as a guide or create your own using the blank reverse side of the template and a pencil or marker.

Full 1 Year Warranty

— PROGRAM IT YOURSELF-ANYWAY-ANYTIME —



- TOUCH PROGRAM KEY ON VIP to start programming
 - TOUCH DESIRED KEY ON VIP to be programmed
 - INPUT UP TO 8 CHARACTERS from computer keyboard.
 - TOUCH PROGRAM KEY AGAIN to stop programming. THAT'S IT!
 - REPEAT A-D for all 31 keys
 - TOUCH SHIFT LOCK KEY ON VIP
 - TOUCH PROGRAM KEY ON VIP and repeat steps B-E
 - TOUCH PROGRAM SELECT KEY
 - REPEAT STEPS A-G, H till all 4 keyboards in memory are program med.
- BONUS -**
Switch between keyboards at the touch of a button making all 248 user defined keys available. Reprogram any key anytime to suit your needs, even in the middle of Word Processing or your "CALC" Program
- LED indicators:**
 [P] indicates you're in program mode on LED
 [1] LED changes to reflect which 1 of 4 keyboards you're programming.
 [.] Decimal point appears indicating shift. LED exhibits "P" and decimal point indicating that you are programming a key in shifted mode.
 [2] LED indicates that you are into the second keyboard of 62 keys.

TURN THE POWER OFF and when you turn it on again - it's still there!



Creative Computer Peripherals Inc.
Aztec Environmental Center
1044 Lacey Road, Forked River, N.J. 08731
THE BIG NAME IN SMALL COMPUTER PERIPHERALS

SEE US IN THE 80/APPLE/PC COMPUTER SHOW, APRIL 8-10 IN NYC OR THE BOSTON APPLEFEST MAY 13-15, 1983.

**10 DAY TRIAL WITH
MONEY BACK GUARANTEE**

**ORDERS ONLY 800-225-0091
INFORMATION 609-693-0002**

DEALER INQUIRIES INVITED

Apple II is a registered trademark of Apple Computer, Inc. TRS-80 is a registered trademark of Tandy Corporation. Ace is a registered trademark of Franklin Computer, Inc. Visicalc is a registered trademark of Visicorp.

LOWEST SOFTWARE PRICES GUARANTEED

We hereby certify that your purchase from Discount Software represents the lowest price sold anywhere. If you find a lower price on what you purchased within 30 days, send the ad and we'll refund the difference.

Discount Price	CP/M
	ARTIFICIAL INTELLIGENCE
	Medical (PAS-3)\$849
	Dental (PAS-3)\$849
	ASHTON-TATE
	\$4?? dBASE II... call for price
	Financial Planner\$595
	Bottom Line Strategist...\$349
	ASYST DESIGN/FRONTIER
	Prof Time Accounting\$549
	General Subroutine\$269
	Application Utilities\$439
	DIGITAL RESEARCH
	CP/M 2.2
	Intel MDS\$135
	\$149 Northstar
	\$159 TRS-80 Model II (P&T)
	Micropolis\$175
	\$98 CBasic-2
	Display Manager\$319
	Access Manager\$239
	Multipan\$219
	\$449 PL/1-80
	BT-80\$179
	MAC\$85
	RMAC\$179
	Sid\$65
	\$90 Z-Sid
	DeSpool\$49
	CB-80\$459
	Link-80\$90
	FOX & GELLER
	Quickscreen\$135
	Quickcode\$265
	\$65 Dutil
	MICRO-AP
	S-Basic\$269
	Selector IV\$295
	Selector V\$495
	MICRO DATA BASE SYSTEMS
	HDBS\$269

MDBS\$1099	
DRS or QRS or RTL.....\$319	
MDBS PKG\$1999	
MICROPRO	
\$289 WordStar	
\$199 Mail Merge	
WordStar/Mailmerge\$399	
WS/MM/SpellStar\$549	
Customization Notes\$44	
\$199 SpellStar	
DataStar\$249	
InfoStar\$349	
ReportStar\$254	
Wordmaster\$119	
Supersort I\$199	
Calc Star\$129	
MICROSOFT	
\$229 Basic-80	
\$329 Basic Compiler	
\$349 Fortran-80	
\$549 Cobol-80	
M-Sort\$175	
\$159 Macro-80	
MuSimp/MuMath\$224	
MuLisp-80\$174	
ORGANIC SOFTWARE	
Textwriter III\$111	
Datebook II\$269	
Milestone\$269	
OSBORNE (McGraw/Hill)	
G/L, or AR & AP, or PAY\$59	
All 3\$129	
All 3 + CBASIC-2\$199	
Enhanced Osborne\$299	
PEACHTREE	
G/L, A/R, A/P, PAY, INV (each) \$399	
P8 VersionAdd \$234	
Peachcalc\$249	
OtherLess 10%	
STAR COMPUTER SYSTEMS	
G/L, A/R, A/P, Pay (each)\$1129	
All 4\$849	
Legal or Property Mgt.\$849	
STRUCTURED SYSTEMS	
Business Packages (call)	

SORCIM	
\$249 SuperCalc	
Act\$157	
SUPERSOFT	
Ada\$270	
Diagnostic II\$89	
Disk Doctor\$89	
Forth (8080 or z80)\$149	
Fortran\$319	
Ratfor\$79	
C Compiler\$225	
Star Edit\$189	
Scratch Pad\$266	
StatsGraph\$174	
Analiza II\$45	
Disk Edit\$89	
Encode/Decode II\$84	
Optimizer\$174	
Term II\$179	
Utilities I or II\$54	
SOFTWARE DIMENSIONS/ACCOUNTING PLUS	
1 Module\$399	
4 Modules\$1499	
All 8\$2799	
UNICORN	
Mince or Scribble (each)\$149	
Both\$249	
The Final Word\$270	
WHITESMITHS	
"C" Compiler\$600	
Pascal (incl "C")\$850	
"PASCAL"	
Pascal/MT+ Pkg\$429	
Compiler\$315	
SP Prog\$175	
Pascal Z\$349	
Pascal/UCSD 4.0\$670	
DATA BASE	
dBASE IICall 4??	
FMS-80\$799	
FMS-81\$399	
Condor I & IIICall	
Superfile\$159	
"WORD PROCESSING"	
Perfect Writer\$189	
WordSearch\$179	
SpellGuard\$199	
Peachtext\$289	
Spell Binder\$349	
Select\$495	
The Word\$65	
\$145 The Word Plus	

Palantier-1 (WP)\$385	
"COMMUNICATIONS"	
Ascom\$149	
BSTAM or BSTMS\$149	
\$139 Crosstalk	
\$89 Move-it	
"OTHER GOODIES"	
Micro Plan\$419	
Plan 80\$495	
Target PlannerCalc\$79	
Target Financial Modeling\$299	
Target Task\$299	
Tiny "C"\$89	
Tiny "C" Compiler\$229	
MicroStat\$224	
Vedit\$130	
MiniModel\$449	
StatPak\$449	
Micro B+\$229	
String/80\$84	
String/80 (source)\$279	
ISIS CP/M Utility\$199	
Lynx\$199	
Supervyz\$95	
ATI Power (tutorial)\$75	
Mathe Magic\$95	
CIS Cobol\$765	
Forms II\$79	
Graph Magic\$249	
Basic\$249	
Zip MBasic, CBasic\$129	
APPLE II	
ASHTON-TATE	
(See CP/M Ashton-Tate)	
BRODERBUND	
G/L (with A/P)\$444	
Payroll\$355	
INFO UNLIMITED	
EasyWriter (Prof)\$155	
EasyMailer (Prof)\$134	
Datadex\$129	
MICROSOFT	
Softcard (Z-80 CP/M)\$239	
Fortran\$179	
Cobol\$499	
Tasc\$139	
Premium Package\$549	
RAM Card\$89	
MICROPRO	
(See CP/M Micropro)	
VISICORP	
Visicalc 3.3\$189	
Desktop/Plan II\$219	
Visiterm\$90	
Visidex\$219	
Visitrend/Visiplot\$259	

Visifile\$219	
Visischedule\$259	
PEACHTREE	
G/L, A/R, A/P, PAY, (each)\$224	
PeachPack P40\$395	
ACCOUNTING PLUS	
G/L, AR, AP, INV, (each)\$385	
"OTHER GOODIES"	
Super-Text II\$127	
Data Factory\$269	
Mini Factory\$269	
DB Master\$184	
Versaform VS1\$350	
IBM PC, 16 BIT 8, DISPLAYWRITER	
"WORD PROCESSING"	
Wordstar\$289	
Spellstar\$199	
Mailmerge\$199	
Easywriter\$314	
Easyspeller\$159	
Select/Superspell\$535	
Write On\$116	
Spellguard\$189	
Textwriter III\$189	
Spellbinder\$349	
Final Word\$270	
"LANGUAGES & UTILITIES"	
Crosstalk\$174	
Move-it\$129	
BSTAM or BSTMS\$149	
Pascal MT+ /86, SPP\$679	
CBasic 86\$294	
Act 86\$157	
Trans 86\$115	
XLt 86\$135	
MBasic (MSDOS)\$329	
MBasic Compiler (MSDOS)\$329	
Both\$629	
CBasic Compiler (MSDOS)\$495	
Cobol (MSDOS)\$649	
Pascal (MSDOS)\$429	
Fortran (MSDOS)\$429	
"C" (MSDOS)\$429	
CP/M 86\$239	
"OTHER GOODIES"	
Lotus 1-2-3\$329	
SuperCalc\$269	
VisiCalc\$219	
Visiplot/trend\$259	
Visidex\$219	
Easyfiler\$359	
Mathemagic\$95	
dBase IICall 4??	
Condor Q & R, OthersCall	
Statpak\$449	
Optimizer\$174	
Desktop Plan\$259	

FREE WITH PURCHASE:

Complete Software Buyer's Guide (\$5.00 value)
Filled with facts and usable advice about scores and scores of software programs from accounting and business systems to word processing and utilities.

Exclusive Service "Hotline"
Our reputation for courteous and knowledgeable service has resulted in calls from people who never purchased our products. Now a separate "hotline" is available to customers only.

Confidential Software BargainGrams
Regular notices of insider's bargains not available to the general public.

DISCOUNT SOFTWARE

Outside Continental U.S.—add \$10 plus Air Parcel Post. Add \$3.50 postage and handling per each item. California residents add 6 1/2% sales tax. Allow 2 weeks on checks. C.O.D. \$3.00 extra. Prices subject to change without notice. All items subject to availability. *Mfr. trademark. Blue Label \$3.00 additional per item. CP/M is a registered trademark of DIGITAL RESEARCH, INC.

ORDER TOLL-FREE
VIA VISA OR
MASTERCARD:

1 800 421-4003
Calif: 1 800 252-4092

6520 Selma Avenue, Los Angeles, CA 90028

DISCOUNT SOFTWARE

Nevada Edit—An Editor That Has It All A Revolutionary Program for the IBM A Word Processor That's in a Class by Itself Learn Pascal—Without Even Knowing It

Nevada Edit

An inexpensive and
Modifiable editor
For CP/M systems

"DISK ERROR FULL"—once again, I was foiled in my attempt to place a useful utility on my system disk. With my CP/M-based Osborne 1, I have a problem with small disk capacity. I suspect that everyone has small-disk size problems. You can never be too skinny or have too large a disk.

My system disk has a compiler (BDS C), some utilities (e.g., disk directory program and I/O system), and there is little room for the WordStar editor supplied with the Osborne. This editor consumes approximately 60K of disk space, so I am left with the task of switching from disk to disk to ease with every compilation. There must be a better way.

So began my search for a smaller editor for the simple task of program creation and editing.

My first thought was the CP/M editor—ED. The line-orientation and its complex syntax immediately convinced me that ED's days were numbered.

I saw an ad for an editor... full-screen, modifiable, small and cheap—\$29.95. There must be a typographical error. I thought: nobody sells software for less than \$50. I was also certain that I had seen this program advertised for about \$150. A check of other microcomputer magazines convinced me that the price was correct.

Ellis Computing had also reduced the prices on all its other software (Cobol, Fortran and Pilot, which was reviewed in *Microcomputing*, January 1983). So I purchased the Nevada Edit.

As delivered, the editor comes with an excellent 50-page manual and one disk. The disk is available in virtually any CP/M format desired.

As with any disk, the first step was to make a back-up copy of the original. This

step is especially important with Edit, because you must configure the disk for your system. Any mistakes are correctable with a good original.

The hardware requirements for Edit are quite minimal and easily met. Any of the 8080/Z-80/8085 microprocessor family with 32K RAM, a disk drive, keyboard and video screen can use the system.

The thought of configuring a program for your system might scare you, but the Ellis documentation is excellent in guiding you through the procedure systematically.

The first part of the configuration procedure is the running of a program called NVEdit that presents you with a multitude of preconfigured choices. Ellis provides options ranging from the venerable Processor Technology Sol to the Heath or Apple models. Fortunately, the Osborne is listed right there, so the initial configuration was trivial: I pressed one key for system type, and was then directed to select a default file type.

In the unlikely event that your computer is not listed in the two screens of choices, Ellis provides a step-by-step procedure for configuration. Again, the thoroughness of the Ellis product is evident. All you have to do is answer a few questions concerning screen size and cursor positioning, and you will be ready to use the editor.

The program then creates your version of the editor and places it on the disk as EDIT.COM. If you want a slightly more customized editor, you can run a program called EDTKey that allows you to modify the control codes used by the editor.

Again, Ellis has simplified the task with an easy-to-follow set of menu choices. I ran this program to change the default tab settings and to make certain keys behave more like the editor I use at work. I thought there was no sense in learning two sets of command sequences. When completed, EDTKey modifies EDIT.COM to be your totally personalized editor.

Once this is done, you are finished and

need to keep only the Edit file and the error message file on disk. Together, they take up only 14K of disk space, so there is still plenty of room for a compiler and some utilities—exactly as I had hoped. Now only one question remained: will it work? A small editor is no good if it's unuseable.

I am pleased to report that the editor has performed flawlessly from the day it was installed. I can now create, compile, correct and recompile programs without ever swapping disks.

The essential editing commands are all present in Edit. You can move the cursor around the screen, scroll through entire screens of information and even move blocks of program from one place to another.

The editor also has several interesting features. When you enter the editor and request a file that is nonexistent, it allows you to create it as you type. Also, the editor tells you how many characters are available for use and how large a program is.

The latter feature is a result of the editor's limitation—having to fit all the text into memory at one time. While you might consider this a serious limitation, I think that with the ability to compile separate portions of a program (as in C or Pascal) for later linkage and execution, this is no great handicap. Besides, how many 48K programs do you write at one sitting? Most of my programs easily fit into memory with the editor.

Ellis has even thought of the situation in which a large file is created. You do get an error message, but you do not lose anything! The editor has a safe exit procedure that allows you to create a continuation file. Even at this extremity of file size, the exception is handled well.

The editor also features an extensive set of understandable error messages. In my mind, FILE ALREADY OPEN is a definite improvement over CP/M's cryptic

(continued on p. 141)

Just purchase a
Z-CARD/CPM combo for your APPLE II?



Discover the language system
that fits perfectly in your Apple.

ALCOR PASCAL

SPECIALLY TARGETED. Works in harmony with your z-card/cpm equipped Apple II. No more floppy shuffle. Fast one pass compiler that doesn't generate unnecessary intermediate files which require further assembly.

PROFESSIONALLY DESIGNED. Crafted by a project team with over 15 years of Pascal programming experience. A powerful Pascal that includes all the features necessary for professional program development including random files and dynamic strings.

INCREDIBLE SPEED. Resultant stand alone programs execute 10-20 times faster than the equivalent Basic or up to 4-1/2 times faster than U.C.S.D. programs.

CPM
Apple
UCSD
Alcor Pascal

TRADEMARK
Digital Research
Apple Computers
University Calif. San Diego
Alcor Systems

POWERFUL TEXT EDITOR. Has Macro capability, reconfigurable and understands smart terminals.

EXCEPTIONAL DOCUMENTATION. Includes 250 page documentation pkg. that guides you step by step.

OPTIONAL ADVANCED DEVELOPMENT PKG. Includes Optimizer and Native Code Generator for even faster executing programs. ADP: \$125 + shipping.

ALCOR PASCAL: A new standard of excellence from the professionals at Alcor Systems.

CALL OR WRITE for a free 20 page technical brochure with all the facts. 214-226-4476. Pascal System: \$199 + shipping.



Alcor Systems
800 W. Garland Ave.
Garland, Texas 75040

Dealer Inquiries Invited

Circle 109 on Reader Service card.

TRUNKS FOR THE MEMORIES.



Introducing the most logical place to store Elephant Memory Systems® (or lesser brands of disks): The Trunk.

With its alphabetized library index, you can file or retrieve up to 60 disks, instantly.

The Trunk is made of durable molded plastic with a hinged, one-piece lid, to keep disks safe from dust, dirt, and other detriments which disks despise.

And, it's portable. Because the lid doubles as a carrying handle so your Elephant Memory Systems® disks can go anywhere you do.

There's a model for 5¼" and 8" floppies, as well as a cassette-and-game file and a special Atari® version.

So if you're looking for the best disk storage system on the market...

The Trunk is an open-and-shut case.

THE TRUNK. ENDORSED BY ELEPHANTS.

Elephant Memory Systems® Disks

A full line of top-quality floppies, in virtually every 5¼" and 8" model, for compatibility with virtually every computer on the market. Guaranteed to meet or exceed every industry standard, certified 100% error-free and problem-free, and to maintain its quality for at least 12 million passes (or over a life-time of heavy-duty use).

Marketed exclusively by Leading Edge Products, Inc., 225 Turnpike Street, Canton, Massachusetts 02021.

Call: toll-free 1-800-343-6833; or in Massachusetts call collect (617) 828-8150. Telex 951-624.

Circle 355 on Reader Service card.